

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6239

LIBRARY
RECEIVED
★ MAR 1930 ★
College of Agriculture

WYMAN'S FRAMINGHAM NURSERIES

SPRING
1930



WYMAN'S
FRAMINGHAM
NURSERIES

PRICE LIST
SPRING 1930

Copyright, 1930
Richard M. Wyman,
Framingham, Mass.

TABLE OF CONTENTS

Evergreen Trees	4-18	Vines	57-59
Evergreen Shrubs.....	19-23	Roses	60-62
Rhododendrons	23	Hardy Perennials	63-90
Deciduous Trees.....	24-36	Index of Varieties.....	91-94
Deciduous Shrubs.....	37-56		

OUR LOCATION

We are located about 20 miles from Boston on the Boston-Worcester Turnpike. Framingham is also on the main line of the Boston & Albany R.R., also on the New Haven R.R.

We cordially invite you to inspect our nurseries at your convenience. Salesmen are not in attendance on Sundays.

SHIPPING INSTRUCTIONS

Customers are requested to state explicitly the mode of conveyance and route by which they want their orders shipped. Otherwise we will use our own discretion. We will not, however, be responsible for delays or damage in transit, or loss in after-cultivation.

MOTOR DELIVERY. Orders of considerable size can best be delivered within a radius of one hundred miles, or even more, by motor truck. Trees so shipped arrive in the best condition. **DELIVERY CHARGES** will depend on the size of the load and the distance.

PRICES

The articles in the following list will be furnished at the annexed prices only when the quantity specified, of any given variety and size, is taken. **FIVE to TWENTY-FOUR** plants at the **TEN RATE**; **TWENTY-FIVE or MORE** at the **HUNDRED RATE**.

Specimens personally selected by the purchaser or his representative (or specially selected by us at his request) will be priced according to their individual values.

The prices are for the stock F.O.B. our nurseries.

The prices in this list cancel all previous prices.

GUARANTEE

We give no warranty, express or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

No complaints will be considered that are not made within ten days after receipt of the stock.



IN this New Price List we have attempted to accomplish the seemingly impossible. We have attempted to inject the information, usually found only in large unwieldy illustrated descriptive catalogs, into a small price list of convenient size.

To accomplish this it has been necessary to depart from accepted practice. It has been necessary to dispense with long sentences full of flattering praise—we have reserved our praise for those items which especially deserve praise. It has been necessary to classify trees and plants, not along botanical lines, but along practical lines, into groups which can be graphically presented. It has been necessary to tabulate information and refer to that information by means of code.

Perhaps we have overdone this matter of brevity; perhaps a little more verbosity would be acceptable. We are, however, positive that never before has such a wealth of useful and usable plant information been presented in a Nursery Price List of such small and convenient proportions.

We sincerely hope you will find it helpful.


WYMAN'S FRAMINGHAM NURSERIES

COCHITUATE ROAD, FRAMINGHAM, MASS.

Telephones:

February 1, 1930.

Framingham 331 and 1685



TYPES OF EVERGREENS

To enable us to give accurate brief descriptions of Evergreens, we classify them into six types shown above.

- A. Large, roughly conical, medium to coarse texture.
- B. Narrow conical to columnar, medium to fine texture.
- C. Broad conical, medium to fine texture.
- D. Globose, including elliptical and flattened globe.
- E. Spreading, bush-form, not prostrate.
- F. Flat, prostrate or procumbent.

PROPORTIONS

We indicate the relation between height and breadth by figures such as 3/1. The first figure represents the relative (not actual) height; the second indicates the relative breadth.

MAXIMUM HEIGHTS

These vary under different conditions. The figures given represent an average—not the extremes.

RATES OF GROWTH

These also vary, but we give an approximate average rate per year, also the key letters used in the code.

- | | |
|-------------------------------|------------------------------|
| VR—very rapid—over 18 inches. | S—slow—4 to 8 inches. |
| R—rapid—12 to 18 inches. | VS—very slow—under 4 inches. |
| M—medium—8 to 12 inches. | |

TRANSLATION OF DESCRIPTIVE CODE


We condense the above information into code form such as—B3/1—18' M. Reference to the above explanation indicates that the tree described is a narrow cone or column, its height about three times its breadth, a usual maximum height of eighteen feet, growing from eight to twelve inches a year.

EVERGREEN TREES

Our Evergreens have the quality necessary to provide excellent IMMEDIATE EFFECT—and heavy root masses to promote TRANS-PLANTING SUCCESS.

We dig our Evergreens with a ball of the earth in which they are grown, and wrap them in burlap WITHOUT additional charge.

ABIES—Fir



	Each	Per 10	Per 100
ABIES balsamea			<i>Balsam Fir</i>
A5/3—60'R. Needles $\frac{1}{2}$ "—1", dark above, pale below.			
2 to $2\frac{1}{2}$ ft.....	\$4.00	\$35.00	\$300.00
$2\frac{1}{2}$ to 3 ft.....	5.00	45.00	400.00
3 to $3\frac{1}{2}$ ft.....	6.00	55.00	
concolor			<i>White Fir</i>
A5/3—80'R. Soft flat needles, $1\frac{1}{2}$ "— $2\frac{1}{2}$ ", green to silver.			
18 to 24 in.....	4.00	37.50	360.00
2 to $2\frac{1}{2}$ ft.....	6.00		
$2\frac{1}{2}$ to 3 ft.....	8.00		
3 to 4 ft.....	10.00		
4 to 5 ft.....	12.00		
5 to 6 ft.....	15.00		
6 to 7 ft.....	18.00		
7 to 8 ft.....	21.00		
8 to 9 ft.....	25.00		
9 to 10 ft.....	30.00		
10 to 12 ft.....	35.00		
12 to 14 ft.....	40.00		
fraseri			<i>Fraser Fir</i>
A3/2—40'M. Stubby needles, $\frac{1}{2}$ "— $\frac{3}{4}$ ".			
2 to $2\frac{1}{2}$ ft.....	5.00	45.00	
$2\frac{1}{2}$ to 3 ft.....	6.50	60.00	

ABIES—cont'd

Each Per 10 Per 100

homolepis

*Nikko Fir*A5/3—80'VR. Strong needles, $\frac{3}{4}$ "— $1\frac{1}{4}$ ", light green.

18 to 24 in.....	4.00	36.00	
2 to $2\frac{1}{2}$ ft.....	5.00	45.00	
$2\frac{1}{2}$ to 3 ft.....	6.00		

veitchi

*Veitch Fir*A3/2—80'R. Needles $\frac{3}{4}$ "—1", lustrous dark green above, silvery beneath. Succeeds in difficult soils and exposures.

2 to $2\frac{1}{2}$ ft.....	5.00	45.00	400.00
$2\frac{1}{2}$ to 3 ft.....	6.50	60.00	550.00
3 to $3\frac{1}{2}$ ft.....	8.00		

CHAMAECYPARIS—Retinospora



CHAMAECYPARIS FOLIAGE

CHAMAECYPARIS pisifera

Sawara Retinospora

C5/3—35'M. Light green foliage, lacy texture, graceful.

2 to $2\frac{1}{2}$ ft.....	4.00	35.00	
$2\frac{1}{2}$ to 3 ft.....	5.00	45.00	
3 to 4 ft.....	6.00	55.00	500.00
4 to 5 ft.....	8.00	75.00	700.00
5 to 6 ft.....	11.00	105.00	
6 to 7 ft.....	14.00	135.00	
7 to 8 ft.....	18.00		

pisif. aurea

Golden Sawara Retinospora

C3/2—30'M. Golden form of preceding.

2 to $2\frac{1}{2}$ ft.....	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft.....	4.00	35.00	300.00
3 to 4 ft.....	5.00	45.00	400.00
4 to 5 ft.....	8.00	75.00	900.00
5 to 6 ft.....	11.00	100.00	

p. filifera

Thread Retinospora

C1/1—15'S. Foliage long, slender, drooping, thread-like.

18 to 24 in.....	3.50	30.00	
2 to $2\frac{1}{2}$ ft.....	4.50	40.00	360.00
$2\frac{1}{2}$ to 3 ft.....	5.50	50.00	450.00
3 to 4 ft.....	7.00	65.00	

CHAMAECYPARIS—cont'd

Each Per 10 Per 100

p. filifera aurea

Golden Thread Retinospora

D2/3 to C1/1—8'VS. Golden form of preceding.

15 to 18 in. spread.....	4.00	35.00	300.00
18 to 24 in. spread.....	5.00	45.00	400.00
2 to 2½ ft. spread.....	7.00	65.00	
2½ to 3 ft. spread.....	9.00		
3 to 3½ ft. spread.....	12.00		
4 to 4½ ft. spread.....	18.00		

p. plumosa

Plume Retinospora

C3/2—20'S. Soft, feathery foliage.

18 to 24 in.....	2.00	16.00	120.00
18 to 24 in. heavy.....	2.75	25.00	200.00
2 to 2½ ft.....	2.50	20.00	150.00
2 to 2½ ft. heavy.....	3.50	30.00	250.00
2½ to 3 ft.....	3.50	30.00	250.00
2½ to 3 ft. heavy.....	4.50	40.00	360.00
3 to 4 ft. heavy.....	6.00	55.00	500.00

p. plumosa aurea

Golden Plume Retinospora

C4/3—20'S. Golden form of preceding, valuable for color accent.

18 to 24 in.....	2.00	16.00	120.00
18 to 24 in. heavy.....	2.75	25.00	200.00
2 to 2½ ft.....	2.50	20.00	150.00
2 to 2½ ft. heavy.....	3.50	30.00	250.00
2½ to 3 ft.....	3.50	30.00	250.00
2½ to 3 ft. heavy.....	4.50	40.00	360.00
3 to 4 ft. heavy.....	5.50	50.00	450.00
4 to 5 ft.....	7.00	65.00	

p. plumosa sulphurea

Sulphur Plume Retinospora

C5/4—15'VS. Brighter yellow than preceding. More dwarf.

15 to 18 in.....	2.25	20.00	180.00
18 to 24 in.....	2.75	25.00	225.00
2 to 2½ ft.....	3.50	30.00	270.00
2½ to 3 ft.....	4.50	40.00	360.00
3 to 3½ ft.....	5.50	50.00	

JUNIPERUS—Juniper (or Cedar)



JUVENILE OR
NEEDLE TYPE



MATURE OR
SCALE TYPE

THE TWO TYPES OF JUNIPER FOLIAGE

	Each	Per 10	Per 100
JUNIPERUS chinensis albovariegata			
<i>Whiteleaf Chinese Juniper</i>			
C3/2—20' S. Compact, dense. Foliage needle type, dark steel gray-green, occasional yellow-white tips.			
18 to 24 in.....	4.00		
2 to 2½ ft.....	5.50	50.00	
2½ to 3 ft.....	7.00	66.00	
3 to 3½ ft.....	9.00		

chin. pfitzeriana			
<i>Pfitzer Juniper</i>			
E1/2—12' spread, S to M. Foliage both scale and needle types, medium green, slightly gray. Graceful, rugged.			
18 to 24 in. spread.....	3.50	33.00	300.00
2 to 2½ ft. spread.....	5.00	45.00	400.00
2½ to 3 ft. spread.....	6.50	60.00	540.00
3 to 3½ ft. spread.....	8.50	80.00	750.00
3½ to 4 ft. spread.....	12.00	110.00	
4 to 5 ft. spread.....	16.00	150.00	

EXTRA FINE COMPACT SPECIMENS, SHEARED MANY TIMES

3 to 3½ ft. spread.....	12.50	120.00
3½ to 4 ft. spread.....	16.00	150.00
4 to 5 ft. spread.....	20.00	190.00
5 to 6 ft. spread.....	25.00	240.00

communis depressa			
<i>Field Juniper</i>			
E1/2 to F1/3—10' spread, S to M. Gray-green needle foliage, turns purple in winter.			
18 to 24 in. spread.....	3.25		
2 to 2½ ft. spread.....	4.00		
2½ to 3 ft. spread.....	5.50		
3 to 4 ft. spread.....	7.00		
4 to 5 ft. spread.....	10.00		
5 to 6 ft. spread.....	15.00		

com. dep. aurea			
<i>Golden Field Juniper</i>			
F1/3—10' spread, S to M. Golden variety of preceding.			
18 to 24 in. spread.....	3.50		
2 to 2½ ft. spread.....	5.00		
2½ to 3 ft. spread.....	6.50		

com. hibernica			
<i>Irish Juniper</i>			
B4/1 to 3/1—12' S. Usually columnar, sometimes slightly conical; compact, smooth, strict. Rich gray-green needle type foliage. Excellent for formal plantings.			
2 to 2½ ft.....	3.00	27.00	240.00
2½ to 3 ft.....	4.00	36.00	300.00
3 to 4 ft.....	5.00	45.00	390.00
4 to 4½ ft.....	6.00	54.00	480.00

com. suecica			
<i>Swedish Juniper</i>			
B3/1—12' S. Columnar. Gray-green. Similar to Irish Juniper, except outline not so strict. Tips of branchlets slightly drooping give feathery appearance to outline.			
2 to 2½ ft.....	3.50	33.00	270.00
2½ to 3 ft.....	4.50	40.00	360.00
3 to 4 ft.....	5.50	50.00	450.00
4 to 4½ ft.....	7.00	65.00	

JUNIPERUS—cont'd

Each Per 10 Per 100

excelsa stricta

Greek Juniper

C3/2—10' S. Dense, compact. Foliage sharp, needle type, bluish steel gray-green.

15 to 18 in.....	3.00	27.00
18 to 24 in.....	4.00	36.00
2 to 2½ ft.....	5.00	

japonica

Japanese Juniper

E4/5—6' spr. VS. Foliage scale type, rich medium green.

15 to 18 in.....	4.50	40.00
18 to 24 in.....	5.50	50.00
2 to 2½ ft.....	6.50	60.00

jap. aurea

Golden Japanese Juniper

E3/4—8' spr. S. Golden form of preceding.

15 to 18 in.....	4.50	
18 to 24 in.....	5.50	
2 to 2½ ft.....	6.50	

sabina

Savin Juniper

E to F1/2—5' spr. VS. Gray-green foliage of scale type, enriched by slight bronze. Useful for rock gardens and banks.

15 to 18 in. spread.....	3.00	27.00	225.00
18 to 24 in. spread.....	4.00	36.00	300.00
2 to 2½ ft. spread.....	5.00	42.00	375.00
2½ to 3 ft. spread.....	6.00	55.00	
3 to 3½ ft. spread.....	7.50	70.00	
3½ to 4 ft. spread.....	9.00	85.00	
4 to 5 ft. spread.....	12.00		

sab. tamariscifolia

Tamarix Savin

E to F1/2—5' spr. VS. Gray-green foliage of scale type.

12 to 15 in. spread.....	3.00	27.00
15 to 18 in. spread.....	4.00	36.00
18 to 24 in. spread.....	5.50	50.00
2 to 2½ ft. spread.....	7.00	

virginiana

Redcedar

B3/1 to 4/1—40' M to S. Foliage both types, scale type predominating in older trees. Rich green.

3 to 4 ft.....	4.50	42.00	400.00
4 to 5 ft.....	6.50	60.00	550.00
5 to 6 ft.....	9.00	85.00	800.00
6 to 7 ft.....	12.50	120.00	
7 to 8 ft.....	18.00		
8 to 9 ft.....	22.00		
9 to 10 ft.....	27.00		
10 to 12 ft.....	35.00		

PICEA—Spruce

PICEA canadensis

White Spruce

A5/3—60' R. Light green to slight silver green.

18 to 24 in.....	2.50	22.50	200.00
2 to 2½ ft.....	3.00	27.00	240.00
2½ to 3 ft.....	3.75	35.00	300.00
3 to 4 ft.....	5.50	50.00	450.00
4 to 5 ft.....	8.00		
5 to 6 ft.....	10.00		
6 to 8 ft.....	12.00		

PICEA—cont'd	Each	Per 10	Per 100
engelmanni			<i>Engelmann Spruce</i>
A3/2—75' M to R. Symmetrical, compact. Needles $\frac{7}{8}$ ", dark to silvery gray-green. Excellent.			
2 to 2½ ft.....	6.00	55.00	
2½ to 3 ft.....	7.00	65.00	
3 to 4 ft.....	8.00	75.00	
15 to 25 ft. specimens	100.00 to 200.00	each	
excelsa			<i>Norway Spruce</i>
A5/3—90' R to VR. The most rapid-growing Spruce. Needles $\frac{5}{8}$ "—1", dark. Handsome.			
2 to 3 ft.....	2.50	22.50	200.00
3 to 4 ft.....	4.00	36.00	330.00
4 to 5 ft.....	5.50	50.00	480.00
5 to 6 ft.....	7.00	65.00	620.00
6 to 7 ft.....	8.00	75.00	



SPRUCE FOLIAGE

glauca conica			<i>Dwarf Alberta Spruce</i>
C2/1—6' VS. New, rare, true dwarf, symmetrical, dense, fine-textured, hardy, exceedingly beautiful. Popular.			
12 to 15 in. VERY 4.00	35.00	300.00
15 to 18 in. DWARF 5.00	45.00	400.00
18 to 21 in. PYRAMID 6.00	55.00	500.00
21 to 24 in. EXCEED- 7.50	70.00	650.00
2 to 2½ ft. INGLY 10.50	95.00	900.00
2½ to 3 ft. FINE 12.50	120.00	
2½ to 3 ft. heavy specimens....	30.00		
3 ft. heavy specimens.....	40.00		
3½ ft. heavy specimens.....	50.00		
4 ft. heavy specimens.....	60.00		
orientalis			<i>Oriental Spruce</i>
A5/4—50' M. Needles $\frac{3}{8}$ "— $\frac{5}{8}$ ", dark, glossy.			
4 to 5 ft.....	15.00		
5 to 6 ft.....	20.00		
6 to 7 ft.....	25.00		
pungens			<i>Colorado Spruce</i>
A3/2—80' M to R. Handsome, hardy, symmetrical. Light green needles, $\frac{3}{4}$ "—1".			
18 to 24 in.....	4.00	36.00	330.00
2 to 3 ft.....	6.00	55.00	500.00
3 to 4 ft.....	8.00	75.00	

PICEA—cont'd

Each

Per 10

Per 100

pungens glauca

Blue Colorado Spruce

A3/2 to 2/1—80' M to R. Beautiful variety of preceding.
Needles $\frac{7}{8}$ ", stiff, pointed, medium silvery blue.

18 to 24 in.....	6.50	60.00	
2 to 2½ ft.....	8.00	75.00	
2½ to 3 ft.....	10.00	95.00	
3 to 4 ft.....	12.50		
9 to 10 ft. specimens.....	50.00		
14 to 20 ft. specimens	100.00 to 150.00 each		

pungens kosteri

Koster Blue Spruce

A3/2—80' M. Needles 1"—1¼", stiff, pointed, strong, bright silvery blue.

2 to 2½ ft.....	12.00		
2½ to 3 ft.....	17.50		
3 to 3½ ft.....	24.00		
3½ to 4 ft.....	30.00		
12 to 20 ft.	100.00 to 200.00 each		

rubra

Red Spruce

A3/2 to 2/1—80' M. Needles about ½", bright green.

2 to 2½ ft.....	2.00	18.00	150.00
2½ to 3 ft.....	2.50	22.50	200.00
3 to 4 ft.....	3.00	27.00	240.00

PINUS—Pine



PINE FOLIAGE

PINUS densiflora

Japanese Red Pine

A4/3 to 3/2—100' VVR. Loose habit. Slender bright green needles, 4"—5".

2 to 3 ft.....	3.50	33.00	300.00
3 to 4 ft.....	5.00	45.00	400.00
4 to 5 ft.....	7.00	65.00	600.00
5 to 6 ft.....	9.00		

PINUS—cont'd

Each

Per 10

Per 100

*flexilis**Limber Pine*

A3/2—50' R. Dark green, slightly bluish needles, 3"—4", with bunchy or tufted appearance.

4 to 5 ft.....	7.50	70.00
5 to 6 ft.....	10.00	90.00
6 to 7 ft.....	15.00	140.00
7 to 8 ft.....	20.00	180.00
8 to 10 ft.....	25.00	

*montana mughus**Mugho Pine*

D3/5—8' S. Dense, rich green, wonderful winter color. Succeeds in all except wet soils. One of finest dwarf evergreens. Neat, compact, hardy, full of character. The only Pine suitable for Foundation Plantings.

12 to 15 in. spread.....	2.75	25.00	225.00
15 to 18 in. spread.....	3.50	30.00	270.00
18 to 24 in. spread.....	4.00	36.00	330.00
2 to 2½ ft. spread.....	7.50	70.00	
2½ to 3 ft.....	10.00		

*nigra (austriaca)**Austrian Pine*

A3/2—60' M. Needles 4"—6", heavy, medium to dark green. Flourishes near salt water as well as inland.

2 to 3 ft.....	4.50	42.00
3 to 4 ft.....	6.50	60.00
4 to 5 ft.....	10.00	
5 to 6 ft.....	15.00	
6 to 7 ft.....	20.00	
7 to 8 ft.....	25.00	
8 to 10 ft.....	30.00	

*nigra globosa**Globe Austrian Pine*

D1/1—10' S. Dwarf globe form of the preceding.

3 to 3½ ft.....	30.00
3½ to 4 ft.....	40.00
4 to 4½ ft.....	50.00
4½ to 5 ft.....	60.00

*resinosa**Red or Norway Pine*

A5/3—70' VR. Tall, pyramidal, loose, can be made dense by pruning. Leaves 6"—10", dark.

2 to 3 ft.....	3.00	27.00	240.00
3 to 4 ft.....	5.00	45.00	
4 to 5 ft.....	7.00		
5 to 6 ft.....	9.00		
6 to 7 ft.....	12.00		
7 to 8 ft.....	14.00		
8 to 10 ft.....	16.00		
10 to 12 ft.....	20.00		
12 to 14 ft.....	25.00		

PINUS—cont'd	Each	Per 10	Per 100
strobis			<i>White Pine</i>
A3/2—100' VR. Needles very slender, 4"—5", rich dark green, overlaid with silvery blue bloom.			
2 to 3 ft.....	3.00	27.00	240.00
3 to 4 ft.....	4.00	36.00	330.00
4 to 5 ft.....	6.00	55.00	
5 to 6 ft.....	10.00		
8 to 10 ft.....	30.00		
10 to 12 ft.....	40.00		
12 to 14 ft.....	50.00		
14 to 16 ft.....	60.00		
16 to 18 ft.....	75.00		
sylvestris			<i>Scotch Pine</i>
A3/2—60' R to VR. Needles thick, 2"—4", grayish blue-green, often curly. The trees we offer are of exceptional strain, bushier and denser than the ordinary.			
2 to 3 ft.....	3.00	25.00	200.00
3 to 4 ft.....	4.00	35.00	300.00
4 to 5 ft.....	5.50	50.00	450.00
5 to 6 ft.....	8.00	75.00	

PSEUDOTSUGA—Douglas Fir



PSEUDOTSUGA FOLIAGE

PSEUDOTSUGA douglasi			<i>Douglas Fir</i>
A3/2 to 2/1—70' R. Dark green to gray-blue, soft. Develops huge column habit as it matures. Very beautiful.			
2 to 3 ft.....	4.50	40.00	375.00
3 to 4 ft.....	6.50	60.00	570.00
4 to 5 ft.....	9.00	85.00	800.00
5 to 6 ft.....	12.00	115.00	1100.00
6 to 7 ft.....	15.00		

TAXUS—Yew

TAXUS canadensis			<i>Canada Yew</i>
E2/3 to F1/3—10' spr. S. Slender branches, small fine needles, medium to dark green. Not good in full sun.			
15 to 18 in.....	2.50	22.50	
18 to 24 in.....	3.50	33.00	

TAXUS—cont'd

Each Per 10 Per 100

*canadensis stricta**Dwarf Hedge Yew*

E1/1—2½' VS. The only satisfactory evergreen for dwarf edging hedges in severe New England climate. The best substitute for Dwarf Boxwood. Hardy, really dwarf, fine texture, dark, easily grown, shears perfectly, thoroughly tested for past thirteen years. Also excellent for use in general plantings of dwarf evergreens.

6 to 8 in. not B&B.....	1.00	8.50	75.00
8 to 10 in. not B&B.....	1.50	12.00	90.00
10 to 12 in. B&B.....	2.00	18.00	150.00
12 to 15 in. B&B.....	3.00	27.00	250.00
15 to 18 in. B&B.....	4.00	37.50	350.00
18 to 24 in. B&B.....	5.00	45.00	



TYPICAL TAXUS FOLIAGE

cuspidata (spreading form)*Spreading Japanese Yew*

E2/3—8' spr. S. Naturally somewhat open and irregular, but can be sheared into compact, globose form. Beautiful either way. Full of character. Dark, rich.

15 to 18 in. spread.....	3.75	35.00	300.00
18 to 24 in. spread.....	5.00	45.00	420.00
2 to 2½ ft. spread.....	7.50	70.00	650.00
2½ to 3 ft. spread.....	12.00	115.00	1100.00
3 to 3½ ft. spread.....	18.00	175.00	
3½ to 4 ft. spread.....	25.00		
3½ to 4 ft. spread, heavy.....	40.00		
4 to 4½ ft. spread.....	40.00		
4 to 4½ ft. spread, heavy.....	60.00		

*culp. capitata**Erect Japanese Yew*

B2/1—25' to 40' S. Erect form, definite leader. Fine.

15 to 18 in.....	4.00	38.00	350.00
18 to 24 in.....	6.00	58.00	550.00
2 to 2½ ft.....	7.50	72.00	700.00
2½ to 3 ft.....	10.00	95.00	
3 to 3½ ft.....	15.00		
Large, heavy specimens,	20.00 to 40.00 each		

TAXUS—cont'd	Each	Per 10	Per 100
<i>cuspidata</i> (brevifolia)			<i>Dwarf Japanese Yew</i>
E1/1—6' VVS. Very dwarf, habit irregular. Strong heavy needles, very dark, almost blue-green.			
12 to 15 in. spread.....	4.00	38.00	350.00
15 to 18 in. spread.....	5.00	45.00	420.00
18 to 21 in. spread.....	8.00	75.00	
21 to 24 in. spread.....	12.00	115.00	
2 to 2½ ft. spread.....	18.00	175.00	1700.00
2½ to 3 ft. spread.....	25.00	225.00	
3 to 3½ ft. spread.....	35.00		
<i>sieboldii</i>			<i>Siebold Japanese Yew</i>
E2/3 to 1/1—15' spr. S. Glossy needles, 1"—1½".			
15 to 18 in. spread.....	4.00	36.00	
18 to 24 in. spread.....	5.00	45.00	
3½ to 4 ft. spread.....	40.00		
4 to 4½ ft. spread.....	60.00		
4½ to 5 ft. spread.....	85.00		

THUJA—Arborvitae (or White Cedar)



THUJA FOLIAGE

THUJA occidentalis			<i>American Arborvitae</i>
B5/2 to 2/1—40' S to M. The old, familiar, so-called "White Cedar." Valuable for hedges; in large sizes for specimens; in small sizes in foundation plantings.			
2 to 3 ft.....	2.50	21.00	160.00
3 to 4 ft.....	4.00	35.00	300.00
4 to 5 ft.....	5.50	50.00	450.00
5 to 6 ft.....	7.50	70.00	650.00
6 to 7 ft.....	10.00	95.00	900.00
7 to 8 ft.....	14.00	13.50	
8 to 9 ft.....	18.00		
9 to 10 ft.....	22.00		
<i>occ. columbia</i>			<i>Columbia Arborvitae</i>
B2/1—10' VS. Broad fronds of foliage, silver variegation.			
3 to 4 ft.....	6.00	58.00	
4 to 5 ft.....	8.00	75.00	
5 to 6 ft.....	10.00		

THUJA—cont'd

Each

Per 10

Per 100

occ. columnaris

Columnar Arborvitae

B5/2 to 2/1—40' M. This new variety has the soft texture of *T. occidentalis*. For this reason, and on account of its dense, columnar habit, it is one of the most desirable tall-growing narrow evergreens.

3 to 3½ ft.....	5.50	52.00	480.00
3½ to 4 ft.....	6.50	63.00	600.00
4 to 4½ ft.....	8.00	75.00	700.00
4½ to 5 ft.....	9.00	85.00	800.00
5 to 6 ft.....	11.00	105.00	1000.00
6 to 7 ft.....	14.00	135.00	
7 to 8 ft.....	18.00	175.00	

occ. conica

Cone Shaped Arborvitae

C2/1—12' S. Perfect cone; needs very little trimming.

2½ to 3 ft.....	4.50	40.00	375.00
3 to 3½ ft.....	5.50	52.00	480.00
3½ to 4 ft.....	6.50	63.00	600.00
4 to 4½ ft.....	9.00	85.00	
4½ to 5 ft.....	11.00	105.00	

occ. densiforma

Compact Arborvitae

B5/2—16' S. Similar to *T. occ. pyramidalis*, but broader.

2½ to 3 ft.....	4.50	40.00	375.00
3 to 3½ ft.....	5.50	52.00	480.00
3½ to 4 ft.....	6.50	63.00	600.00
4 to 4½ ft.....	8.00	75.00	700.00
4½ to 5 ft.....	9.00	85.00	800.00
5 to 6 ft.....	11.00	105.00	1000.00
6 to 7 ft.....	14.00	135.00	

occ. douglasii pyramidalis

Douglas Pyramid Arborvitae

B3/1 to 5/2—15' S. Spire-like habit; somewhat open when small, but decidedly dense as size increases.

2½ to 3 ft.....	4.50	40.00	
3 to 4 ft.....	5.00	48.00	450.00
4 to 5 ft.....	7.00	65.00	620.00
5 to 6 ft.....	10.00	90.00	
6 to 7 ft.....	14.00		

occ. dumosa

Bushy Arborvitae

C to D1/1—4' VS. Compact-growing, somewhat irregular, broad rounding cone or pointed globe. Very rugged.

15 to 18 in.....	3.00	27.00	
18 to 24 in.....	4.00	36.00	
2 to 2½ ft.....	5.00	48.00	
2½ to 3 ft.....	7.50		

occ. ellwangeriana

Tom Thumb Arborvitae

C1/1—6' S. Dense, compact, with slender branchlets having both scale and needle foliage.

2½ to 3 ft.....	4.50		
3 to 4 ft.....	5.50		

occ. globosa

American Globe Arborvitae

D1/1—3' VS. Practically perfect globe without shearing.

12 to 15 in.....	2.00	17.50	150.00
15 to 18 in.....	2.50	22.50	200.00
18 to 24 in.....	3.00	27.00	250.00
2 to 2½ ft.....	4.00	36.00	

THUJA—cont'd	Each	Per 10	Per 100
occ. <i>Little Gem</i>			<i>Little Gem Arborvitae</i>
D1/2—2' VS. Low dense tussock of dark green foliage.			
15 to 18 in. spread.....	4.00	36.00	
18 to 21 in. spread.....	5.00	45.00	
21 to 24 in. spread.....	6.00		
occ. <i>lutea</i>			<i>George Peabody Arborvitae</i>
B5/2—15' S. Striking golden yellow.			
2 to 2½ ft.....	4.00	36.00	
2½ to 3 ft.....	4.50	40.00	
3 to 3½ ft.....	5.50	50.00	
3½ to 4 ft.....	6.50	60.00	
4 to 5 ft.....	7.50	70.00	
5 to 6 ft.....	9.00	85.00	
occ. <i>pumila</i>			<i>Green Globe Arborvitae</i>
D1/1—2½' VS. Perfect globe. Strong green hue well maintained all winter.			
15 to 18 in.....	3.00	27.00	
18 to 24 in.....	4.00	36.00	300.00
2 to 2½ ft.....	5.00	45.00	
occ. <i>pyramidalis</i>			<i>American Pyramidal Arborvitae</i>
B3/1 to 5/2—20' S. Improvement on T. occ. More columnar, dense, compact. Darker color well maintained in winter.			
2 to 2½ ft.....	3.50	30.00	270.00
2½ to 3 ft.....	4.50	40.00	375.00
3 to 3½ ft.....	5.50	52.00	480.00
3½ to 4 ft.....	6.50	63.00	600.00
4 to 4½ ft.....	8.00	75.00	700.00
4½ to 5 ft.....	9.00	85.00	800.00
5 to 6 ft.....	11.00	105.00	1000.00
occ. <i>rosenthali</i>			<i>Rosenthal Arborvitae</i>
B2/1 to 5/2—8' S. Choice dark gray-green foliage; dense.			
2 to 2½ ft.....	5.00	45.00	
2½ to 3 ft.....	6.00	57.00	
3 to 3½ ft.....	7.00	65.00	
3½ to 4 ft.....	8.00	75.00	
occ. <i>umbraculifera</i>			<i>Gray Globe Arborvitae</i>
D1/1—3' VS. Loose globe; foliage medium gray-green.			
15 to 18 in.....	2.50		
18 to 24 in.....	3.50	33.00	
2 to 2½ ft.....	4.50	40.00	
occ. <i>vervaeneana</i>			<i>Vervaeene Arborvitae</i>
C5/3—10' S. Broad, dense, full. Foliage soft. Rugged.			
2½ to 3 ft.....	5.00		
3 to 4 ft.....	6.00	55.00	
4 to 5 ft.....	8.00	75.00	
5 to 6 ft.....	10.00	95.00	
6 to 7 ft.....	14.00		
occ. <i>ver. aurea</i>			<i>Vervaeene Golden Arborvitae</i>
C5/3—10' S. Moderate yellow form of preceding.			
2½ to 3 ft.....	5.00		
3 to 4 ft.....	6.00		
4 to 5 ft.....	8.00		

THUJA—cont'd

Each

Per 10

Per 100

occ. wagneri

Wagner Arborvitae

D5/3—5' VS. Narrow oval; dark green, delicate lacy foliage. Thought to be a cross between *T. occidentalis* and *T. orientalis*.

18 to 24 in..... 3.00 27.00

occ. wareana

Ware (or Siberian) Arborvitae

C3/2—12' S. Tough; exceptionally hardy. Dense, full. Dark; suggestion of dark steel-blue. Full of character.

18 to 24 in..... 3.50 33.00 270.00

2 to 2½ ft..... 4.00 36.00 330.00

2½ to 3 ft..... 5.00 45.00 400.00

3 to 4 ft..... 7.00 65.00 600.00

4 to 4½ ft..... 9.00 85.00

TSUGA—Hemlock



HEMLOCK FOLIAGE

TSUGA canadensis

Canada Hemlock

A3/2 to C3/2—70' M to R. The best Hemlock. Native to northern United States, Canada. Foliage rich dark green, lacy. Graceful. Often pronounced the finest Evergreen of North America. The Hemlock, when unpruned, grows into a large specimen of exceptional beauty. Pruned, it may be used in plantings of Dwarf Evergreens.

2 to 2½ ft..... 3.50 33.00 300.00

2½ to 3 ft..... 4.50 42.00 390.00

3 to 3½ ft..... 6.00 55.00 500.00

3½ to 4 ft..... 8.00 75.00 700.00

4 to 5 ft..... 10.00 95.00 900.00

5 to 6 ft..... 14.00 135.00 1300.00

6 to 7 ft..... 18.00 175.00

caroliniana

Carolina Hemlock

C5/3—50' M to R. Only slightly less beautiful than preceding. Desirable.

2 to 2½ ft..... 4.50 42.00 400.00

2½ to 3 ft..... 5.50 50.00

3 to 3½ ft..... 6.50 60.00

3½ to 4 ft..... 9.00

4 to 5 ft..... 12.00

5 to 6 ft..... 15.00

EVERGREEN SHRUBS



A



B



C



D

TYPES OF EVERGREEN SHRUBS

- A. Branching habit, leaves large.
 B. Multiple stems, leaves medium.
 C. Multiple stems, slightly branching, leaves usually small, sometimes minute, even scale-like.
 D. Viny, creeping, climbing or sprawling habit, leaves small to medium.

PROPORTIONS

Since some sorts of Evergreen Shrubs have no definite ratio of height to breadth, we omit the indication of proportion in several instances.

RATES OF GROWTH

- VR—very rapid—over 8 inches. S—slow—2 to 4 inches.
 R—rapid—6 to 8 inches. VS—very slow—under 2 inches.
 M—medium—4 to 6 inches.

ANDROMEDA—See *Pieris*

ARCTOSTAPHYLOS *uva-ursi*

Bearberry

C to D—8" VS. Leaves $\frac{1}{2}$ ", narrow. Scarlet berries $\frac{1}{4}$ " diameter. Forms dense carpet. Requires sandy, acid soil.

3 yrs., 2 $\frac{1}{2}$ in. pots.....	.60	5.50	48.00
---------------------------------------	-----	------	-------

CALLUNA *vulgaris*

Heather

C—15" VS. Leaves scale to needle type, $\frac{1}{8}$ "— $\frac{3}{8}$ ". Flowers tiny, rosy pink. Aug., Sept. Well drained, acid soil.

6 to 8 in.....	.75	6.00
----------------	-----	------

vulg. alba

White Heather

C—15" VS. White, Aug., Sept.

6 to 8 in.....	.75	6.00
----------------	-----	------

CALLUNA—cont'd	Each	Per 10	Per 100
<i>v. alba hammondi</i>			<i>Hammond White Heather</i>
C—15" VS. White, Aug., Sept., foliage dark.			
6 to 8 in.....	.75	6.00	
<i>v. alba spicata</i>			<i>Tall White Heather</i>
C—15" VS. White, Aug., Sept.			
6 to 8 in.....	.75	6.00	
<i>v. alporti</i>			<i>Alport Heather</i>
C—15" VS. Rosy carmine flowers, Sept., Oct. Foliage deep green, turning bronze in winter.			
6 to 8 in.....	.75	6.00	
<i>v. aurea</i>			<i>Golden Heather</i>
C—8" VS. Pink fls., Aug., Sept. Foliage golden yellow.			
6 to 8 in.....	.75	6.00	
<i>v. flore plena</i>			<i>Double Heather</i>
C—15" VS. Double rosy-pink flowers, Aug., Sept.			
6 to 8 in.....	.75	6.00	
<i>v. hirsuta</i>			<i>Woolly Heather</i>
C—8" VS. Low, compact. Foliage soft gray. Flowers purple, Aug., Sept.			
6 to 8 in.....	.75	6.00	
<i>v. monstrosa</i>			<i>Coarse Heather</i>
C to D—12" VS. Loose, spreading. Flowers pink, Aug., Sept.			
6 to 8 in.....	.75	6.00	
<i>v. nana</i>			<i>Moss Heather</i>
C—6" VS. Low, compact. Foliage moss-like, bright green. Flowers pale lavender. Sept.			
4 to 6 in.....	.75	6.00	
DAPHNE cneorum			<i>Rose Daphne</i>
C to B—18" S. Leaves narrow, $\frac{3}{4}$ ". Rose-colored, delicately fragrant flowers, produced freely in May, June and occasionally during the summer.			
6 to 8 in.....	1.25	11.00	90.00
8 to 10 in.....	1.50	14.00	120.00
ERICA carnea			<i>Spring Heath</i>
C—6" VS. Leaves are needles, $\frac{1}{4}$ "— $\frac{3}{8}$ ". Minute rosy pink, bell-shaped flowers, April, May. Requires well drained acid soil.			
4 to 6 in.....	.75	6.00	
<i>stricta</i>			<i>Corsican Heath</i>
C—16" S. Erect habit. Pink flowers, July to Sept.			
4 to 6 in.....	.75	6.00	
<i>tetralix</i>			<i>Crossleaf Heath</i>
C—8" VS. Foliage grayish. Rosy flowers.			
4 to 6 in.....	.75	6.00	
<i>vagans</i>			<i>Cornish Heath</i>
C—12" VS. Flowers purplish red, Aug., Sept.			
4 to 6 in.....	.75	6.00	

	Each	Per 10	Per 100
EUONYMUS radicans			<i>Wintercreeper</i>
C to D—M. Viny branches. Leaves $\frac{3}{4}$ ", oval, dark, dull.			
2 yrs.....	.60	5.00	40.00
3 yrs.....	.75	6.00	45.00
rad. acutis			<i>Sharpleaf Wintercreeper</i>
D—R to VR. Viny, trailing, spreading; makes dense mat. Leaves dull, dark, 1", pointed oval.			
3 yrs.....	.75	6.00	
4 yrs.....	1.00	8.00	
rad. argenteo-marginata			<i>Silveredge Wintercreeper</i>
C to D—M. Leaves $\frac{3}{4}$ ", silver margined.			
2 yrs.....	.60	5.00	
3 yrs.....	.75	6.00	50.00
4 yrs.....	1.00	8.00	
rad. carrieri			<i>Glossy Wintercreeper</i>
C to B—R. Glossy oval leaves, $1\frac{3}{4}$ ". Strongest climbing Euonymus. Unsupported, makes fine rounding bush.			
2 yrs.....	.75	6.00	50.00
3 yrs.....	1.00	8.00	70.00
4 yrs.....	1.50	12.50	
rad. colorata			<i>Bronze Wintercreeper</i>
C to B—R. Leaves $1\frac{1}{2}$ ", oval, red under.			
2 yrs.....	.75	6.00	50.00
rad. kewensis			<i>Baby Wintercreeper</i>
C to D—S. Leaves $\frac{1}{2}$ ". Branches very slender.			
4 in. pots.....	.75	6.50	55.00
rad. vegetus			<i>Bigleaf Wintercreeper</i>
B to D—M. Leaves round, 1". Fruit $\frac{1}{8}$ ", orange-scarlet.			
2 yrs.....	.75	6.00	48.00
3 yrs.....	1.00	8.00	70.00
HEDERA helix			<i>English Ivy</i>
D—VR. Fine viny branches. Leaves pentagon, dark, slightly white-veined, $1\frac{1}{2}$ "—3".			
4 in. pots, 18 in. tops.....	.60	5.50	
h. baltica			<i>Hardy English Ivy</i>
D—VR. A plant of this sort has been needed for a long time. It is almost the same as the ordinary English Ivy in appearance. Leaves a little smaller, darker and richer. Much hardier, having survived severe winters at Fram- ingham. While we believe that it will prove absolutely hardy, it may occasionally lose a branch or two in severe winters. But because of its excellent promise and small cost, it should be tried. More of a creeper than climber.			
4 in. pots, 18 in. tops.....	.75	6.50	60.00
ILEX glabra			<i>Inkberry</i>
B $\frac{4}{3}$ to 1/1—3' M. Dark, glossy, oval leaves. Black fruit, $\frac{1}{4}$ ".			
15 in.....	2.50		
18 in.....	3.00		
KALMIA angustifolia			<i>Lambkill</i>
B $\frac{4}{3}$ —1 $\frac{1}{2}$ ' M. Crimson flowers in June and July.			
18 to 24 in.....	2.00	18.00	160.00
2 to 2 $\frac{1}{2}$ ft.....	2.50	22.50	200.00
2 $\frac{1}{2}$ to 3 ft.....	3.00	27.50	

KALMIA—cont'd

	Each	Per 10	Per 100
latifolia			<i>Mountain Laurel</i>

A4/3 to 1/1—8' M to R. Leaves 3"—4", dark, glossy. Large, rounding clusters of small white and pink flowers, June. Our Kalmias are nursery grown from northern seed, and by virtue of their exceptionally heavy root systems, give far better results than collected stock.

15 to 18 in.....	2.50	22.50	200.00
18 to 24 in.....	3.00	27.00	240.00
2 to 2½ ft.....	4.00	35.00	
2½ to 3 ft.....	5.00	45.00	
3 to 3½ ft.....	7.00	65.00	
3½ to 4 ft.....	10.00	95.00	
4 to 4½ ft.....	12.00		

LEIOPHYLLUM buxifolium *Sandmyrtle*

C—18" VS. Leaves ¼", oval, thick. Flowers 1/5", white, pink outside, in corymbs, 1"—1½" broad, May, June.

10 to 12 in. spread.....	1.25	10.00	
--------------------------	------	-------	--

LEUCOTHOE catesbaei *Drooping Leucothoe*

B4/3—4' R. Graceful, drooping branches. Leaves 3"—5", narrow, pointed, dark glossy; beautiful purple-red in winter. Flowers small white, bell-shaped, May.

12 to 15 in. THESE ARE...	2.00	18.00	165.00
15 to 18 in. ALL VERY...	2.50	22.50	200.00
18 to 24 in. BUSHY.....	3.25	30.00	270.00
2 to 2½ ft. PLANTS.....	3.75	35.00	

PACHISTIMA canbyi *Canby Pachistima*

C—8" VS. A splendid evergreen ground cover, with narrow oblong leaves ½", and reddish flowers, May.

3 yrs. from pots.....	.65	5.00	40.00
-----------------------	-----	------	-------

PACHYSANDRA terminalis *Japanese Spurge*

C—10" S. Erect plant developing into a mat 8"—10" high. Small white flowers. Plant at least four for each sq. foot.

2 yrs., pot grown.....	.40	2.50	18.00
3 yrs., pot grown.....	.50	3.00	21.00

PIERIS floribunda *Mountain Andromeda*

B3/4—3". Low, dense, compact. Dark oval leaves, 1½". White flowers, April, like Lily of the Valley.

12 to 15 in. spread.....	3.00	27.00	250.00
15 to 18 in. spread.....	4.00	36.00	330.00
12 to 24 in. spread.....	6.00	55.00	500.00
2 to 2½ ft. spread.....	9.00	85.00	

VINCA minor *Common Periwinkle*

D—VR. Glossy dark leaves. Blue flowers. Plant one every square foot. Grows into a solid mat.

2 yrs., pot grown.....	.25	2.20	15.00
------------------------	-----	------	-------


min. alba *White Periwinkle*

D—VR. White flowering form of preceding.

2 yrs., pot grown.....	.40	3.50	33.00
------------------------	-----	------	-------

RHODODENDRONS

	Each	Per 10	Per 100
RHODODENDRON carolinianum			<i>Carolina Rhododendron</i>
A3/2 to 1/1—6' M to R. Leaves 2"—3", bronze-green. Pink flowers, profuse, late May, clusters 3"—4". Tough and rugged under almost all conditions.			
15 to 18 in.....	3.00	27.00	250.00
18 to 24 in.....	3.50	33.00	300.00
2 to 2½ ft.....	4.50	42.00	400.00
2½ to 3 ft.....	6.00	55.00	
3 to 3½ ft.....	7.50	72.00	
catawbiense			<i>Catawba Rhododendron</i>
A4/3—6' M to R. Leaves 4"—6", revolute. Lavender-pink flowers, clusters 5"—7", profuse, late May, June.			
18 to 24 in.....	3.50	33.00	
2 to 2½ ft.....	4.00	36.00	
2½ to 3 ft.....	5.00	48.00	
3 to 3½ ft.....	6.50	63.00	
3½ to 4 ft.....	8.00		
maximum			<i>Rosebay Rhododendron</i>
A4/3 to 1/1—10' M to R. Flat leaves, 5"—10". White and bluish-pink flowers in clusters, 4", June.			
18 to 24 in.....	3.50	33.00	300.00
2 to 2½ ft.....	4.00	36.00	
2½ to 3 ft.....	5.00	45.00	
3 to 3½ ft.....	6.50	60.00	
3½ to 4 ft.....	7.50		
4 to 5 ft.....	9.00		
5 to 6 ft.....	12.00		
minus			<i>Piedmont Rhododendron</i>
A4/3—8' M to R. Loose habit. Flowers deep pink, June.			
18 to 24 in.....	3.00	27.00	
2 to 2½ ft.....	4.00	36.00	
2½ to 3 ft.....	5.00	45.00	
3 to 3½ ft.....	6.00	55.00	
smirnovi			<i>Smirnow Rhododendron</i>
A1/1 to 3/4—8' M to S. Flowers pure pink. Leaves long, narrow, revolute; underside covered with heavy white to pale tan felt.			
12 to 15 in.....	5.00		
15 to 18 in.....	7.00		
18 to 24 in.....	9.00		
Hybrid Rhododendrons			
A4/3 to 3/4—8' to 10' M to R. The Hybrid Rhododendrons are beautiful, strong, bushy plants. We offer them in mixed colors only, containing such shades as red, pink, and lavender. These plants are grown from seeds of Hybrid Rhododendrons, and are MUCH HARDIER THAN THE GRAFTED HYBRIDS.			
15 to 18 in. B&B.....	4.50		
18 to 24 in. B&B.....	5.50		
2 to 2½ ft. B&B.....	7.50		
2½ to 3 ft. B&B.....	10.00		



TYPES OF DECIDUOUS TREES

- A. Narrow columnar habit, branches erect.
- B. Oval or elliptic head, branches ascending.
- C. Conical head, branches ascending.
- D. Broad rounding head, branches spreading.
- E. Irregular habit, branches irregularly ascending or spreading.
- F. Branches ascending, arching, even drooping near ends.

Certain types such as B, C and D do not always show the characteristics depicted when young, but do so as they mature.

PROPORTIONS

We omit the indication of proportions of Deciduous Trees as they are not sufficiently constant to be of any practical value. The type sketches indicate the proportions in a general way.

RATES OF GROWTH

VR—very rapid—over 4 feet.

R—rapid—3 to 4 feet.

M—medium—2 to 3 feet.

S—slow—1 to 2 feet.

VS—very slow—under 1 foot.

DECIDUOUS SHADE AND ORNAMENTAL TREES

Caliper measurements are taken 12 inches above ground. Varieties marked "B&B" are always dug with Ball and Burlapped at No Additional Cost.

	Each	Per 10	Per 100
ACER dasycarpum			<i>Silver Maple</i>
B—80' VR. Lvs. 5", light green, silvery under, 5-lobed.			
8 to 10 ft.....	2.00	18.00	160.00
10 to 12 ft.....	2.50	22.50	200.00
12 to 14 ft.....	3.00	27.00	240.00
14 to 16 ft.....	3.50	30.00	270.00
16 to 18 ft.....	4.00	35.00	300.00
18 to 20 ft.....	5.00	45.00	
das. pyramidalis			<i>Pyramidal Silver Maple</i>
A to C—80' VR. Columnar to conical strain.			
6 to 8 ft.....	2.00		
dasy. wieri			<i>Wier Cutleaf Maple</i>
F—80' VR. Branchlets droop. Leaves 3½", deeply cut.			
8 to 10 ft.....	3.00	27.00	240.00
ginnala			<i>Amur Bush Maple</i>
15' S. Many-branched, excellent for tall bushy hedge. Leaves 2½", 3-lobed, brilliant pinkish red in fall.			
3 to 4 ft.....	1.25	10.00	85.00
4 to 5 ft.....	1.50	12.50	100.00
5 to 6 ft.....	2.00	17.50	
6 to 8 ft.....	2.50	22.50	200.00
8 to 10 ft.....	3.00	27.00	240.00
10 to 12 ft.....	4.00	36.00	
platanoides			<i>Norway Maple</i>
D—50' R. The best of all shade trees for both lawn and street use. Broad, dense head, covered with large, heavy, dark rich green leaves, 5" to 7", 5-lobed.			
6 to 8 ft.....	2.75	25.00	225.00
8 to 10 ft.....	4.00	37.50	360.00
10 to 12 ft.....	5.00	48.00	450.00
12 to 14 ft.....	6.50	60.00	540.00
14 to 16 ft.....	7.50		
16 to 18 ft.....	10.00		
3 to 5 in. cal.	12.00 to	25.00 each	
5 to 8 in. cal.	25.00 to	100.00 each	
plat. schwedleri			<i>Schwedler Maple</i>
D—50' R. Lvs. bright red, spring; purple green, summer.			
5 to 6 ft.....	4.00	36.00	
6 to 8 ft.....	5.00	45.00	
8 to 10 ft.....	6.00		

ACER—cont'd	Each	Per 10	Per 100
<i>pseudoplatanus</i>			<i>Sycamore Maple</i>
B—70'. Leaves 5-lobed, 6". Bark brown.			
5 to 6 ft.....	2.50		
6 to 8 ft.....	3.00		
<i>rubrum</i>			<i>Red Maple</i>
B to F—80' R. Leaves 3", 3-5-lobed, rich green; pale green under; orange, scarlet, fall. Red flowers, April.			
5 to 6 ft.....	2.25	20.00	
6 to 8 ft.....	2.75	25.00	
8 to 10 ft.....	3.50		
10 to 12 ft.....	5.00		
12 to 14 ft.....	6.50		
<i>saccharum</i>			<i>Sugar Maple</i>
B—80' R. Lvs. 3-5-lobed, 3"—5", medium green.			
$\frac{3}{4}$ to 1 in. cal. (6 to 10 ft.)	2.50	24.00	
1 to 1 $\frac{1}{4}$ in. cal. (8 to 12 ft.)	3.50	33.00	
1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. cal. (10 to 14 ft.)	5.00	45.00	
3 to 3 $\frac{1}{2}$ in. cal.....	12.00		
3 $\frac{1}{2}$ to 4 in. cal.....	15.00		
Larger specimens	20.00 to 100.00 each		
<i>ARALIA spinosa</i>			<i>Devils Walkingstick</i>
Irregular erect habit—10' S. Stems prickly. Leaves compound, 1 to 2 ft., leaflets oval, 1 $\frac{1}{2}$ "—2 $\frac{1}{2}$ ".			
2 to 3 ft.....	.75		
3 to 4 ft.....	1.00		
4 to 5 ft.....	1.25		
<i>BETULA alba</i>			<i>European White Birch</i>
C—40' M. Old bark white. Lvs. triangle 2 $\frac{1}{2}$ "; yellow, fall.			
6 to 8 ft.....	2.50	22.50	210.00
8 to 10 ft.....	3.00	27.50	
10 to 12 ft.....	3.50		
<i>lutea</i>			<i>Yellow Birch</i>
C—60' M. Bark, silky, tan. Lvs. oval, 3"; blaze of gold, fall.			
6 to 8 ft.....	2.50		
8 to 10 ft.....	3.00	27.50	
10 to 12 ft.....	4.00	37.50	
12 to 14 ft.....	5.00		
<i>papyrifera</i>			<i>Paper or Canoe Birch</i>
C—70' M. Young bark brown; older, white. Lvs. oval, 3".			
4 to 5 ft.....	1.75	16.50	
5 to 6 ft.....	2.00		
<i>pendula gracilis</i>			<i>Cutleaf Weeping Birch</i>
C—50' M. Bark white. Branchlets droop. Leaves deeply cut.			
4 to 5 ft.....	2.50		
5 to 6 ft.....	3.00		
6 to 8 ft.....	4.00		
8 to 10 ft.....	5.00		

BETULA—cont'd	Each	Per 10	Per 100
<i>populifolia</i>			<i>Gray Birch</i>
A to C—40' M. Bark white, flecked gray. Lvs. triangle, 2½".			
5 to 6 ft.....	1.00	9.00	
6 to 8 ft.....	1.50	12.50	
8 to 10 ft.....	1.75	15.00	
CARPINUS caroliniana			<i>American Hornbeam</i>
C—30' S. Leaves pointed oval, 3", dark bluish green; scarlet to orange yellow in fall.			
3 to 4 ft. B&B.....	2.00	18.00	
4 to 5 ft. B&B.....	3.00	27.00	
5 to 6 ft. B&B.....	4.00	37.00	
6 to 8 ft. B&B.....	5.00	48.00	
8 to 10 ft. B&B.....	6.50	60.00	
10 to 12 ft. B&B.....	8.00	75.00	
CATALPA bignonioides			<i>Common Catalpa</i>
E—30' S. Lvs. 8". White fls., June, July. Brown pods, 15".			
8 to 10 ft.....	1.50	12.00	
10 to 12 ft.....	2.00	18.00	
12 to 14 ft.....	2.50	22.50	
14 to 16 ft.....	3.00	28.00	
bignonioides nana (bungei)			<i>Umbrella Catalpa</i>
Dense globe-shaped, very dwarf bush, usually grafted on straight bare stem for formal effect. Leaves heart-shaped.			
2 yr. heads, 6 ft. stems.....	2.50	22.50	
speciosa			<i>Western Catalpa</i>
C—60' R. Leaves 10". Flowers white, 2", June. Pods 12".			
5 to 6 ft.....	1.00	9.00	75.00
6 to 8 ft.....	1.25	10.00	90.00
8 to 10 ft.....	1.50	14.00	125.00
10 to 12 ft.....	1.75		
CERCIDIPHYLLUM japonicum			<i>Katsura Tree</i>
A to C—40' S. Leaves 2½", heart shape, opening pink to purple; maturing bright green; bright yellow in fall.			
3 to 4 ft.....	1.50	12.50	
4 to 5 ft.....	2.00	18.00	
5 to 6 ft.....	3.00	27.50	
CERCIS canadensis			<i>American Red Bud</i>
E—25' S. Lvs. 4", heart-shaped. Fls. ½", rosy pink, May.			
2 to 3 ft.....	.75		
4 to 5 ft.....	1.50		
CHIONANTHUS virginica			<i>White Fringe</i>
16' VS. Shrubby. Large lacy white panicles, May, June.			
2 to 3 ft.....	1.50	14.00	
3 to 4 ft.....	2.00	18.00	
4 to 5 ft.....	3.00	27.50	
CLADRASTIS lutea			<i>Yellow-Wood</i>
E—30' S. Leaves 3", glossy, dark. Fragrant white panicles, June.			
8 to 10 ft.....	3.50		
10 to 12 ft.....	4.50		
12 to 14 ft.....	6.00		

	Each	Per 10	Per 100
CORNUS florida <i>Flowering Dogwood</i>			
E—15' VS. Leaves dark red in fall. Flowers white, 3"—4", May. Red fruit $\frac{1}{8}$ ".			
3 to 4 ft.....	2.00	18.00	
4 to 5 ft.....	3.00	27.00	
5 to 6 ft.....	5.00	45.00	
6 to 7 ft.....	6.50		
flor. flore pleno <i>Double White Flowering Dogwood</i>			
E—15' VS. A double-flowering form of the above.			
3 to 4 ft. B&B.....	5.00		
4 to 5 ft. B&B.....	6.50		
flor. rubra <i>Red Flowering Dogwood</i>			
E—15' VS. Deep rose-colored flowers.			
2 to 3 ft. B&B.....	5.00	48.00	
3 to 4 ft. B&B.....	6.50		
4 to 5 ft. bushy, B&B.....	12.00		
CRATAEGUS coccinea <i>Thicket Hawthorn</i>			
D to E—20' S. Thorny. White flowers, May. Large scarlet fruits, August, remain late; attract birds.			
3 to 4 ft.....	1.50	14.00	
4 to 5 ft.....	2.00	18.00	
5 to 6 ft.....	3.00	25.00	
6 to 8 ft.....	5.00		
8 to 10 ft.....	6.50		
cordata <i>Washington Hawthorn</i>			
E to D—25' S. Thorny. Lvs. small 3—5-lobed. Fls. white, May, June. Abundant crimson fruits $\frac{1}{8}$ ", remain late.			
3 to 4 ft.....	2.00	18.00	150.00
4 to 5 ft.....	2.50	22.50	
5 to 6 ft.....	3.50		
crusgalli <i>Cockspur Thorn</i>			
E—20' S. Leaves narrow, dark, glossy. Long thorns. White flowers, June. Red fruit remains late.			
2 to 3 ft.....	1.25	12.00	110.00
3 to 4 ft.....	1.75	16.00	150.00
4 to 5 ft.....	2.50	22.50	
5 to 6 ft.....	3.50		
oxyacantha <i>English Hawthorn</i>			
E—15' S. Leaves small. Fls. large, white, May.			
2 to 3 ft.....	.75		
3 to 4 ft.....	1.00		
4 to 5 ft.....	1.25		
oxy. splendens <i>Paul's Double Scarlet Hawthorn</i>			
E—15' S. Double scarlet form of preceding.			
4 to 5 ft.....	2.50	22.50	
5 to 6 ft.....	3.00	27.00	240.00
6 to 7 ft.....	4.00	36.00	

CRATAEGUS—cont'd		Each	Per 10	Per 100
succulenta				<i>Fleshy Hawthorn</i>
E to D—20' S. White corymbs, May. Large scarlet fruits.				
2 to 3 ft.....	1.00		8.50	
3 to 4 ft.....	1.25		11.00	90.00
4 to 5 ft.....	1.50		12.50	110.00
5 to 6 ft.....	1.75			
FAGUS americana				<i>American Beech</i>
C to B—80' S. Branches ascending, bark light gray. Foliage pointed, elliptic, 2½"—5", heavily veined, dark green, yellowish-green underneath, bright yellow in autumn.				
6 to 8 ft. B&B.....	10.00			
8 to 10 ft. B&B.....	14.00	130.00		
10 to 12 ft. B&B.....	18.00	170.00		
12 to 14 ft. B&B.....	22.00			
14 to 16 ft. B&B.....	28.00			
16 to 20 ft. B&B.....	35.00			
20 to 25 ft. B&B.....	45.00			
sylvatica riversi				<i>River Beech</i>
C to B—50' S. Leaves shorter, very dark purple.				
18 to 25 ft. B&B	40.00 to 100.00 each			
FRAXINUS americana				<i>White Ash</i>
C to D—80' M. Leaves compound, leaflets 3"—5", yellow and purple in autumn.				
6 to 8 ft.....	1.50	12.50	110.00	
8 to 10 ft.....	2.00	18.00	150.00	
10 to 12 ft.....	2.50	22.50	200.00	
12 to 14 ft.....	3.00	27.00	240.00	
lanceolata				<i>Green Ash</i>
C to D—60' M. Foliage light green, compound, leaflets 2"—5".				
6 to 8 ft.....	1.50	14.00		
8 to 10 ft.....	2.00	18.00		
10 to 12 ft.....	2.50	22.50		
12 to 14 ft.....	3.00	27.00		
GLEDITSIA triacanthos				<i>Common Honeylocust</i>
F—80' S to M. Thorny. Foliage compound, leaflets 1", clear yellow in autumn.				
5 to 6 ft.....	1.25	10.00	80.00	
6 to 8 ft.....	1.50	12.00	100.00	
8 to 10 ft.....	1.75	15.00	120.00	
GYMNOCLADUS dioica				<i>Kentucky Coffeetree</i>
Irregular. Coarse branches. Immense compound leaves. Fls. white, small, in large panicles. Fruit pods 2"—10".				
3 to 4 ft.....	2.00			
4 to 5 ft.....	2.50			
5 to 6 ft.....	3.00			
6 to 8 ft.....	4.00			
HALESIA tetraptera				<i>Great Silverbell</i>
C—25' S to M. Leaves oval, 2"—4". Flowers ¾", bell-shaped, in loose clusters, April, May.				
3 to 4 ft.....	1.00	9.00		
4 to 5 ft.....	1.25			
5 to 6 ft.....	1.50			
6 to 8 ft.....	2.00			

	Each	Per 10	Per 100
JUGLANS cinerea			<i>Butternut</i>
E—50' S. Leaves compound, leaflets 3"—5". Nut oblong shaped, 2½"—4".			
5 to 6 ft.....	2.00	18.00	
6 to 8 ft.....	2.50	22.50	
8 to 10 ft.....	3.00		
10 to 12 ft.....	4.00		
LABURNUM alpinum			<i>Scotch Laburnum</i>
C to B—30' S to VS. Leaves in threes, 1"—2", light green. Flowers bright yellow in hanging racemes.			
3 to 4 ft., bush form.....	1.50		
4 to 5 ft., bush form.....	2.00		
5 to 6 ft., bush form.....	2.50		
LIRIODENDRON tulipifera			<i>Tulip Tree</i>
C to B—80' R. Lvs. broad, 2—6-lobed, 5"—6", glossy. Fls. tulip-shaped, greenish yellow, orange markings.			
4 to 5 ft.....	1.50		
5 to 6 ft.....	2.00		
6 to 8 ft.....	2.50		
8 to 10 ft.....	3.50		

MALUS

(The Flowering Crabs)

We specialize in growing semi-matured specimens of the several MALUS species. Unlike the usual run of stock offered, these are mostly old trees, several times transplanted, and heavy enough to give a worthwhile immediate effect. The degree of heaviness or bushiness of each sort is indicated by the letter X.

MALUS arnoldiana			<i>Arnold Crab</i>
E—15' S. Semi-double pink blossoms, May. Yellow fruits.			
3 to 4 ft. B&B.....	2.00		
4 to 5 ft. B&B.....	3.00		
5 to 6 ft. B&B.....	4.00		
atropurpurea			<i>Purpleleaf-Crab</i>
E—16' S. Single deep pink flowers. Foliage purplish red during flowering period.			
5 to 6 ft. X, B&B.....	4.50		
6 to 7 ft. XX, B&B.....	6.00		
7 to 8 ft., XX, B&B.....	10.00		
atrosanguinea			<i>Carmine Crab</i>
E—14' S. Single flowers, crimson outside, deep pink inside, May. A splash of color when in bloom.			
3 to 4 ft. X, B&B.....	2.00	18.00	
4 to 5 ft. X, B&B.....	2.50	22.50	
5 to 6 ft. XX, B&B.....	3.50	33.00	
6 to 7 ft. XX, B&B.....	5.00		
7 to 8 ft. XX, B&B.....	6.50		
baccata			<i>Siberian Crab</i>
B to D—35' S. Pure white, fragrant flowers, pink outside when unfolding. Fruit yellow, spotted red.			
6 to 7 ft. XX, B&B.....	6.00	55.00	
7 to 8 ft. XX, B&B.....	10.00	90.00	
8 to 10 ft. XXX, B&B.....	15.00	140.00	
10 to 12 ft. XXX, B&B.....	20.00		

MALUS—cont'd	Each	Per 10	Per 100
<i>coronaria</i>			<i>Wild Sweet Crab</i>
B—30' S. Flowers rose-pink, sweet-scented, May.			
4 to 5 ft. X, B&B.....	2.50		
5 to 6 ft. X, B&B.....	3.00		
6 to 8 ft. X, B&B.....	4.00		
<i>floribunda</i>			<i>Japanese Flowering Crab</i>
E—20' S. Flowers single, deep rose-pink, early May. Fruit small, yellow and red.			
3 to 4 ft. X, B&B.....	2.00	18.00	
4 to 5 ft. X, B&B.....	3.00	27.50	
5 to 6 ft. XX, B&B.....	4.50	43.00	
6 to 7 ft. XX, B&B.....	5.50		
<i>ioensis fl. pl.</i>			<i>Bechtel Crab</i>
C to D—15' S. One of the best. Flowers double, delicate pink; resemble small roses, May.			
2 to 3 ft. X, B&B.....	1.50	13.50	125.00
3 to 4 ft. X, B&B.....	2.00	18.00	160.00
4 to 5 ft. XX, B&B.....	2.50	22.50	200.00
5 to 6 ft. XX, B&B.....	3.50	33.00	
6 to 7 ft. XXX, B&B.....	6.00		
<i>niedzwetzkyana</i>			<i>Redvein Crab</i>
B to E—25' S. Foliage tinged purple. Semi-double flowers, pink, May.			
5 to 6 ft. X, B&B.....	3.00	27.00	
6 to 7 ft. X, B&B.....	4.00	36.00	
7 to 8 ft. XX, B&B.....	5.00		
8 to 9 ft. XX, B&B.....	6.00		
<i>parkmani</i>			<i>Parkman Crab</i>
E—12' VS. Double, clear pink. Leaves very dark.			
3 to 4 ft. X, B&B.....	2.50		
4 to 5 ft. X, B&B.....	3.50		
<i>sargentii</i>			<i>Sargent Crab</i>
E—8' VS. Rigid, spreading branches. Pure white flowers, May. Wine-colored small fruit attracts birds.			
2 to 3 ft. B&B.....	2.00	18.00	
3 to 4 ft. B&B.....	3.00	25.00	
4 to 5 ft. B&B.....	4.00	35.00	
EXTRA HEAVY SPECIMENS			
DENSE AND COMPACT			
4 to 5 ft. broad, 3 to 4 ft. tall			
B&B	12.50	120.00	
5 to 6 ft. broad, 3½ to 4½ ft. tall			
B&B	15.00	145.00	
<i>scheideckeri</i>			<i>Scheidecker Crab</i>
E—15' S. Double rose-pink inside, deep pink outside; free blooming.			
3 to 4 ft. B&B.....	2.00	18.00	
4 to 5 ft. B&B.....	2.50	22.50	
5 to 6 ft. X, B&B.....	3.00	27.00	250.00
6 to 7 ft. X, B&B.....	4.00		

MALUS—cont'd	Each	Per 10	Per 100
<i>spectabilis flore pleno</i>			<i>Double Chinese Crab</i>
B—18' S. Double pale pink flowers.			
4 to 5 ft. X, B&B.....	2.50	22.50	
5 to 6 ft. X, B&B.....	3.00	27.00	
<i>spect. rosea plena</i>			<i>Double Pink Chinese Crab</i>
B—15' S to VS. Double deep pink. Profuse.			
3 to 4 ft. B&B.....	2.00		
4 to 5 ft. X, B&B.....	2.50		
5 to 6 ft. X, B&B.....	3.00	27.00	
6 to 7 ft. X, B&B.....	4.00	36.00	
<i>theifera</i>			<i>Tea Crab</i>
E—20' S. The following description is given by E. H. Wilson, Keeper of the Arnold Arboretum, who discovered this tree: "Rigid of branch, with wands of blossoms often 15 ft. long, the Chinese <i>M. theifera</i> is the very quintessence of Crab-apple loveliness. It is a small tree, seldom exceeding 20 feet in height, with sparse, upright and spreading, rather zigzag branches. When in blossom the whole branch is transformed into a floral plume into which it is impossible to thrust a finger without touching a flower. The petals are reddish pink in the folded bud, white or delicately stained with pale pink when fully expanded."			
2 to 3 ft. B&B.....	2.00	18.00	160.00
3 to 4 ft. B&B.....	3.00	27.00	250.00
4 to 5 ft. B&B.....	4.00	36.00	330.00
7 to 8 ft. XXX, B&B.....	12.00		
8 to 10 ft. XXX, B&B.....	16.00	150.00	
10 to 12 ft. XXX, B&B.....	20.00		
<i>MORUS alba pendula</i>			<i>Teas Weeping Mulberry</i>
8 ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible.			
5 to 6 ft. stems, 2 yr. heads...	3.50	30.00	
<i>OXYDENDRON arboreum</i>			<i>Sourwood</i>
25' S. Loose, open, erect. Lvs. long, narrow, pointed, 4"—7". Flowers, small white bells in panicles, June, July.			
2 to 3 ft.....	2.00		
3 to 4 ft.....	2.50		
4 to 5 ft.....	3.50		
5 to 6 ft.....	5.00		
<i>PHELLODENDRON sachalinense</i>			<i>Saghalien Corktree</i>
B to F—50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black $\frac{1}{8}$ ".			
10 to 12 ft.....	3.00	25.00	
12 to 14 ft.....	3.50	30.00	
14 to 16 ft.....	4.00	36.00	
16 to 18 ft.....	5.00	45.00	
<i>POPULUS nigra italica</i>			<i>Lombardy Poplar</i>
A—60' VR. Leaves triangular to rhombic, 2"—4".			
6 to 8 ft. HEAVY.....	1.25	10.00	90.00
8 to 10 ft. LOW.....	1.50	12.00	100.00
10 to 12 ft. BRANCHED...	2.00	15.00	120.00
12 to 14 ft. TRANS.....	2.50	20.00	160.00
14 to 16 ft. PLANTED	3.00	24.00	200.00
16 to 18 ft. SPECI.....	3.50	30.00	240.00
18 to 20 ft. MENS	4.50	40.00	330.00

POPULUS—cont'd	Each	Per 10	Per 100
<i>simoni fastigiata</i>			<i>Chinese Lombardy Poplar</i>
A—50' VR. Leaves round pointed, tapering base, glossy, 2"—3". Young shoots reddish.			
6 to 8 ft.....	1.25	10.00	80.00
8 to 10 ft.....	1.50	12.00	100.00
10 to 12 ft.....	1.75	16.50	
12 to 14 ft.....	2.00	18.00	
18 to 24 ft.....	4.00		

PRUNUS <i>cerasifera pissardi</i>			<i>Purpleleaf Plum</i>
15' S. Shrubby habit. Leaves dark purple. Flowers small, blush-white, May. Dark, wine-red fruit.			
4 to 5 ft.....	2.00	18.00	
5 to 6 ft.....	2.50	22.50	
6 to 8 ft.....	3.25	30.00	

cer. <i>bliriana</i>			<i>Double Pink Purpleleaf Plum</i>
15' S. Similar to preceding. Flowers double pink.			
5 to 6 ft.....	2.50		

serotina			<i>Black Cherry</i>
B—60' S to M. Leaves lance-shaped, glossy, 4"—6". Flowers white in 6" racemes. Fruit $\frac{1}{3}$ ", purple black.			
5 to 6 ft.....	.80	7.50	
6 to 8 ft.....	1.00	9.00	
8 to 10 ft.....	2.50	22.50	
10 to 12 ft.....	3.00		

JAPANESE FLOWERING CHERRIES

AMANOGAWA

A—25' S. Flowers semi-double, pink.			
4 to 5 ft.....	4.00		

FUJIZAN

E—20' VS. Flowers snow white, large double.			
4 to 5 ft.....	4.00		

KOFUGEN

B—30' S. Flowers red, double.			
4 to 5 ft.....	4.00	36.00	

KWANSAN

B—20' VS. Flowers old rose, double, full.			
4 to 5 ft.....	4.00	36.00	

NADEN

B—20' S. Flowers pink, double.			
4 to 5 ft.....	4.00	36.00	

PTELEA <i>trifoliata</i>			<i>Common Hoptree</i>
--------------------------	--	--	-----------------------

C to E—25' S to M. Leaves compound, leaflets in 3's, pointed elliptic, 3"—5", dark, shiny. Fruit broadly winged. Small nuts, 1".			
5 to 6 ft.....	.80	7.50	
6 to 8 ft.....	1.00	9.00	
8 to 10 ft.....	1.50	12.50	

	Each	Per 10	Per 100
PYRUS calleryana			<i>Chinese Sand Pear</i>
C to B—40' S to M. White flowers, May. Fall foliage yellow to orange, scarlet, red, crimson, and purple.			
5 to 6 ft.....	2.00		
6 to 8 ft.....	3.00	27.00	
8 to 10 ft.....	4.00	36.00	
10 to 12 ft.....	5.00	48.00	
12 to 14 ft.....	6.00	55.00	
QUERCUS alba			<i>White Oak</i>
E to D—100' M to R. Bark light gray. Leaves, 6 to 16 round-pointed lobes, 5"—8".			
6 to 8 ft.....	4.50	42.00	
8 to 10 ft.....	6.00	55.00	
10 to 12 ft.....	7.00	68.00	
12 to 14 ft.....	8.00	78.00	
14 to 16 ft.....	10.00		
coccinea			<i>Scarlet Oak</i>
C to B—80' M to R. Shining green foliage, 6"—8" long, deeply, sharply 7—9-lobed; scarlet in autumn.			
5 to 6 ft.....	3.50		
6 to 8 ft.....	4.50		
8 to 10 ft.....	6.00		
10 to 12 ft.....	8.00		
rubra			<i>Common Red Oak</i>
B to C—80' M to R. Dark bark. Leaves 7—9-lobed, 5"—9", dark red in fall.			
5 to 6 ft.....	3.00	27.00	
6 to 8 ft.....	3.50	33.00	
8 to 10 ft.....	4.50	42.00	
10 to 12 ft.....	6.00		
12 to 14 ft.....	7.00		
14 to 16 ft.....	8.00		
SALIX babylonica			<i>Babylon Weeping Willow</i>
F—40' R to M. Branchlets very drooping. Leaves lance shaped, light green, 2"—6".			
6 to 8 ft.....	1.50	14.00	
pentandra			<i>Laurel Willow</i>
C to B—20' R. Leaves elliptic, glossy, dark, 2"—4".			
5 to 6 ft.....	.90		
6 to 8 ft.....	1.00		
vitellina aurea			<i>Russian Golden Willow</i>
E—80' R. Bark golden yellow. Leaves lance shaped.			
6 to 8 ft.....	1.25	11.00	
SORBUS americana			<i>American Mountain Ash</i>
C to B—30' S to M. Leaves compound, leaflets 2½"—6", pointed. Flowers white, May, June. Large corymbs of small, bright red fruits, ¼".			
5 to 6 ft.....	2.00	18.00	
6 to 8 ft.....	2.50	21.00	180.00
8 to 10 ft.....	3.00	27.00	240.00
10 to 12 ft.....	3.50		

SORBUS—cont'd		Each	Per 10	Per 100
<i>amurense</i>			<i>Amur Mountain Ash</i>	
A to C—20' S. Narrow growing form.				
6 to 8 ft.....	2.50		22.50	
8 to 10 ft.....	3.00		27.00	
10 to 12 ft.....	3.50			
<i>aucuparia</i>			<i>European Mountain Ash</i>	
C—30' S to M. Large corymbs, white flowers, May, June.				
Large corymbs of large scarlet fruits.				
6 to 8 ft.....	2.00		18.00	160.00
8 to 10 ft.....	2.50		22.50	200.00
10 to 12 ft.....	3.00		28.00	260.00
Extra heavy grade.				
5 to 6 ft.....	2.00		18.00	160.00
6 to 8 ft.....	2.50		22.50	200.00
8 to 10 ft.....	3.00		28.00	260.00
10 to 12 ft.....	3.50		32.50	300.00
Trained in bush form.				
5 to 6 ft.....	2.00		18.00	160.00
6 to 8 ft.....	2.50		22.50	
8 to 10 ft.....	3.00		27.00	
<i>auc. pendula</i>			<i>Weeping Mountain Ash</i>	
Irregular drooping form of preceding.				
3 yr. heads, 6 ft. stems.....	5.00			
<i>commixta</i>			<i>Japanese Mountain Ash</i>	
C to B—30' S to M. Holds foliage late. Late fruiting.				
5 to 6 ft.....	2.00			
6 to 8 ft.....	2.50		22.50	200.00
8 to 10 ft.....	3.00		27.00	240.00
10 to 12 ft.....	3.50			
<i>decora</i>			<i>Showy Mountain Ash</i>	
C to B—30'. Similar to <i>S. americana</i> ; larger clusters of fruit.				
6 to 8 ft.....	3.00			
8 to 10 ft.....	4.00			
10 to 12 ft.....	5.00			
<i>quercifolia</i>			<i>Oakleaf Mountain Ash</i>	
C to B—25' S. Leaf typical "Oak-leaf" shape.				
4 to 5 ft.....	1.50		12.50	
SYRINGA japonica			<i>Japanese Tree Lilac</i>	
C to A—25' S. Flowers yellow-white panicles, June, July.				
5 to 6 ft.....	2.50			
6 to 8 ft.....	3.00			
8 to 10 ft.....	4.00			
TILIA americana			<i>American Linden</i>	
C to B—80' M to R. Broad, heart-shaped lvs., 5"—9".				
Small, yellow, fragrant fls., July. Good street tree.				
8 to 10 ft.....	3.50		33.00	300.00
10 to 12 ft.....	4.50		42.00	360.00
12 to 14 ft.....	5.50		50.00	

TILIA—cont'd	Each	Per 10	Per 100
<i>cordata</i>	<i>Littleleaf European Linden</i>		
C to B—60' S. Small, broad, heart-shaped leaves, 2"—3". Small flowers, sweet-scented.			
8 to 10 ft.....	3.50		
10 to 12 ft. 1½ to 2 in. cal....	4.50		
2 to 2½ in. cal.....	5.50		
2½ to 3 in. cal.....	7.00		
3 to 4 in. cal.	12.00 to 25.00 each		
4 to 8 in. cal.	50.00 to 125.00 each		
<i>euchlora (dasystyla)</i>	<i>Crimean Linden</i>		
C—50' S to M. Young branchlets yellow. Leaves heart-shaped, 3"—4", glossy.			
Specimens, 4 to 8 in. cal.	60.00 to 150.00 each		
<i>platyphyllos (grandiflora)</i>	<i>Bigleaf European Linden</i>		
C to B—80' M to R. Lvs. heart-shaped, 3"—4", light green.			
Specimens, 4 to 8 in. col.	60.00 to 125.00 each		
<i>tomentosa (argentea)</i>	<i>Silver Linden</i>		
C to B—80' M to R. Leaves heart-shaped, 3"—5", dark green above, silvery fuzzy under.			
Specimens, 5 to 9 in. cal.	75.00 to 150.00 each		
ULMUS <i>americana</i>	<i>American Elm</i>		
F—120' R. Fine street tree for wide streets. Arching branches. Leaves pointed elliptic.			
6 to 8 ft.....	2.00	18.00	160.00
8 to 10 ft.....	2.75	25.00	225.00
10 to 12 ft.....	4.00	36.00	300.00
12 to 14 ft.....	5.00	45.00	400.00
2½ to 3 in. cal.....	8.00		
3 to 4 in. cal.	10.00 to 20.00 each		
4 to 8 in. cal.	20.00 to 100.00 each		
Moline Elm			
C—80' R to VR. Branches heavy. Leaves 4"—7".			
5 to 6 ft.....	2.00	18.00	
6 to 8 ft.....	3.00	27.00	
8 to 10 ft.....	3.75	35.00	
10 to 12 ft.....	4.50	42.00	
Am. Vase Shape Elm			
F—100' R.			
5 to 6 ft.....	2.00	18.00	
6 to 8 ft.....	3.00	27.00	
8 to 10 ft.....	3.75	35.00	
10 to 12 ft.....	5.00	48.00	
<i>campestris</i>	<i>English Elm</i>		
F—80' R to M.			
specimens 4 to 10 in cal.....	60.00 to 150.00 each		
<i>pumila</i>	<i>Siberian Elm</i>		
F—60' VR. Fine branches. Leaves 1"—2". Graceful. Very popular.			
5 to 6 ft.....	2.00	16.00	
6 to 8 ft.....	2.50	21.00	

DECIDUOUS FLOWERING AND ORNAMENTAL SHRUBS



A



B



C



D



E



F

TYPES OF DECIDUOUS SHRUBS

- A. Stems erect, moderately branched, usually narrow.
- B. Stems spreading, then ascending or erect, moderately branched.
- C. Few stems, many branches.
- D. Many stems, few or no branches.
- E. Stems ascending or erect, arching, finally drooping.
- F. Low, spreading, sprawling.

Since few Deciduous Shrubs have a definite rate of growth, or constant ratios of height to breadth, we omit those items, but indicate the types and usual maximum heights.

	Each	Per 10	Per 100
ACANTHOPANAX pentaphyllum (Aralia)			<i>Fiveleaf Aralia</i>
A—8'. Slightly thorny. Leaves compound, fine leaflets, dark glossy.			
2 to 3 ft.....	.60	5.00	40.00
3 to 4 ft.....	.75	6.00	50.00
4 to 5 ft.....	1.00	8.00	
AMELANCHIER canadensis (botryapium)			<i>Shadblow</i>
A—10'. White flowers, May. Maroon fruit, June, July.			
2 to 3 ft.....	1.00	8.00	72.00
3 to 4 ft.....	1.25	11.00	

ARALIA pentaphylla—See **ACANTHOPANAX** above.

	Each	Per 10	Per 100
ARONIA arbutifolia			<i>Red Chokeberry</i>
A—10'. White fls., May. Crimson fall foliage and fruit.			
2 to 3 ft.....	.90	8.00	70.00
3 to 4 ft.....	1.25	11.00	85.00
4 to 5 ft.....	1.50	14.00	
melanocarpa (nigra)			<i>Black Chokeberry</i>
D—6'. Clusters of white flowers in May. Black glossy berries. Attracts birds.			
2 to 3 ft.....	.90	7.50	60.00
3 to 4 ft.....	1.25	10.00	75.00
4 to 5 ft.....	1.50	12.50	

AZALEAS

Our stock of Azaleas is all NURSERY GROWN, several times transplanted, having heavy masses of fibrous roots which insure superior results to the planter. They should not be compared with collected stock frequently offered.

AZALEA arborescens			<i>Sweet Azalea</i>
D—5'. The plants we offer of this species are of the absolutely true strain—they contain no trace of mongrel blood so often found. They are low, broad, dense, rounding. Flowers large, white, pink outside, middle June. This true strain of arborescens is a very desirable shrub, which should be more freely planted, particularly for mass effects.			
15 to 18 in. spread B&B.....	3.00	27.00	250.00
12 to 24 in. spread B&B.....	3.50	33.00	300.00
2 to 2½ ft. spread B&B.....	4.50	40.00	375.00
2½ to 3 ft. B&B.....	6.00	55.00	500.00
3 to 4 ft. B&B.....	8.00		
calendulacea (lutea)			<i>Flame Azalea</i>
A—8'. Varying hues of red, orange, yellow; early June.			
15 to 18 in. B&B.....	2.50	22.50	200.00
18 to 24 in. B&B.....	3.00	27.00	250.00
2 to 2½ ft. B&B.....	3.50	33.00	300.00
2½ to 3 ft. B&B.....	4.50	42.00	
3 to 4 ft. B&B.....	6.00		
canadensis—See RHODORA			
canescens			<i>Gray Azalea</i>
A—4'. Pink, May 20th. Foliage grayish.			
15 to 18 in. B&B.....	2.50		
18 to 24 in. B&B.....	2.75		
2 to 2½ ft. B&B.....	3.25		
2½ to 3 ft. B&B.....	4.00		
dahurica			<i>Dahurian Azalea</i>
A to B—8'. Flowers medium purplish-rose, April 10th. Dark green leaves 1"—1½"; light crimson in autumn.			
3½ to 4 ft. B&B.....	10.00		
4 to 5 ft. B&B.....	14.00		
5 to 6 ft. B&B.....	18.00		
dahur. sempervirens			<i>Mongolian Azalea</i>
A to B—8'. Variety of preceding; semi-evergreen.			
18 to 24 in. B&B.....	5.00		
2 to 2½ ft. B&B.....	6.00		
2½ to 3 ft. B&B.....	7.00		

AZALEA—cont'd	Each	Per 10	Per 100
<i>gandavensis</i>			<i>Ghent Azalea</i>
A—10'. Flowers June 1, attractive mixed colors, light to golden yellow, light pink, cream and orange.			
15 to 18 in. B&B.....	4.00	36.00	
18 to 24 in. B&B.....	5.00	45.00	
2 to 2½ ft. B&B.....	6.00	55.00	
2½ to 3 ft. B&B.....	7.50	72.00	
<i>kaempferi</i>			<i>Torch Azalea</i>
A—8'. Foliage small, scarlet to crimson in fall. Flowers combination of red, pink, salmon, blend into a wonderful indescribable flame color; late May.			
15 to 18 in. B&B.....	4.00	35.00	300.00
18 to 24 in. B&B.....	4.75	45.00	
2 to 2½ ft. B&B.....	6.00	55.00	
2½ to 3 ft. B&B.....	8.00		
<i>mollis</i>			<i>Chinese Azalea</i>
A—6'. The showiest of all Azaleas. Large clusters of bright orange flowers, occasionally red or yellow; late May.			
12 to 15 in. B&B.....	2.50	22.50	210.00
15 to 18 in. B&B.....	3.50	33.00	300.00
18 to 24 in. B&B.....	4.50	42.00	400.00
2 to 2½ ft. B&B.....	6.00		
2½ to 3 ft. B&B.....	8.00		
<i>mol. altaclarensis</i>			
A—6'. Very bright yellow; late May.			
12 to 15 in. B&B.....	2.75	25.00	
<i>mol. Louisa Hunnewell</i>			<i>Louisa Hunnewell Azalea</i>
A—6'. Large clusters, flowers golden yellow to orange, early June.			
15 to 18 in. B&B.....	4.50		
18 to 24 in. B&B.....	6.00		
<i>mucronulata</i>			<i>Manchurian Azalea</i>
A—6'. Rosy purplish pink, April 20th. Leaves bright yellow in autumn.			
15 to 18 in. B&B.....	4.00		
18 to 24 in. B&B.....	5.00		
2 to 2½ ft. B&B.....	6.00		
<i>nudiflora</i>			<i>Pinxterbloom</i>
A—6'. Flowers white to pale pink, fragrant, May 20th.			
15 to 18 in. B&B.....	2.50	22.50	
18 to 24 in. B&B.....	2.75	25.00	
2 to 2½ ft. B&B.....	3.25	30.00	
2½ to 3 ft. B&B.....	4.00	36.00	
<i>poukhanense</i>			<i>Korean Azalea</i>
D—3'. Low, broad, dense, rounding, with the lower branches resting on the ground. Leaves 2" long, ½" wide; in summer resemble those of the evergreen Alpine Rhododendrons, in fall a pleasing assortment of red shades. Blooms single, 1½"—2", fragrant, pure medium orchid-pink, profuse, mid-May to early June. We consider it one of the very best new plants which we have grown, and the late Prof. C. S. Sargent said, "It deserves a place in all New England collections."			
15 to 18 in. spread B&B.....	4.00	36.00	350.00
18 to 24 in. spread B&B.....	5.00	45.00	420.00
2 to 2½ ft. spread B&B.....	6.50	60.00	580.00
2½ to 3 ft. spread B&B.....	10.00		

AZALEA—cont'd		Each	Per 10	Per 100
schlippenbachii				Royal Azalea
A—6'. Pure pink, May 20th.				
12 in. B&B.....	4.00			
15 in. B&B.....	5.00			
18 in. B&B.....	7.50			
vaseyi				Pinkshell Azalea
A—6'. Native American plant with a Japanese appearance. One of the prettiest Azaleas, deserves to be more freely planted. Very delicate pure pink blooms, early May.				
15 to 18 in. B&B EXTRA	3.50	33.00	300.00	
18 to 24 in. B&B BUSHY	4.50	42.00	400.00	
2 to 2½ ft. B&B PLANTS	6.00	55.00	540.00	
2½ to 3 ft. B&B.....	7.50			
viscosa				Swamp Azalea
A—8'. Tall narrow habit. Fragrant white flowers in June and July.				
18 to 24 in. B&B.....	2.25	20.00	180.00	
2 to 2½ ft. B&B.....	2.75	25.00	225.00	
2½ to 3 ft. B&B.....	3.50	32.00	270.00	
3 to 4 ft. B&B.....	4.25	40.00	360.00	
4 to 5 ft. B&B.....	5.00	45.00		
yodogawa				Yodogawa Azalea
D—4'. Double flowered form of A. poukhanense.				
15 to 18 in. B&B.....	3.00			
2½ to 3 ft. B&B.....	6.00			
BERBERIS thunbergii				Japanese Barberry
E to D—5'. The familiar hedge plant, leaves red in autumn. Crimson-scarlet berries remain nearly all winter.				
12 to 15 in. bushy.....	.20	1.50	9.00	
15 to 18 in. bushy.....	.25	2.00	12.00	
18 to 24 in. bushy.....	.35	2.50	18.00	
2 to 2½ ft. bushy.....	.50	4.00	27.00	
2½ to 3 ft. bushy.....	.60	5.40	45.00	
3 to 3½ ft. bushy.....	.90	7.50	60.00	
2½ to 3 ft. specimens, B&B....	1.00	9.00		
thunb. atropurpurea				Redleaf Japanese Barberry
E to D—5'. A new variety of the preceding. Brilliant, blood-red foliage when planted in full sunlight.				
15 to 18 in.....	.90	8.00	75.00	
18 to 24 in.....	1.00	9.00	80.00	
vulgaris				European Barberry
A—6'. Narrow loose habit. Long, narrow, red fruit.				
2 to 3 ft.....	.60	4.50		
vul. atropurpurea				Purple Barberry
A—6'. Handsome variety of the preceding. Violet purple foliage, red fruit.				
18 to 24 in.....	.60	5.00		
2 to 3 ft.....	.75	6.50		
3 to 4 ft.....	.90	7.50		
BUDDLEIA davida magnifica				Oxeye Butterflybush
E—6'. Flowers rosy purple, spikes, Aug. to Oct.				
2 yrs.....	.60	5.00		

	Each	Per 10	Per 100
CALYCANTHUS floridus			<i>Common Sweetshrub</i>
D—6'. Flowers 1½", brown, spicy, June to Aug.			
2 to 3 ft.....	.75	6.00	
3 to 4 ft.....	1.00	9.00	
CARAGANA arborescens			<i>Siberian Pea</i>
A to E—10'. Leaves compound. Yellow flowers, June.			
3 to 4 ft.....	1.00	9.00	
4 to 5 ft.....	1.25	10.00	
5 to 6 ft.....	1.50	12.50	
CEANOTHUS americanus			<i>Jersey-Tea</i>
D—3'. Flowers white, June.			
18 to 24 in.....	.60		
2 to 3 ft.....	.75		
CEPHALANTHUS occidentalis			<i>Buttonbush</i>
B—5'. Flowers white, globe-shaped, 1", July-Sept.			
18 to 24 in.....	.60	4.50	36.00
2 to 3 ft.....	.75	6.50	45.00
CHIONANTHUS virginica —See under Trees.			
CLETHRA alnifolia			<i>Summersweet</i>
A—6'. Spikes white, fragrant flowers, July-Sept.			
2 to 3 ft.....	.75	5.50	45.00
CORNUS alba (siberica)			<i>Tatarian Dogwood</i>
B—10'. Stems blood red in winter. Broad, oval leaves. Flowers yellow-white, June. Fruit bluish white, attracts birds.			
3 to 4 ft.....	.60	4.50	30.00
4 to 5 ft.....	.75	6.00	40.00
5 to 6 ft.....	1.00	7.50	48.00
6 to 8 ft.....	1.50	12.00	90.00
8 to 10 ft.....	2.00	18.00	
alba spaethi			<i>Spaeth Variegated Dogwood</i>
B—8'. Similar to preceding. Leaves edged yellow.			
2 to 3 ft.....	1.00	8.50	
alternifolia			<i>Pagoda Dogwood</i>
C—15'. Erect stems, horizontal branches. Smooth pale green foliage, whitish beneath. Flowers white, May, June. Fruit dark blue.			
2 to 3 ft.....	1.00	9.00	
3 to 4 ft.....	1.25	10.00	80.00
4 to 5 ft.....	1.50	12.50	100.00
5 to 6 ft.....	2.00	18.00	
amomum (sericea)			<i>Silky Dogwood</i>
B—10'. Red stems. Flowers, cymes, white, June, July. Fruit blue, sometimes partly white.			
3 to 4 ft.....	.75	6.00	
4 to 5 ft.....	.85	7.00	
5 to 6 ft.....	1.00	8.00	
6 to 8 ft.....	1.50	13.00	100.00
8 to 10 ft.....	2.00	18.00	
elegantissima			<i>Silverblotch Dogwood</i>
B—8'. Leaves variegated with silver.			
2 to 3 ft.....	1.00	8.50	
3 to 4 ft.....	1.25	11.00	

CORNUS—cont'd		Each	Per 10	Per 100
<i>paniculata</i>				<i>Gray Dogwood</i>
A—10'. Panicles of white flowers, May, June. White fruit attracts birds.				
2 to 3 ft.75	5.50	45.00
3 to 4 ft. bushy	1.00	8.00	60.00
4 to 5 ft. bushy	1.25	10.00	80.00
<i>sanguinea</i>				<i>Bloodtwig Dogwood</i>
C—12'. Dark red branches. Flowers white, May, June. Fruit black.				
2 to 3 ft.60	5.50	
3 to 4 ft.75	6.00	
4 to 5 ft.	1.00	8.00	
5 to 6 ft.	1.50	13.50	
6 to 8 ft.	2.00	18.00	
8 to 10 ft.	2.50		
<i>stolonifera flaviramea</i>				<i>Goldentwig Dogwood</i>
B—8'. Strong, broad leaf. Bark bright yellow in winter. Small white flowers, May, June.				
2 to 3 ft.60	4.50	
3 to 4 ft.75	6.00	40.00
4 to 5 ft.	1.00	8.00	60.00
5 to 6 ft.	1.25	10.00	

WILSON'S CHINESE COTONEASTERS

Few recent additions to the horticulture of America have met with as much popularity as have the CHINESE COTONEASTERS introduced by Dr. E. H. ("Chinese") Wilson, Keeper of Arnold Arboretum, and famous horticultural explorer. These shrubs are all valuable for their profusion of flowers and fruits, and some for their glossy, semi-persistent leaves. We take pleasure in offering the following species to those who appreciate new and valuable plants.

COTONEASTER <i>acutifolia villosula</i>				<i>Peking Cotoneaster</i>
A—10'. Leaves dull green, 2". Flowers white, May, June. Fruit oval, ½", black.				
2 to 3 ft., field grown	1.00	9.00	
3 to 4 ft., field grown	1.25	11.00	
4 to 5 ft., field grown	1.50	13.50	
5 to 6 ft., field grown	2.00	18.00	
6 to 8 ft., field grown	2.50	22.50	
<i>dielsiana</i>				<i>Diels Cotoneaster</i>
E—6'. Branches slender. Leaves 1". Flowers small, red, June. Fruit globe ¼", red.				
18 to 24 in., from 5 in. pots	...	1.50	13.50	125.00
2 to 3 ft., from 5 in. pots	2.00	18.00	175.00
3 to 4 ft., from 5 in. pots	2.50	21.00	180.00
<i>divaricata</i>				<i>Spreading Cotoneaster</i>
E to F—6'. Obliquely ascending, slender branches, spreading and recurving. Leaves oval, ½". Flowers pink, profuse, June. Fruit red, ⅓".				
15 to 18 in., from 5 in. pots	...	1.25	11.00	100.00
18 to 24 in., from 5 in. pots	...	1.50	13.50	125.00
2 to 3 ft., from 5 in. pots	2.00	18.00	
<i>foveolata</i>				
A to E—8'. Leaves 1½", orange and scarlet in fall. Flowers pink, June. Fruit black, ⅓".				
9 to 12 in., from 5 in. pots75	6.50	
15 to 18 in., from 5 in. pots	...	1.00	9.00	

COTONEASTER—cont'd		Each	Per 10	Per 100
<i>horizontalis</i>			<i>Rock Cotoneaster</i>	
Low spreading, irregular. Oval, semi-evergreen, dark glossy green leaves, $\frac{3}{8}$ " to $\frac{1}{2}$ ". Pink flowers, June, followed by abundance of red fruit, $\frac{1}{4}$ ".				
12 to 15 in., from 5 in. pots...	1.50	13.50	120.00	
15 to 18 in., from 5 in. pots...	2.00	18.00	150.00	
<i>horiz. Wilsoni</i>			<i>Wilson's Cotoneaster</i>	
Similar to the preceding, but more even in habit.				
9 to 12 in., from 5 in. pots....	1.25	11.00	100.00	
12 to 15 in., from 5 in. pots...	1.50	13.50	120.00	
15 to 18 in., from 5 in. pots...	2.00	18.00		
<i>lucida</i>				
A—6'. Noteworthy for profusion of inky black fruit.				
15 to 18 in., from 5 in. pots...	1.25	11.00		
2 to 3 ft., from 5 in. pots.....	1.75	16.00	150.00	
3 to 4 ft., from 5 in. pots.....	2.25	20.00		
<i>multiflora</i>				
E—6'. Slender arching branches. White flowers, May. Fruit red, $\frac{1}{3}$ ".				
2 to 3 ft., from 5 in. pots.....	2.00	18.00		
<i>zabelli</i>				
E—6'. Flowers pink, May. Fruit red, oval, $\frac{1}{3}$ ".				
2 to 3 ft., from 5 in. pots.....	2.50	22.50		
CYDONIA japonica			<i>Flowering Quince</i>	
B—6'. Spiny. Orange-scarlet flowers, April, May. Showy and beautiful.				
18 to 24 in.....	.75	6.50	50.00	
2 to 3 ft.....	.90	8.00	60.00	
3 to 4 ft.....	1.25	11.00		
DEUTZIA gracilis			<i>Slender Deutzia</i>	
D—3'. White flowers, May, June.				
15 to 18 in.....	.75	6.00		
18 to 24 in.....	1.00	8.00		
<i>grac. rosea</i>			<i>Rose Deutzia</i>	
F—3'. Flowers pink, June.				
15 to 18 in.....	.75	6.50		
18 to 24 in.....	1.00	8.50		
<i>lemoinei</i>			<i>Lemoine Deutzia</i>	
D—4'. Flowers white, profuse, late May, June.				
2 to 2½ ft.....	.75	6.50	50.00	
<i>scabra candidissima</i>			<i>Snowflake Deutzia</i>	
A—6'. Large, double white flowers, June.				
3 to 4 ft.....	.75	6.00		
4 to 5 ft.....	1.00	7.50		
5 to 6 ft.....	1.25	10.00		
6 to 7 ft.....	1.50	12.50		
<i>s. crenata</i>			<i>Fuzzy Deutzia</i>	
A—6'. Flowers double white, sometimes blush-pink, June.				
2 to 3 ft.....	.50	4.00	27.00	
3 to 4 ft.....	.60	5.00	33.00	
4 to 5 ft.....	.75	6.00	45.00	

DEUTZIA—cont'd	Each	Per 10	Per 100
s. <i>Pride of Rochester</i>			<i>Pride of Rochester</i>
A—8'. Double flowers, pink outside, white inside, June.			
2 to 3 ft.....	.50	4.00	27.00
3 to 4 ft.....	.60	5.00	33.00
4 to 5 ft.....	.75	6.00	45.00
5 to 6 ft.....	.90	8.00	60.00
6 to 7 ft.....	1.25		
s. <i>watereri</i>			<i>Waterer Deutzia</i>
D—6'. Small fringed, double flowers, pink outside, white inside, profuse.			
2 to 3 ft.....	.60	5.00	
3 to 4 ft.....	.75	6.00	
4 to 5 ft.....	1.00	8.00	
5 to 6 ft.....	1.25	10.00	
ENKIANTHUS <i>campanulatus</i>			<i>Redvein Enkianthus</i>
A—8'. Leaves elliptic, 1½". Flowers small, bell-shaped, drooping clusters, pale yellow, May.			
18 to 24 in.....	3.00		
2 to 2½ ft.....	4.00		
EUONYMUS <i>alatus</i>			<i>Winged Euonymus</i>
A to E—10'. Branches have corky wings. Leaves turn flame color in autumn. Scattered long red fruits.			
2 to 3 ft.....	1.50	13.50	120.00
3 to 4 ft.....	2.00	18.00	160.00
bungeanus			<i>Winterberry Euonymus</i>
A to E—12'. Slender branches. Leaves 2½", pinkish red in fall. Fruit pink, orange cap, showy.			
3 to 4 ft.....	1.00	8.00	60.00
4 to 5 ft.....	1.25	10.00	75.00
5 to 6 ft.....	1.50	13.50	125.00
6 to 8 ft.....	2.00	18.00	
8 to 10 ft.....	3.00	27.00	
europaeus			<i>European Burningbush</i>
A—14'. Dark green foliage, 3"—4", crimson in fall. Yellowish flowers; scarlet fruit.			
3 to 4 ft.....	1.25	11.00	90.00
4 to 5 ft.....	1.50	13.50	125.00
5 to 6 ft.....	2.00	18.00	150.00
yedoensis			<i>Yeddo Euonymus</i>
A—8'. The showiest bush Euonymus. Leaves 5"—6", slightly pendulous, brilliant red in fall. Fruit is a scarlet berry, with pink husk, borne in great profusion in September. We strongly recommend this variety.			
18 to 24 in.....	1.00	9.00	80.00
2 to 3 ft.....	1.25	11.00	90.00
3 to 4 ft.....	1.50	13.50	125.00
4 to 5 ft.....	1.75		
EXOCHORDA <i>grandiflora</i>			<i>Common Pearl Bush</i>
A—10'. Leaves gray green. Flowers white, 2" across, 6 to 10 in a raceme, late May.			
2 to 3 ft.....	.75	6.50	
3 to 4 ft.....	1.00	8.00	
FORSYTHIA <i>intermedia spectabilis</i>			<i>Showy Border Forsythia</i>
A to E—8'. Deep yellow flowers, profuse, April, May.			
2 to 3 ft.....	.75	6.00	
3 to 4 ft.....	.90	7.50	

FORSYTHIA—cont'd

Each Per 10 Per 100
Weeping Forsythia

suspensa

E—8'. Drooping branches. Golden flowers, April, May.

2 to 3 ft.....	.60	5.00
3 to 4 ft.....	.75	6.50
4 to 5 ft.....	.90	7.50

susp. fortunei

Fortune Forsythia

A to E—8'. Golden flowers, profuse, April, May.

2 to 3 ft.....	.60	5.00
3 to 4 ft.....	.75	6.00
4 to 5 ft.....	1.00	8.00

viridissima

Greenstem Forsythia

A—10'. Green bark. Flowers light yellow.

2 to 3 ft.....	.60	5.00
3 to 4 ft.....	.75	6.00

HALESIA tetraptera—See under Deciduous Trees.

HAMAMELIS virginiana

Common Witch Hazel

A—10'. Loose open habit. Strong broad foliage. Small bright yellow flowers, Nov. One of best of native shrubs.

2 to 3 ft.....	.75	6.50	60.00
3 to 4 ft.....	1.00	8.00	70.00
4 to 5 ft.....	1.25	10.00	90.00
5 to 6 ft.....	1.75	15.00	125.00
6 to 8 ft.....	2.00	18.00	

HIBISCUS syriacus

Shrub-althea

A—12'. Tall narrow shrub or small tree. Large flowers in midsummer and August, when most shrubs are not in flower.

Anemonaeflorus—Double white.

Ardens—Double bluish pink.

Boule de Feu—Semi-double violet red.

Duchesse de Brabant—Double pink.

Jeanne d'Arc—Double white, strong grower.

Lady Stanley—Double blush white.

HYDRANGEA arborescens grandiflora

Snowhill Hydrangea

D—5'. Foliage broad, dark, 4"—5". Flowers cream-white, in rounding cymes 5"—7", July, Aug.

2 to 3 ft.....	.75	6.50	60.00
3 to 4 ft.....	.80	7.50	69.00

paniculata (type)

Panicle Hydrangea

A—8'. Flowers white, large panicles, July, Aug.

2 to 3 ft.....	.75	6.50	50.00
3 to 4 ft.....	1.00	8.50	

paniculata grandiflora

Hydrangea Peegee

A—12'. Huge, white panicles, turning pink, July, Aug.

18 to 24 in.....	.60	5.00	33.00
2 to 3 ft.....	.75	5.50	40.00
3 to 4 ft.....	.90	6.50	54.00

paniculata grandiflora—tree form

Tree Hydrangea

Preceding variety trained into tree shape.

3 to 4 ft.....	1.50	14.00	
----------------	------	-------	--

	Each	Per 10	Per 100
HYPERICUM kalmianum			<i>Kalm Hypericum</i>
D—5'. Small blue-green foliage. Yellow flowers, Aug.			
3 to 4 ft.....	1.00		
4 to 5 ft.....	1.25		
prolificum			<i>Shrubby St. Johnswort</i>
D—5'. Dense. Yellow flowers, July to Sept.			
2 to 3 ft.....	.75	6.50	
3 to 4 ft.....	1.00	9.00	
3 to 4 ft. extra bushy.....	2.00		
ILEX verticillata			<i>Common Winterberry</i>
A—8'. Bright scarlet berries remain until midwinter.			
18 to 24 in.....	.75	6.50	54.00
2 to 3 ft.....	1.00	8.50	75.00
3 to 4 ft.....	1.25		
KERRIA japonica			<i>Kerria</i>
D—3'. Stems bright green. Yellow flowers, June-Oct.			
15 to 18 in.....	.60	5.50	
18 to 24 in.....	.75	6.00	
jap. flore pleno			<i>Double Kerria</i>
D—5'. Double yellow flowers, June to Sept.			
18 to 24 in.....	.75		
2 to 3 ft.....	.90		
KOLKWITZIA amabilis			<i>Beautybush</i>
E—8'. New, very beautiful and desirable. The arching branches are covered with an abundance of magnificent bluish pink flowers and fine foliage. Introduced by Dr. E. H. Wilson of Arnold Arboretum, who describes it as one of the most valuable shrubs received from the Orient.			
18 to 24 in.....	2.50	22.50	
2 to 3 ft.....	4.00		
LIGUSTRUM acuminatum			<i>Sharpleaf Privet</i>
E—10'. Matures into strong bushy shrub. Free flowering, white, June. Inky black fruit remains late.			
5 to 6 ft. XXX specimens...	8.00	75.00	
6 to 8 ft. XXX specimens...	10.00	95.00	
amurense			<i>Amur Privet</i>
A—12'. Excellent, tall, narrow, hardy hedge plant.			
2 to 3 ft.....	.40	2.50	18.00
3 to 4 ft.....	.60	3.50	24.00
ibolium			<i>Ibodium Privet</i>
A—8'. A cross between the California and the Ibota Privet, it combines the hardiness of Ibota with the beauty of the California. Succeeds under the heaviest shearing. The best Privet for hedges.			
2 to 3 ft.....	.40	3.00	21.00
3 to 4 ft.....	.50	4.00	27.00
ibota			<i>Ibota Privet</i>
C—8'. Very hardy. Makes broad, dense, medium hedge.			
2 to 3 ft.....	.40	3.00	18.00
3 to 4 ft.....	.50	4.00	27.00

LIGUSTRUM—cont'd	Each	Per 10	Per 100
<i>ibota regelianum</i> —true spreading form			<i>Regel Privet</i>
F—5'. Makes fine broad, low hedge.			
18 to 24 in. spread.....	.50	4.00	
2 to 2½ ft. spread.....	.60	5.00	39.00
2½ to 3 ft. spread.....	.70	6.00	
3 to 4 ft.....	1.00	8.00	
<i>ovalifolium</i>			<i>California Privet</i>
A—12'. The most popular Privet. Leaves glossy and dark. Withstands heavy shearing. Our California Privet is extra quality, three and four-year transplanted stock. Bushy tops, heavy root masses.			
18 to 24 in.....	.20	1.50	10.00
2 to 3 ft.....	.25	1.80	12.00
3 to 4 ft.....	.35	2.70	15.00
<i>vulgare</i>			<i>European Privet</i>
A—15'. Tall, strong, vigorous. White flowers June, July.			
6 to 8 ft. XXX specimens... 8.00	8.00	75.00	
8 to 18 ft. XXX specimens.. 10.00	10.00	95.00	
LONICERA fragrantissima			<i>Winter Honeysuckle</i>
E to F—6'. Flowers white, fragrant, early spring.			
2 to 3 ft.....	.75	6.50	50.00
3 to 4 ft.....	.90	7.50	72.00
<i>morrowi</i>			<i>Morrow Honeysuckle</i>
C to F—12'. Foliage dark green, grayish under. Cream-white flowers, May, June. Bright orange fruits.			
2 to 3 ft.....	.50	4.00	30.00
3 to 4 ft.....	.60	5.00	33.00
4 to 5 ft.....	.75	6.00	
<i>ruprechtiana</i>			<i>Manchurian Honeysuckle</i>
E—12'. Leaves 2"—3", grayish-green. Flowers yellow to white, May, June. Red fruit.			
2 to 3 ft.....	.60	5.00	
3 to 4 ft.....	.75	6.50	
<i>tatarica</i>			<i>Tatarian Honeysuckle</i>
C—10'. Pink flowers, June. Light red berries.			
2 to 3 ft.....	.50	4.00	30.00
3 to 4 ft.....	.60	4.50	33.00
4 to 5 ft.....	.75	6.00	
<i>tat. alba</i>			<i>White Tatarian Honeysuckle</i>
C—10'. White flowers, May, June. Small red fruits.			
2 to 3 ft.....	.50	4.00	33.00
3 to 4 ft.....	.60		
4 to 5 ft.....	.75	6.00	
<i>tat. grandiflora rosea</i>			<i>Pink Bride Honeysuckle</i>
C—10'. Deep pink flowers, May June. Red berries.			
2 to 3 ft.....	.60	5.00	
3 to 4 ft.....	.75	6.00	
4 to 5 ft.....	.85	7.50	
<i>xylostium</i>			<i>European Fly Honeysuckle</i>
A—10'. Leaves grayish. Fls. yellow white. Fruit dark red.			
4 to 5 ft.....	1.00		
5 to 6 ft.....	1.25		

	Each	Per 10	Per 100
MYRICA carolinensis			<i>Northern Bayberry</i>
4'. Dark green, narrow leaves, 4"—6". Waxy gray fruits. Aromatic.			
15 to 18 in.....	.75	6.00	
18 to 24 in.....	.90	8.00	
2 to 3 ft.....	1.25	10.00	
PHILADELPHUS coronarius			<i>Sweet Mockorange</i>
A—10'. Huge, fragrant, white panicles, June.			
4 to 5 ft.....	.75	6.00	50.00
5 to 6 ft.....	.90	8.00	65.00
cor. aureus			<i>Golden Mockorange</i>
D—6'. Clear bright yellow foliage.			
12 to 18 in.....	.75	7.00	
gordonianus			<i>Gordon Mockorange</i>
A—10'. Large white flowers, June, July.			
4 to 5 ft.....	.75	6.00	50.00
5 to 6 ft.....	1.00	8.00	70.00
grandiflorus			<i>Big Scentless Mockorange</i>
A—10'. Large, white showy flowers, June.			
3 to 4 ft.....	.60	4.00	33.00
4 to 5 ft.....	.75	5.00	39.00
5 to 6 ft.....	.90	6.00	
speciosissimus			<i>Roundleaf Mockorange</i>
A—8'. Small leaves, white flowers, June, July.			
2 to 3 ft.....	.60		
3 to 4 ft.....	.75	6.50	
4 to 5 ft.....	.90	8.00	70.00
5 to 6 ft.....	1.25	11.00	100.00
6 to 8 ft.....	1.50		

HYBRID MOCKORANGES

Avalanche			<i>Avalanche Mockorange</i>
A—6'. Showy white flowers cover almost the entire length of the slender, drooping branches.			
2 to 3 ft.....	.75	6.50	
Lemoine			<i>Lemoine Mockorange</i>
A—6'. Pearly white flowers, June.			
2 to 2½ ft.....	.75	6.50	
Mt. Blanc			<i>Mt. Blanc Mockorange</i>
A—4'. Large, fragrant white flowers, June.			
18 to 24 in.....	.60	5.00	
2 to 3 ft.....	.75	6.50	
3 to 4 ft.....	.90	7.50	
4 to 5 ft.....	1.00	9.00	
5 to 6 ft.....	1.25	10.00	
Virginal			<i>Virginal Mockorange</i>
A—8'. Very large, double white flowers, June, sometimes during the summer. One of the best.			
18 to 24 in.....	.80	7.00	
2 to 3 ft.....	1.00	8.50	

	Each	Per 10	Per 100
HYBRID MOCKORANGES—cont'd			
<i>Zeyheri</i>			<i>Zeyher Mockorange</i>
A—8'. Bark yellow. White flowers, June, July.			
2 to 3 ft.....	.75	6.50	
3 to 4 ft.....	1.00	9.00	
4 to 5 ft.....	1.25	11.00	
5 to 6 ft.....	1.50	12.50	
PHOTINIA villosa			<i>Photinia</i>
A—10'. Leaves narrow, 2". Flowers white corymbs, 2", June. Fruit bright scarlet, $\frac{1}{8}$ ".			
4 to 5 ft.....	1.50	14.00	
PHYSOCARPUS opulifolia			<i>Common Ninebark</i>
E—14'. Coarse branched. White flowers, June.			
5 to 6 ft.....	.75		
6 to 8 ft.....	1.25		
PRUNUS glandulosa rosea			<i>Double Pink Flowering Almond</i>
A—8'. Small rosettes of pink flowers scattered along the branches in early May.			
2 to 3 ft.....	1.00		
<i>tomentosa</i>			<i>Nanking Cherry</i>
A—8'. Leaves oval, 2½". Flowers white, red calyx, May. Edible red fruit, $\frac{5}{8}$ ".			
2 to 3 ft.....	1.00	8.50	
<i>triloba</i>			<i>Flowering Plum</i>
A—8'. Flowers light pink, double, profuse, May.			
2 to 3 ft.....	.75	6.50	
<i>trichostyla sinensis</i>			<i>Double White Flowering Almond</i>
A—8'. Flowers double, white, early May.			
3 to 4 ft.....	1.25	10.00	
4 to 5 ft.....	1.50		
RHAMNUS caroliniana			<i>Carolina Buckthorn</i>
A—20'. Lustrous dark green leaves. Berries dark red, turning to black.			
5 to 6 ft.....	.75		
6 to 7 ft.....	1.00	9.00	
7 to 8 ft.....	1.25	11.00	
8 to 10 ft.....	1.75		
<i>cathartica</i>			<i>Common Buckthorn</i>
A to B—10'. Spiny branches, green leaves, black berries.			
2 to 3 ft. extra bushy.....	.50	3.60	33.00
3 to 4 ft. extra bushy.....	.60	5.00	39.00
4 to 5 ft. extra bushy.....	.75	6.00	
RHODORA canadensis			<i>Rhodora</i>
A—3'. A dwarf shrub resembling Azalea. Rose-purple flowers in May.			
12 to 15 in. B&B.....	1.60	15.00	135.00
15 to 18 in. B&B.....	2.00	18.00	160.00
18 to 24 in. B&B.....	2.50	22.50	
RHODOTYPOS kerrioides			<i>Jetbead</i>
C—5'. Flowers large, white, star-shaped, May, June. Foliage light green. Shining black berries.			
18 to 24 in.....	.60	5.00	40.00
2 to 3 ft.....	.75	6.00	45.00
3 to 4 ft.....	.90	8.00	

	Each	Per 10	Per 100
RHUS canadensis			<i>Fragrant Sumac</i>
5'. Irregular, half-viny, aromatic. Small yellow flowers, early May.			
18 to 24 in.....	.75	6.50	60.00
2 to 3 ft.....	1.00	9.00	80.00
3 to 4 ft.....	1.25	11.00	
copallina			<i>Shining Sumac</i>
B—8'. Lvs. compound, dark, glossy; orange, scarlet, fall.			
2 to 3 ft.....	.60	5.50	
3 to 4 ft.....	.75	6.50	
cotinus			<i>Common Smoketree</i>
12'. Small, thread-like, grayish-purple flowers, June, July, give hazy, smoky appearance.			
2 to 3 ft.....	1.00	9.00	
3 to 4 ft. bushy.....	2.00		
glabra			<i>Smooth Sumac</i>
Erect irregular—10'. Compound leaves, dark green; red in fall. Large clusters of crimson seeds.			
2 to 3 ft.....	.50	4.00	
3 to 4 ft.....	.60	5.00	
4 to 5 ft.....	.75	6.50	70.00
5 to 6 ft.....	.90	7.50	
6 to 8 ft.....	1.25	10.00	
g. laciniata			<i>Cutleaf Smooth Sumac</i>
10'. Deeply cut-leaved variety of the preceding.			
18 to 24 in.....	.75		
2 to 3 ft.....	1.00		
4 to 5 ft.....	1.50		
typhina			<i>Staghorn Sumac</i>
Erect irregular—20'. Young shoots fuzzy.			
4 to 5 ft.....	.75		
5 to 6 ft.....	1.00		
typh. laciniata			<i>Cutleaf Staghorn Sumac</i>
Cut-leaf variety of preceding.			
3 to 4 ft.....	.70	6.50	55.00
4 to 5 ft.....	.90	7.50	65.00
5 to 6 ft.....	1.25	10.00	
ROBINIA hispida			<i>Rose Acacia</i>
B—6'. Clear pink flowers in loose racemens. June.			
2 to 3 ft.....	.75	6.50	
3 to 4 ft.....	1.00	9.00	
6 ft. standards, 2 yr. heads....	2.50	22.50	
ROSA blanda			<i>Meadow Rose</i>
E—5'. Flowers single, pink, May, June. Red fruits.			
2 to 3 ft.....	.60		
hugonis			<i>Hugonis Rose</i>
E—6'. Arching branches. Large, single yellow flowers in June. Well fruited.			
2 yrs.....	1.50	12.50	
lucida			<i>Virginia Rose</i>
D—4'. Shiny dark foliage. Pink fls., June. Scarlet fruits.			
15 to 18 in.....	.50	4.00	
18 to 24 in.....	.60	5.00	

ROSA—cont'd	Each	Per 10	Per 100
<i>multiflora japonica</i>			<i>Japanese Rose</i>
A—10'. Long, drooping branches. Flowers single, white. profuse, in June.			
2 to 3 ft.....	.40	3.50	30.00
3 to 4 ft.....	.50		
4 to 5 ft.....	.60		
<i>palustris (carolina)</i>			<i>Swamp Rose</i>
A—6'. Single pink flowers, 2" diam., June to Aug.			
2 to 3 ft.....	.60	5.00	42.00
<i>rubiginosa</i>			<i>Sweetbriar</i>
E—6'. Bright pink flowers in small clusters, June. Foliage very fragrant.			
18 to 24 in.....	.50	4.00	
2 to 3 ft.....	.60	5.00	
<i>rubrifolia</i>			<i>Redleaf Rose</i>
E—6'. Pink flowers borne freely, June. Dark purplish crimson foliage.			
2 to 3 ft.....	.75	6.50	50.00
3 to 4 ft.....	.90	7.50	
4 to 5 ft.....	1.00	9.00	
<i>rugosa</i>			<i>Rugosa Rose</i>
D—5'. Leaves small, dark, glossy. Flowers single, pink, June to Oct. Large scarlet hips.			
18 to 24 in.....	.50	4.50	
2 to 3 ft.....	.60	5.00	
<i>rugosa alba</i>			<i>White Rugosa Rose</i>
D—5'. White flowering form of preceding.			
18 to 24 in.....	.60	5.00	
2 to 3 ft.....	.75	6.00	
<i>setigera</i>			<i>Prairie Rose</i>
E to F—8'. Flowers large, single, deep pink, June, July. Heavily fruited, attracts birds.			
2 to 3 ft.....	.50	4.00	30.00
3 to 4 ft.....	.60	4.50	36.00
4 to 5 ft.....	.75	5.00	40.00
5 to 6 ft.....	.90	6.00	
<i>wichuraiana</i>			<i>Wichurian Rose</i>
Creeping and climbing. Foliage small, dark, glossy. Fragrant, pure white flowers in clusters, July to Sept.			
2 yrs.....	.60	5.00	42.00
RUBUS odoratus			<i>Flowering Raspberry</i>
D—4'. Sweet, rose purple flowers all summer. Small fruits.			
2 to 3 ft.....	.60		
3 to 4 ft.....	.75		
4 to 5 ft.....	.90		
5 to 6 ft.....	1.25		
SAMBUCUS canadensis			<i>American Elder</i>
A—8'. Leaf compound. Minute white flowers in flat cymes 6"—10" across, June, July. Fruits purplish black, juicy.			
3 to 4 ft.....	.60	5.00	
4 to 5 ft.....	.70	6.00	
5 to 6 ft.....	.80	7.00	

	Each	Per 10	Per 100
SORBARIA arborea glabrata			<i>Tree Spirea</i>
E—12'. Foliage compound, soft, bronze-green. Long panicles of white flowers, July, August.			
2 to 3 ft.....	.75		
3 to 4 ft.....	1.00		
4 to 5 ft.....	1.25		
5 to 6 ft.....	1.50		
SPIRAEA arguta			<i>Garland Spirea</i>
D—6'. Feathery foliage, masses white flowers, May.			
2 to 3 ft. bushy.....	.50	4.00	30.00
3 to 4 ft. bushy.....	.60	5.00	39.00
bumalda			<i>Bumalda Spirea</i>
D—3'. Flat pink corymbs, July, Aug.			
15 to 18 in.....	.60	5.00	
bum. Anthony Waterer			<i>Anthony Waterer Spirea</i>
D—3'. Flat bright crimson corymbs, July, Aug.			
15 to 18 in.....	.50	4.00	30.00
18 to 24 in.....	.60	5.00	40.00
2 to 2½ ft.....	.75	6.00	
fortunei (callosa rosea)			<i>Fortune Spirea</i>
D—4'. Pink panicles, June. Foliage purplish green.			
12 to 15 in.....	.50	4.00	
15 to 18 in.....	.60	5.00	
froebelli			<i>Froebel Spirea</i>
D—4'. Flat, bright crimson corymbs, July, Aug. Valuable for small flowering hedge.			
18 to 24 in.....	.50	4.00	
2 to 3 ft.....	.60	4.50	39.00
3 to 4 ft.....	.75	6.00	48.00
japonica ovalifolia (callosa alba)			<i>White Japanese Spirea</i>
D—3'. White corymbs, July.			
15 to 18 in.....	.50	3.60	
18 to 24 in.....	.60	5.00	40.00
2 to 3 ft.....	.75	6.50	
prunifolia			<i>Bridalwreath</i>
A to E—6'. White flowers, May.			
2 to 3 ft.....	.60	5.00	48.00
superba			<i>Striped Spirea</i>
D—4'. Pinkish white flowers, June, July.			
2 to 3 ft.....	.60	5.00	40.00
3 to 4 ft.....	.75	6.00	50.00
thunbergi			<i>Thunberg Spirea</i>
D to E—5'. Feathery foliage, small white flowers, May.			
2 to 3 ft.....	.75	6.00	45.00
3 to 4 ft.....	1.00	7.50	54.00
trichocarpa			<i>Korean Spirea</i>
E—8'. A shrub of medium height, with spreading, somewhat drooping branches. White flowers, in rounding clusters, borne freely along the stems, giving the appearance of long fronds of flowers. It blooms in late June and early July, and is valuable for extending the flowering season for plants of this type. The Bulletin of the Arnold Arboretum calls it "one of the handsomest of all Spires."			
2 to 3 ft.....	1.25	11.00	90.00
3 to 4 ft.....	1.50	12.50	110.00
4 to 5 ft.....	2.00	18.00	

SPIRAEA—cont'd

Each

Per 10

Per 100

vanhouttei

Vanhoutte Spirea

E—8'. Leaves small, dark. Small white flowers in little umbels, May, June.

2 to 3 ft.....	.50	4.00	30.00
3 to 4 ft.....	.60	5.00	33.00
4 to 5 ft.....	.75	6.00	45.00
5 to 6 ft.....	1.00	8.50	75.00

SYMPHORICARPOS chenaulti

E—5'. New. Small pink flowers, July. Dense clusters, small dark red berries.

2 to 3 ft.....	1.25
3 to 4 ft.....	1.50

racemosus

Common Snowberry

A to E—5'. Very small pink flowers, June to Sept. Fruit snow-white, waxy, 5/8" diam.

18 to 24 in.....	.50	4.00	30.00
2 to 3 ft.....	.60	4.50	36.00

vulgaris

Coralberry

E—5'. Graceful, drooping branches. Small, dark red berries. Birds like them. Valuable shrub for embankments.

2 to 3 ft.....	.50	4.00	36.00
3 to 4 ft.....	.60	4.50	39.00
4 to 5 ft.....	.70	6.00	48.00

SYRINGA chinensis (rothomagensis)

Chinese Lilac

A to B—12'. Small leaves. Large, broad panicles of reddish-violet flowers in June.

2 to 3 ft.....	.90	8.00
3 to 4 ft.....	1.25	11.00

josikaea

Hungarian Lilac

A to B—12'. Bluish purple panicles in June.

3 to 4 ft. bushy.....	1.00	9.00	80.00
4 to 5 ft. bushy.....	1.25	11.00	100.00
5 to 6 ft. bushy.....	1.50	13.50	

persica

Persian Lilac

A to B—8'. Pale purple panicles, fragrant, June.

2 to 3 ft.....	.75	6.50
3 to 4 ft.....	1.00	9.00

persica alba

White Persian Lilac

A to B—8'. A white form of the above variety.

2 to 3 ft.....	1.00	9.00
----------------	------	------

villosa

Late Lilac

A to B—12'. Flowers pink to lavender, June.

3 to 4 ft.....	1.25	11.00	100.00
4 to 5 ft.....	1.50	13.50	120.00
5 to 6 ft.....	2.00	18.00	
6 to 8 ft.....	3.00	25.00	

vulgaris

Common Lilac

A to C—12'. The well-known purple form that blooms in May and June.

2 to 3 ft.....	.75	6.50	55.00
3 to 4 ft.....	1.00	8.50	75.00
4 to 5 ft.....	1.25	10.00	

SYRINGA—cont'd	Each	Per 10	Per 100
<i>vulgaris alba</i>		<i>White Common Lilac</i>	
A—12'. White flowers in May and June.			
2 to 3 ft.....	1.00	9.00	80.00
3 to 4 ft.....	1.25	11.00	

HYBRID LILACS

All our Hybrid Lilacs are grown on their own roots, which are preferable to grafted or budded plants.

Alphonse Lavallee—Double, large, pale lavender

3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

Charles the Tenth—Single, reddish purple

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

Condorcet—Double, pale blue

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

Congo—Single, dark red

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

Dr. Maillot—Double, lavender to pale blue

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75

Jean Bart—Double, light to pale reddish purple

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75

Marie Legraye—Single white

2 to 3 ft.....	1.50
----------------	------

Michael Buchner—Double, pink to pale lilac

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

President Carnot—Double, light pinkish buds, open pale blue

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

Rubra de Marley—Single, rosy purple

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75

Sanguinea Rubra Major—Single rosy purple

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75
4 to 5 ft.....	2.50

Souvenir de Ludwig Spaeth—Single, dark red

2 to 3 ft.....	1.50
3 to 4 ft.....	1.75

HYBRID LILACS—cont'd		Each	Per 10	Per 100
William Robinson—Double. Petals reddish outside, blue to lilac inside.				
3 to 4 ft.....		1.75		
4 to 5 ft.....		2.50		
Mixed Sorts:				
2 to 3 ft.....		1.00		
3 to 4 ft.....		1.25		
4 to 5 ft.....		1.75		
VACCINIUM corymbosum		High Bush Blueberry		
A to B—8'. Flowers small, white, June. Dark blue-black edible berries of excellent flavor, July, August.				
18 to 24 in.....	1.00	9.00	75.00	
2 to 3 ft.....	1.25	11.00	90.00	
3 to 4 ft.....	2.00	18.00	160.00	
4 to 5 ft.....	2.50	22.50	200.00	
5 to 6 ft.....	3.50	33.00		
VIBURNUM americanum		American Cranberrybush		
C—12'. Leaves large, maple-like. White flowers, May, June. Scarlet fruits, July.				
2 to 3 ft.....	.75	6.50		
3 to 4 ft.....	1.00			
carlesi		Fragrant Viburnum		
Deliciously fragrant pink flowers, turning white, May.				
15 to 18 in.....	2.00			
18 to 24 in.....	3.00			
cassinoides		Withe Rod		
B—12'. Leaves glossy, bronze green. White flowers, June. Fruit white, turning to dark blue.				
2 to 3 ft.....	.90	7.50	60.00	
3 to 4 ft.....	1.25	10.00	80.00	
4 to 5 ft.....	2.00	18.00		
5 to 6 ft.....	4.00			
6 to 7 ft.....	6.00			
7 to 8 ft.....	8.00			
8 to 10 ft.....	10.00			
dentatum		Arrow-wood		
A to B—12'. White flowers in cymes, June. Bluish-black fruit. Excellent.				
2 to 3 ft.....	.60	5.00	40.00	
3 to 4 ft.....	.80	6.50	50.00	
4 to 5 ft.....	1.00	8.00	60.00	
5 to 6 ft.....	1.50	12.50	120.00	
Extra heavy plants.				
4 to 5 ft.....	2.00	18.00	160.00	
5 to 6 ft.....	3.50	33.00		
6 to 7 ft.....	5.00	45.00		
7 to 8 ft.....	7.50	65.00		
8 to 9 ft.....	10.00			
lantana		Wayfaring Tree		
A to C—15'. Loose and open habit. Leaves large, of leathery texture. Cymes of white flowers, June. Fruit red, changing to black. Very fine.				
2 to 3 ft.....	.75	6.00	50.00	
3 to 4 ft.....	1.00	8.00	60.00	
4 to 5 ft.....	1.25	10.00	85.00	

VIBURNUM—cont'd

Each

Per 10

Per 100

lentago

Nannyberry

A—20'. Narrow habit. Slender branches. Large leaves, brilliant scarlet in fall. Broad cymes, white flowers, June. Blue-black fruit holds all winter.

3 to 4 ft.....	.75	6.50	54.00
4 to 5 ft.....	1.00	8.00	65.00
5 to 6 ft.....	1.25	10.00	80.00
6 to 8 ft.....	1.50	12.50	

opulus

European Cranberrybush

C—10'. White panicles, June. Red berries. Large foliage.

2 to 3 ft.....	.75	6.50	50.00
3 to 4 ft.....	1.00	9.00	

opulus nanum

Dwarf Cranberrybush

D—2'. Dwarf variety of preceding. Valuable for edging and low mass planting.

6 to 9 in.....	.50	4.50	40.00
9 to 12 in.....	.60	5.50	48.00

op. sterile

Common Snowball

C—10'. Large white, snowball-like flowers, May, June.

2 to 3 ft.....	.75	7.00	
----------------	-----	------	--

sieboldi

Siebold Viburnum

C—12'. Long, thick leaves. White flowers, May, June.

2 to 3 ft.....	1.00		
3 to 4 ft.....	1.25		
4 to 5 ft.....	1.50		

tomentosum

Japanese Snowball

B—8'. White flowers, June. Berries red to blue-black.

2 to 3 ft.....	1.00	8.00	
----------------	------	------	--

tom. plicatum

Double Japanese Snowball

Irregular loose habit—8'. White flowers in large globose balls, June.

2 to 3 ft.....	.75	8.00	
----------------	-----	------	--

WEIGELIA Eva Rathke

Eva Rathke Weigela

B—4'. Brilliant crimson, bell-shaped flowers, appearing nearly all summer.

2 to 3 ft.....	.75	6.50	54.00
----------------	-----	------	-------

rosea

Pink Weigela

B—6'. Pink, bell-shaped flowers in June.

2 to 3 ft.....	.50	4.20	36.00
3 to 4 ft.....	.60	5.00	42.00

r. variegata

Variegated Weigela

B—4'. Pink flowers, June. Lvs. dark green, white edges.

2 to 3 ft.....	.75	6.00	42.00
3 to 4 ft.....	1.00	9.00	

ZANTHORHIZA apiifolia

Yellow Root

D—2'. Excellent for deep ground cover. Foliage cut.

15 to 18 in.....	.50	4.50	
------------------	-----	------	--

VINES AND CLIMBERS

	Each	Per 10	Per 100	
ACTINIDIA arguta				<i>Actinidia</i>
25'. Vigorous climber. Large, heavy leaves. Small white flowers, June. Green-yellow fruit, 1".				
2 yrs.....	1.00			
AKEBIA quinata				<i>Fiveleaf Akebia</i>
12'. Small leaves, five-lobed. Flowers 1", broad, rosy purple, May.				
2 yrs.....	.60	5.50		
AMPELOPSIS heterophylla amurensis				<i>Amur Ampelopsis</i>
30'. Large porcelain berries, white to blue and purple.				
3 yrs.....	.75	6.50		
4 yrs.....	.90	7.50		
quinquefolia				<i>Virginia Creeper</i>
50'. High-climbing. Foliage rich crimson in autumn. Dark blue berries.				
2 yrs.....	.50	3.50	27.00	
3 yrs.....	.60	4.50	30.00	
quinq. engelmanni				<i>Engelmann Creeper</i>
40'. Clings to walls very tenaciously. Fall foliage, brilliant to deep red.				
2 yrs.....	.50	3.50	27.00	
3 yrs.....	.60	4.50	30.00	
tricuspidata (veitchi)				<i>Japanese Creeper</i>
50'. Leaves 4"—10" broad, five-pointed, glossy dark green, with excellent fall color.				
2 yrs. from pots.....	.60	5.50	50.00	
3 yrs. from pots.....	.75	7.00	60.00	
ARISTOLOCHIA siphon				<i>Dutchman Pipe</i>
25'. Giant, heart-shaped leaves and curious brownish-purple flowers shaped like a pipe.				
3 yrs.....	1.25	11.00		
4 yrs.....	1.50			
5 yrs.....	1.75			
BIGNONIA radicans				<i>Trumpetcreeper</i>
30'. Foliage compound. Large, orange-scarlet, trumpet-shaped flowers in August.				
2 yrs.....	.50	4.00	30.00	
3 yrs.....	.60	5.00		
CELASTRUS orbiculatus (articulatus)				<i>Oriental Bittersweet</i>
15'. Free-fruiting. Fruit orange, opening so as to show the crimson seed. Very showy.				
3 yrs.....	.75	6.00	48.00	
4 yrs.....	.90	7.50	60.00	
5 yrs.....	1.00	8.00	70.00	

CELASTRUS—cont'd		Each	Per 10	Per 100
scandens (Roxbury Wax Work)			<i>American Bittersweet</i>	
15'. Strong, arching, drooping, trailing branches.				Orange
fruits in autumn, lasting well into the winter.				
3 yrs.....	.75	6.00	48.00	
4 yrs.....	.90	7.50	60.00	
5 yrs.....	1.00	8.00	70.00	
6 yrs.....	2.00	18.00		
8 yrs.....	3.50	33.00	300.00	
10 yrs.....	5.00	45.00	400.00	

CLEMATIS paniculata		<i>Sweet Autumn Clematis</i>		
20'. Small, white, sweet-scented flowers cover the vine in late summer and early fall.				
2 yrs.....	.50	4.00	27.00	
3 yrs.....	.60	5.00	36.00	
4 yrs.....	.75	6.00		

virginiana		<i>Virgin's Bower</i>
20'. Slender, rapid-growing. Fragrant flowers, starry.		
2 yrs.....	.60	

CLEMATIS HYBRIDS

Larger-flowering varieties. Strong plants grown in pots.

2 yrs.....	1.50	12.50		
Henryi—Creamy white				
Jackmanni—Purple				
Mme. Baron Veillard—Soft pink				
Ramona—Light blue				

HEDERA helix			English Ivy
50'. Leaves evergreen, pentagon, dark, slightly veined, 1½"—3" broad.			white
18 in. tops, from 4 in. pots....	.60	5.50	50.00
2 ft. tops, from 4 in. pots.....	.75	6.50	60.00

hel. baltica	<i>Hardy English Ivy</i>		
<p>A plant of this sort has been needed for a long time. It is almost the same as the ordinary English Ivy in appearance, with leaves of practically the same shape, only a little smaller, also darker and richer in color, but in hardness it is entirely distinct, having survived severe winters at both the Arboretum and Framingham. While we believe that it will prove absolutely hardy, it may occasionally lose a branch or two in severe winters. But because of its excellent promise and low cost it should be tried. Is more of a creeper than a climber.</p>			
18 in. tops, from 4 in. pots....	.75	6.50	60.00

HYDRANGEA petiolaris		<i>Climbing Hydrangea</i>		
30'. Rugged, large-leaved climber. Flat clusters of fragrant white flowers, July.				
2 yrs., from pots.....	.75	6.50	60.00	

LONICERA japonica halleana		<i>Hall Honeysuckle</i>	
20'. Leaves small, elliptical, dark green, almost evergreen. Yellow and white flowers in summer and fall. Black fruits.			
3 yrs.....	.50	3.50	30.00

LONICERA—cont'd		Each	Per 10	Per 100
j. aureo reticulata	Yellownet Japanese Honeysuckle			
20'. Variation of preceding. Leaves streaked yellow.				
4 yrs.....		.60		
sempervirens				Trumpet Honeysuckle
10'. Small, slender, deep crimson, trumpet-shaped flowers from June to Nov. Scarlet berries.				
2 yrs.....	.50	3.50	24.00	
3 yrs.....	.60	4.50	33.00	
LYCIUM chinensis				Chinese Matrimony Vine
10'. Half vine, half shrub, vigorous climber. Purple, star-shaped flowers. Long scarlet fruits.				
3 yrs.....	.50	4.00		
4 yrs.....	.60	4.80		
VITIS coignetiae				Gloryvine
30'. Grape foliage, brilliant scarlet in fall.				
3 yrs.....	1.25			
4 yrs.....	1.50			
WISTERIA multijuga				Longcluster Wisteria
20'. Long clusters of violet-blue flowers.				
2 yrs.....	.75	6.00		
3 yrs.....	1.00	8.00		
4 yrs.....	1.25			
sinensis				Chinese Wisteria
25'. Rapid-growing, vigorous. Foliage compound. Long-hanging clusters, purplish pea-shaped flowers, May. Very fragrant.				
2 yrs.....	.60	5.00		
3 yrs.....	.75	6.00	50.00	
4 yrs.....	1.00	8.00		
5 yrs.....	1.25	11.00		
2 yrs. grafted.....	1.00	8.50		
3 yrs. grafted.....	1.50	13.50	125.00	
4 yrs. grafted.....	2.25	21.00		
s. alba				White Chinese Wisteria
25'. White-flowered form of preceding.				
3 yrs.....	.75	6.50		
4 yrs.....	1.00	8.00		
5 yrs.....	1.50	13.50		
2 yrs. grafted.....	1.50	13.50		
venusta				Silky Wisteria
30'. Very large white flowers.				
3 yrs.....	1.00	8.00		
4 yrs.....	1.25	11.00		
5 yrs.....	1.75	16.00		

ROSES

Strong field-grown plants, \$1.00 each for less than 5 of one kind; 5 or more of a kind at \$9.00 for 10, unless otherwise specified. If we are out of the variety ordered, we shall select the variety most closely resembling it **UNLESS OTHERWISE ADVISED**. Our list of Roses has been carefully selected and is constantly improved by adding only varieties of the finest type which succeed best in this rugged climate.

HYBRID PERPETUAL ROSES

FRAU KARL DRUSCHKI

Vigorous plant. Large white flowers.

GEN. JACQUEMINOT

Rich crimson, bearing profusely in early summer. Fragrant.

MME. ALBERT BARBIER

New. Long, well-formed buds. Flowers double, salmon-flesh, center suffused with golden apricot.

MME. GABRIEL LUIZET

Vigorous. Light pink, good size, excellent form.

MRS. JOHN LAING

Fragrant, soft pink. Blooms continuously.

MRS. R. G. SHARMAN-CRAWFORD

Double, light pink. Profuse bloomer.

PAUL NEYRON

Gigantic double, fragrant rose-pink flowers. Showy.

PERSIAN YELLOW

Vigorous plant. Small, semi-double, deep yellow flowers.

PRINCE CAMILLE DE ROHAN

Dark flowers, almost maroon, small, very double. Fragrant.

ULRICH BRUNNER

Vigorous plant. Bright crimson flowers in early summer continuously.

HYBRID TEA ROSES

Close planting (about 15 inches apart), prevents the soil from baking and the roots are kept cool by the shade of the foliage.

We list only the sorts that are best for severe northern conditions.

BETTY

Strong, branching plant. Glossy foliage. Fragrant, pale buff-pink fls.

BRIARCLIFF

Vigorous grower, free bloomer. Rose-pink flowers, fragrant.

COLUMBIA

Light pink. Well formed.

DUCHESS OF WELLINGTON

Thick petals, intense saffron yellow; fragrant.

FRANCIS SCOTT KEY

Extremely large, crimson.

GENERAL MACARTHUR

Bright red, freely produced throughout season.

GOLDEN OPHELIA

Robust grower; delicately fragrant, golden yellow.

GRUSS AN TEPLITZ

Large bushy plant. Clusters of crimson flowers all season.

HADLEY

Rich shining crimson with velvety shades.

INDEPENDENCE DAY

Copper shade, opening to light orange-pink. Slightly fragrant.

JONKHEER J. L. MOCK

Inside petals silvery pink; outside, carmine-pink. Full.

KAISERIN AUGUSTE VIKTORIA

Pure white, tinted lemon in center.

- KILLARNEY QUEEN**
Sparkling pink. Fragrant.
- KILLARNEY DOUBLE WHITE**
Pure white, long, pointed buds.
- LADY ASHTOWN**
Shining pink, yellow at base of petals. Free-blooming.
- LADY URSULA**
Large, strong growing. Flesh pink flowers.
- LA FRANCE**
Double silvery pink flowers; fragrant.
- LOS ANGELES**
Flame pink; fragrant.
- MILLE. LOLITA ARMOUR**
Double creamy copper; fragrant.
- MME. BUTTERFLY**
Soft pink overlaid with apricot and yellow. Very fragrant.
- MME. CAROLINE TESTOUT**
Large satiny pink. Slightly fragrant.
- MME. EDOUARD HERRIOTT**
Coral red, shaded with yellow and bright rosy scarlet.
- MRS. AARON WARD**
Indian yellow, pinkish fawn when full; fragrant.
- MRS. W. C. MILLER**
Clear rose to light pink; peony-like petals; very fragrant.
- OPHELIA**
Pale pink and gold, changing to white in hot weather.
- RADIANCE**
Strong growing. Free blooming. Large, globular flowers of two delicately contrasted shades of pink.
- RED RADIANCE**
Similar to above but shining light crimson.
- SOUVENIR DE CLAUDIUS PERNET**
Strong growing, free blooming. Glossy green foliage; clear yellow blooms.
- SUNBURST**
Bright glowing orange. Fragrant.
- TALISMAN**
Gorgeous new rose, color blending yellow to orange to pink. \$2.00 each; \$17.50 per 10.
- WILLOWMERE**
Rich pink, yellow glow in center.

POLYANTHAS

A very satisfactory class of Everblooming Roses, mostly planted in beds and low hedges.

- BABY DOROTHY**
Clusters of light crimson-pink flowers. Bushy plants.
- CHATILLON ROSE**
Hardy. Semi-double, bright pink flowers.
- ERNA TESCHENDORF**
Bright crimson clusters. Dwarf, and continuous blooming.
- GEORGE ELGER**
Yellow buds; dainty flowers which become cream-white upon opening.
- KATHERINE ZEIMET**
Clusters of white flowers.
- LA MARNE**
Dainty single pink flowers in clusters. Freely produced.
- MISS EDITH CAVELL**
Large clusters of brilliant red flowers.
- MME. CECIL BRUNER**
Double, light pink suffused with yellow. Fragrant.
- MRS. W. H. CUTBUSH**
Low, bushy plant. Clusters of sparkling pink flowers.
- ORLEANS**
Large, brilliant light red flowers on compact corymbs. Strong grower.

HYBRID RUGOSA ROSES

Strong field-grown plants, \$1.00 each for less than 5 of a kind;
5 or more of a kind at \$9.00 per 10.

CONRAD F. MEYER

Vigorous. Pale silvery pink flowers.

F. J. GROOTENDORST

Strong bush. Flowers small, fringed, bright crimson, produced in clusters.

PINK GROOTENDORST

Pink flowers.

SIR THOMAS LIPTON

Strong grower. Double white flowers.

CLIMBING ROSES

Strong field-grown plants, 75c each; \$6.00 per 10.

ALIDA LOVETT

Large, double, bright shell pink flowers; fragrant.

AMERICAN BEAUTY CLIMBER

Brilliant carmine. Fragrant.

AMERICAN PILLAR

Vigorous grower. Gigantic clusters of rosy pink flowers with large white centers.

BESS LOVETT

Large, cup-shaped, light crimson flowers. Fragrant. Strong growing.

BLUE RAMBLER

Purplish rose flowers which turn steel blue.

CRIMSON RAMBLER

Clusters of deep crimson flowers.

DOROTHY PERKINS

Rapid growing climber. Clusters of shell-pink flowers; fragrant. Glossy foliage.

DOROTHY PERKINS WHITE

Small double flowers of creamy white.

DR. VAN FLEET

Large, deep flesh-pink flowers. Glossy foliage.

ERNST GRANDPIERRE

Salmon-yellow buds; double creamy flowers; fragrant.

EXCELSA

Vigorous plant. Scarlet crimson flowers.

GARDENIA

Bright yellow in bud, opening cream color. Vigorous.

HIAWATHA

Very large clusters of brilliant red flowers with white eye. Vigorous.

MARY LOVETT

Large, waxy white flowers; fragrant. Strong grower.

MARY WALLACE

Bright pink double flowers. Excellent foliage. Vigorous.

PAUL'S SCARLET CLIMBER

Vivid scarlet, semi-double.

PURITY

Large, cupped flowers of pure, snow-white. Freely produced.

SILVER MOON

Large semi-double flowers of pure white and gold.

TAUSENDSCHON

Almost thornless. Large clusters of flowers varying from rich pink to creamy white.


Hardy Perennials

OUR list of perennials contains the better sorts only. We have other varieties not listed, which we grow in limited quantities. We shall be pleased to quote on these when requested.

Varieties marked with an asterisk (*) are particularly suitable for the rock garden.

Do not expect to make effective plantings by choosing one or two of a large number of varieties. Better results are obtained by massing together several plants of a kind.

For this reason we are not quoting an "each" price on perennials. However, if only one plant of a kind is required, we will furnish it at one-third of the Three Rate.



PERENNIAL DESCRIPTIONS

For easy visualization of perennials we classify their flowers according to their **GENERAL APPEARANCE** as shown above, and not according to their botanical structure.

A few sorts are described by foliage characteristics. Other convenient information, such as height of plant, color and period of bloom, is also given.

KEY TO DESCRIPTIVE CODE OF PERENNIALS

Ag—August	fl—foliage	mg—magenta	s—standards of Iris
Ap—April	fr—fragrant	mn—maroon	sc—scarlet
bk—black	gd—golden	Mr—March	sg—single
bl—blue	gn—green	mv—mauve	sm—salmon
br—bronze	gy—gray	mx—mixed	Sp—September
cm—cream	jl—July	Nv—November	tc—terra cotta
cr—crimson	Jn—June	Oc—October	vb variable
cs—cerise	le—lemon	or—orange	vg—variegated
db—double	ll—lilac	pn—pink	vl—violet
dk—dark	lt—light	pp—purple	wt—white
ev—evergreen	lv—lavender	rd—red	yl—yellow
f—falls of Iris	Ma—May	rs—rose	

Example: A plant with the code—18" B. lv-pn. Ma-Ag.—would grow 18 inches tall, have lavender pink panicles, blooming from May to August inclusive.

HARDY PERENNIALS

	Three	Per 10	Per 100 <i>Yarrow</i>
ACHILLEA			
millefolium roseum, Pink Yarrow 18" C. rs-pn. Jn-Oc.....	.75	2.20	15.00
ptarmica, Perry White, 18" B. wt. Jn-Sp.90	2.40	18.00
ptarmica, The Pearl, 2' B. wt. Jl-Oc.75	2.20	15.00
*serbica, 7" C. wt.....	1.50	4.00	
*sericea, 6" C. yl. Jl-Oc.....	1.50	4.00	
*tomentosa, Woolly Yarrow, 6" D. yl. Jl-Sp.....	.90	2.40	18.00
ACONITUM			
			<i>Monkshood</i>
autumnale, Autumn Monkshood, 4' A. dk. bl. Sp-Oc.....	1.50	4.00	25.00
fischeri, Azure Monkshood, 1½' A. dk. bl. Sp-Oc.....	1.20	3.50	25.00
f. Wilsoni, Violet Monkshood 5' A. vl. bl. Sp.....	2.25	6.00	50.00
napellus, Aconite, 3½' B. dk. bl. Jl-Ag.	1.05	2.70	24.00
n. bicolor, Bicolor Aconite, 2' B. vg. bl-wt. Jl-Ag.....	1.20	3.50	
n. Sparks, Spark's Aconite, 3' B. dk. bl. Jl-Oc.....	1.05	3.00	25.00
AEGOPODIUM			
			<i>Silveredge Goutweed</i>
*podagraria variegatum, 12" D. wt. Ma-Jn.90	2.40	18.00
AETHIONEMA			
			<i>Lebanon Stonecress</i>
*coridifolium, 12" rs. Jn.....	1.05	3.00	
AGROSTEMMA (See LYCHNIS)			
AJUGA			
			<i>Bugle</i>
*genevensis, Geneva Bugle, 8" A. dk. bl. Ma.....	.90	2.40	18.00
*reptans, Carpet Bugle, 4" A. bl. Ma-Jn.90	2.40	18.00
ALTHAEA			
			<i>Hollyhock</i>
rosea, 5' A. Jl-Ag. Double varieties, pink, red, white, yellow.....	.75	2.20	15.00
Single varieties, pink, red, white, yellow.....	.75	2.20	15.00
Allegheny, 5' A. mx. Jl-Ag. Fringed flowers.....	.75	2.20	15.00

	Three	Per 10	Per 100
ALYSSUM			<i>Alyssum</i>
*argenteum, Silver Alyssum, 12" B. yl. Jn-Ag.....	.75	2.20	15.00
*rostratum, Yellowhead Alyssum, 12" D. yl. Jn-Jl.....	.90	2.40	18.00
*saxatile compactum, Dwarf Gold-entuft, 1' B. yl. Ap.-Jn.....	.75	2.20	15.00
*saxatile sulphureum, 12" B. yl. Ap-Jn.90	2.40	
AMSONIA			<i>Amsonia</i>
tabernaemontana, Willow Amsonia, 2½' B. gy. bl. Ma-Jn..	.90	2.40	18.00
ANCHUSA			<i>Bugloss</i>
italica dropmore, Dropmore Bugloss, 3½' B. bl. Jn-Sp.....	.90	2.40	18.00
*myosotidiflora, Siberian Bugloss, 12" B. lt. bl. Ap-Ma.....	1.20	3.50	24.00
ANDROSACE			<i>Rock Jasmine</i>
*carnea, 5" rs. Ap-Ma.....	1.05	3.00	
*lanuginosa, 6" D. rs. Ma.....	1.05	3.00	
*primuloides, 6" D. rs. ll.	1.50	4.00	
ANEMONE			<i>Anemone</i>
hupehensis, Chinese Anemone, 1½' H. mv. pn. Ag-Nv.....	.90	2.40	18.00
japonica alba, White Japanese Anemone, 3' H. wt. Ag-Nv.	.90	2.40	18.00
j. rubra, Japanese anemone, 2' H. rs-rd. Ag-Nv.....	.90	2.40	18.00
j. Lady Ardilaun, 2' H. wt. Ag-Nv.90	2.40	18.00
j. Mt. Rose, 2' db. H. rs. pn. Sp-Nv.90	2.50	20.00
j. Prince Heinrich, 2' db. H. rd-pn. Ag-Nv.....	.90	2.50	20.00
j. Queen Charlotte, 2' H. dk. pn. Ag-Nv.90	2.40	18.00
j. Rosea Superba, 2' H. rs. Ag-Nv.90	2.40	18.00
j. Whirlwind, 2' H. wt. Ag-Nv.	.90	2.40	18.00
*pulsatilla, European Pasqueflower, 1' M. rd-pp. Ap-Ma.	.90	2.40	18.00
*p. alba, 12" M. wt. Ap-Ma.....	1.05	3.00	
*p. rubra, 12" M. rd. Ap-Ma..	.90	2.40	20.00
*sylvestris, Snowdrop Anemone, 12" M. wt. Ma-Jl.....	.90	2.40	18.00
ANTENNARIA			<i>Pussytoes</i>
*dioica, Common Pussytoes, 4" D. wt. Jn-Jl.90	2.40	18.00
ANTHEMIS			<i>Camomile</i>
tinctoria, Yellow Camomile, 2½' U. yl. Jn-Nv.....	.90	2.40	18.00

	Three	Per 10	Per 100
AQUILEGIA			<i>Columbine</i>
*caerulea, Colorado Columbine, 12" L. bl.-wt. Ma-Jl.....	.90	2.40	18.00
*c. alba, White Colorado Colum- bine, 12" L. wt. Ma-Jl.....	.90	2.40	18.00
*canadensis, American Columbine, 2' L. sc-yl. Ma-Jn.....	.90	2.40	18.00
chrysantha, Golden Columbine, 3' L. yl. Jn-Ag.....	.90	2.40	18.00
*flabellata nana alba, White Fan Columbine, 1' L. wt. Jn.....	.75	2.20	15.00
*f o r m o s a truncata, California Columbine, 2½' L. mx. Ma-Jl.	.90	2.40	18.00
Long-spurred Hybrids, 2½' L. mx. Ma-Jl.90	2.40	18.00
vulgaris, European Columbine, 2' L. mx. Ma-Jn.....	.75	2.20	15.00
v. alba, White European Colum- bine, 2' L. wt. Ma-Jn.....	.90	2.40	18.00
v. flore plena alba, 2' db. L. wt. Ma-Jn.75	2.20	15.00
ARABIS			<i>Rockcress</i>
*albida, Wallcress, 8" D. wt. Ma.	.90	2.40	18.00
*alpina, Alpine Rockcress, 9" D. wt. Ap-Ma.....	.75	2.20	15.00
*a. nana compacta, Dwarf Alpine Rockcress, 6" D. wt. Ap-Ma.	.90	2.40	18.00
*mollis, Downy Rockcress, 6" D. wt. Ap-Ma.....	.75	2.20	
ARENARIA			<i>Sandwort</i>
*balearica, Corsican Sandwort, 3" G. wt. Jn.....	1.05	2.70	20.00
*grandiflora, Showy Sandwort, 6" G. wt. Ma-Jn.....	1.05	2.70	
*montana, Mountain Sandwort, 6" G. wt. Ma-Jn.....	.90	2.40	18.00
*verna caespitosa, Moss Sandwort, 2½" G. wt. Jn.....	.90	2.40	18.00
ARMERIA (See STATICE)			
ARTEMISIA			<i>Tarragon</i>
abrotanum, Southernwood, 3' fr. fl. finely cut.....	1.50	4.50	
lactiflora, White Mugwort, 3' B. wt. Ag-Sp.....	1.05	2.70	20.00
stelleriana, Dusty Miller, 2' Sil- very fl.75	2.20	15.00
ASCLEPIAS			<i>Milkweed</i>
tuberosa, Butterfly Weed, 2' D. or. Jl-Sp.....	1.05	2.70	21.00
ASPERULA			<i>Woodruff</i>
*odorata, Sweet Woodruff, 6" D. wt. Ma.....	.90	2.40	

	Three	Per 10	Per 100
DWARF ALPINE ASTERS			
ASTER			<i>Aster</i>
*alpinus, Rock Aster, 9" U. pp.			
Ma-Jn.75	2.20	15.00
*a. albus, 9" U. wt. Ma-Jn....	.75	2.20	15.00
*a. Dark Beauty, 9" U. vl.			
Ma-Jn.75	2.20	15.00
*a. Subcaeruleus, 10" U. lt. bl. Jn.	.90	2.40	

AUTUMN FLOWERING TALL ASTERS

novae-angliae, New England			
Aster, 4' U. pp. Ag-Sp.....	.75	2.20	15.00
nov-ang. roseus, Pink New Eng-			
land Aster, 4' U. pn. Ag-Sp.	.75	2.20	15.00
novibelgi, New York Aster, 4'			
U. lt. bl. Sp-Oc.....	.75	2.20	15.00
ptarmicoides, White Upland			
Aster, 1½' U. wt. Ag-Sp.....	.75	2.20	15.00
tataricus, Tatarian Aster, 5' U.			
bl. vl. Oc-Nv.....	.75	2.20	15.00

CHOICE VARIETIES

Blue Gem, 4' U. dk. bl. Sp-Oc.	1.20	3.50	24.00
Climax, 4' U. lt. bl. Ag-Oc....	.90	2.40	18.00
Feltham Blue, 3' U. lt. bl.			
Ag-Sp.90	2.40	18.00
Grey Lady, 4' U. gy. Sp.....	1.20	3.50	24.00
Japanese, 2' db. U. wt. Sp....	.90	2.40	
Lady Lloyd, 3' U. rs. pn.			
Ag-Sp.90	2.40	18.00
Snowflake, 3' U. wt. Ag-Sp....	.75	2.20	15.00
St. Egwyn, 18" U. pn. Sp-Oct.	.90	2.40	18.00
T. S. Ware, 3' U. pn. Sp....	.75	2.20	
White Climax, 4' U. wt. Ag-Oc.	.90	2.40	18.00

ASTILBE			<i>Astilbe</i>
chinensis, Chinese Astilbe, 18"			
B. pn. Jl-Ag.....	.90	2.50	20.00
Arendsii varieties:			
Gloria, 2' B. dk. pn. Jl-Ag....	1.20	3.50	25.00
Meta Immik, 3' B. dk. pn. Jl-Ag.	1.50	4.00	30.00
Rose Pearl, 2½' B. lt. pn. Jl-Ag.	1.20	3.50	30.00
Salland, 5' B. rd. Jl-Ag.....	1.50	4.00	33.00
Vesta, 3' B. mv-ll. Jn-Jl.....	1.20	3.50	30.00
Japonica varieties:			
japonica, Japanese Astilbe, 2½' B.			
wt. Jn-Jl.....	1.05	2.70	
j. Peach Blossom, 18" B. pn. Jl-			
Ag.	1.20	3.50	27.00
j. Queen Alexandra, 2' B. cm.			
pn. Jn-Jl.....	1.20	3.50	24.00
j. W. E. Gladstone, 2' B. wt.			
Jn-Jl.	1.50	4.00	30.00

	Three	Per 10	Per 100
AUBRETIA			<i>Aubretia</i>
*deltoidea, Common Aubretia, 4"			
G. rs. pp. Ap-Ma.....	1.05	2.70	20.00
*d. graeca, Greek Aubretia, 3" G.			
dk. vl. Ma.....	1.05	2.70	
*d. florariensis, a new form.....	1.20	3.50	30.00
*d. leichtlini, Leichtline Aubretia,			
4" G. pn. Ap-Ma.....	1.05	2.70	
*d. purpurea, Purple Lady Aubre-			
tia, 4" G. pp. Ap-Ma.....	1.05	2.70	
BAPTISIA			<i>Wild-Indigo</i>
australis, 2½' B. dk. bl. Ma-Jn.	.90	2.40	18.00
BELLIS			
*perennis, English Daisy, 5" U.			
mx. Ap-Jn.....	.75	2.20	15.00
*perennis, white, 5" U. wt. Ap-Jn.	.75	2.20	15.00
BOLTONIA			<i>Boltonia</i>
asteroides, White Boltonia, 5'			
B. wt. Sp-Oc.....	.75	2.20	15.00
latisquama, Violet Boltonia, 4' B.			
lv. Jl-Oc.75	2.20	15.00
lat. nana, Dwarf Pinkray Bol-			
tonia, 2' B. pn. Sp.....	.90	2.40	18.00
CACTUS—See OPUNTIA			
CALLIRHOE			<i>Poppy Mallow</i>
*involutrata, 10" O. cr. Jn-Sp...	.75	2.20	
CAMPANULA			<i>Bellflower</i>
*alliariaefolia, Spurred Bellflower,			
18" M. wt. Jl-Ag.....	1.20	3.50	
*barbata, Bearded Bellflower, 6"			
M. lt-bl. Jl.....	1.05	3.00	24.00
*carpatica, Carpathian Bellflower,			
9" M. dk. bl. Sp.....	.90	2.40	18.00
*car. alba, White Carpathian Bell-			
flower, 9" M. wt. Sp.....	.90	2.40	18.00
*garganica, Gargano Harebell, 4"			
M. bl. Jn-Sp.....	1.05	2.70	24.00
*glomerata, Danesblood, 2' M. lt.			
bl. Jn-Jl.....	1.05	2.70	24.00
*gl. acaulis, Low Cluster Bell-			
flower, 4" M. vl. bl. Ma-Jn...	1.05	2.70	24.00
medium, Canterbury-Bells, 2½'			
M. Jn-Jl.90	2.40	18.00
Pink, blue, white and mixed			
m. calycanthema, Cup and Saucer			
Bellflower, 2½' M. Jn-Jl.....	.90	2.40	18.00
Pink, blue, white, and mixed			
*muralis, Dalmatian Bellflower,			
6" M. bl. Ma-Jn.....	1.05	2.70	
persicifolia, Peachleaf Bellflower,			
2½' M. pp. Jn-Jl.....	.90	2.40	18.00
per. alba, 2½' M. wt. Jn-Jl.....	.90	2.40	18.00
per. Moerheimi, 2½' M. wt. Jn-Jl.	.90	2.40	18.00

	Three	Per 10	Per 100
CAMPANULA—cont'd			
*punctata (nobilis), Spotted Bell-flower, 1' M. wt. Jn-Jl.....	.90	2.40	18.00
pyramidalis, Chimney Bellflower, 3½' M. bl. Jl-Ag.....	.90	2.40	18.00
pyr. alba, White Chimney Bellflower, 3½' M. wt. Jl-Ag.....	.90	2.40	18.00
*rotundifolia, Harebell, 10" M. bl. Jn-Ag.90	2.40	18.00
CASSIA			
marilandica, Wild Senna, 3½' P. yl. Jn-Sp.....	.90	2.40	18.00
CENTAUREA			<i>Centaurea</i>
*dealbata, Persian Centaurea, 18" U. rs. pp. Jn-Ag.....	.90	2.40	
macrocephala, Globe Centaurea, 3' V. yl. Jl-Sp.....	.90	2.40	18.00
*montana, Perennial Corn Flower, 18" U. bl. vl. Jl-Ag.....	.90	2.40	18.00
*mont. alba, White Mountain Bluet, 18" U. wt. Jl-Ag.....	.90	2.40	18.00
CENTRANTHUS			
ruber, Jupitersbeard, 3' W. rd. Jn-Jl.90	2.40	18.00
CERASTIUM			<i>Cerastium</i>
*argenteum (grandiflorum), 6" G. wt. Ma-Jn.....	1.20	3.50	27.00
*bierbersteini, Taurus Cerastium, 6" G. wt. Ma-Jn.....	.90	2.40	18.00
*tomentosum, Snow-in-Summer, 6" G. wt. Ma-Jn.....	.75	2.20	15.00
CERATOSTIGMA			<i>Plumbago</i>
*plumbaginoides, Larpenite Plumbago, 6" K. dk. bl. Ag-Sp...	1.05	2.70	21.00
CHEIRANTHUS			<i>Wallflower</i>
*allioni, 10" D. or. yl. Ma-Jl...	.90	2.40	18.00
CHELONE			<i>Turtlehead</i>
glabra, White Turtlehead, 2' B. wt. Jl-Ag.....	.90	2.40	18.00
lyoni, Pink Turtlehead, 2' B. rs. pp. Ag-Sp.....	.90	2.40	18.00
CHRYSANTHEMUM			
*articum, Arctic Chrysanthemum, 18" U. wt. Sp-Oc.....	.90	2.40	18.00
coccineum, Pyrethrum roseum Hybrid Pyrethrums:			
Coccinea, 18" U. rd. pp. Ma-Jn.	1.05	3.00	24.00
Elsie Gertrude, 18" U. lt. pn. Ma-Jn.	1.05	3.00	24.00
Hebe, 18" U. wt. Ma-Jn.....	1.05	3.00	24.00
Roseum atrosanguineum, 18" U. cr. Ma-Jn.90	2.40	18.00

	Three	Per 10	Per 100
CHRYSANTHEMUM—cont'd			
Roseum single, 18" U. mx. Ma-Jn.	.90	2.40	18.00
coreanum, Korean Chrysanthemum, 2' U. wt. rs. pn. Sp-Oc.	.90	2.40	18.00
leucanthemum hybridum, Improved Oxeye Daisy, 18" U. wt. Jl-Ag.....	.75	2.20	15.00
maximum, Shasta Daisy, 2½' U. wt. Jl-Ag.....	.75	2.20	15.00
uliginosum, Giant Daisy, 4' U. wt. Jl-Sp.....	.75	2.20	15.00

HARDY NAMED VARIETIES

Aberdeen, 18" V. mn. Oc-Nv..	.90	2.40	18.00
Autumn Glow, 18" V. rs. rd. Oc-Nv.90	2.40	18.00
Boston, 18" V. yl. Oc-Nv.....	.90	2.40	18.00
Brutus, 18" V. gd. Oc-Nv.....	.90	2.40	18.00
Capt. R. H. Cook, 18" V. rs. Oc-Nv.90	2.40	18.00
Eve, 10" V. dk. pn. Oc-Nv....	.90	2.40	18.00
Field of Snow, 18" V. wt. Oc-Nv.90	2.40	18.00
Golden Pheasant, 18" V. or. yl. Oc-Nv.90	2.40	18.00
James Boone, 18" V. wt. Oc-Nv.	.90	2.40	18.00
Julie Lagravere, 18" V. mn. Oc-Nv.90	2.40	18.00
Old Homestead, 18" V. lv. pn. Oc-Nv.90	2.40	18.00
Pauline Wilcox, 18" V. br. Oc-Nv.90	2.40	18.00
Ruby Queen, 18" W. rd. Oc-Nv.90	2.40	18.00
Skibo, 18" W. yl. Oc-Nv.....	.90	2.40	18.00
Victory, 18" V. wt. Oc-Nv.....	.90	2.40	18.00
Viola, 18" V. vl. pn. Oc-Nv...	.90	2.40	18.00
White Doty, 18" V. wt. Oc-Nv.	.90	2.40	18.00

CIMICIFUGA

Bugbane

foetida simplex, Kamchatka Bugbane, 4' A. cm. wt. Jn.....	2.25	6.00	
racemosa, Cohosh Bugbane, 5' A. wt. Jl-Sp.....	1.05	3.00	21.00

CONVALLARIA

Lily of the Valley

*majalis, Clumps, 8" F. wt. Ma-Jn.	1.50	4.50	40.00
*majalis, strong pips.....	.50	1.00	7.50

COPTIS

Goldthread

*trifolia, 4" H. wt. Ma.....	.75	2.20	15.00
------------------------------	-----	------	-------

COREOPSIS

Coreopsis

delphinifolia, Larkspur Coreopsis, 2' H. yl. Jl-Sp.....	.75	2.20	15.00
grandiflora, Big Coreopsis, 2' H. gd. yl. Ma-Nv.....	.75	2.20	15.00

	Three	Per 10	Per 100
COREOPSIS—cont'd			
*rosea, Rose Coreopsis, 1' H. rs. pn. Jl-Ag.....	.75	2.20	15.00
verticillata, Threadleaf Coreopsis, 18" H. le. yl. Jn-Sp.....	.75	2.20	15.00
CORONILLA			
*varia, 18" P. pn. Jn-Oc.....	.90	2.40	18.00
CRUCIANELLA			
*stylosa, Common Crosswort, 6" W. pn. Jn-Sp.....	1.20	3.50	
CYNANCHUM			
acuminatifolium, 18" B. wt. Ag.	.90	2.40	18.00
DELPHINIUM			
elatum, Bee Larkspur, 4' A. dk. bl. Jn-Sp.....	.90	2.40	18.00
formosum, Hardy Larkspur, 4' A. bl. Jn-Jl.90	2.40	18.00
f. belladonna, 2' A. lt. bl. Jn-Sp.	.90	2.40	18.00
f. bellamosum, 2' A. dk. bl. Jn-Sp.90	2.40	18.00
*grandiflorum chinensis, Slender Larkspur, 18" A. bl. Jn-Ag.	.90	2.40	18.00
*g. chin. alba, 18" A. wt. Jn-Ag.	.90	2.40	18.00
Erskine Park Hybrids, Mixed 4' A. lt. & dk. bl. Jn-Sp.....	2.70	7.50	
DIANTHUS			
*alpinus, Alpine Pink, 3" I. rs. pn. Jn-Jl.	1.05	3.00	
*arenarius, Sand-Loving Pink, 6" I. wt. Jl-Sp.....	.90	2.40	18.00
barbatus, Sweet William, 18" D. mx. Jn-Jl.75	2.20	15.00
b. Newport Pink, 18" D. sm. pn. Jn-Jl.90	2.40	18.00
b. Scarlet Beauty, 18" D. sc. Jn-Jl.90	2.40	18.00
*caesius, Cheddar Pink, 5" I. rs. pn. May-Jl.....	.90	2.40	18.00
*deltoides, Maiden Pink, 6" I. rd. Jn-Jl.90	2.40	18.00
*d. alba, White Maiden Pink, 6" I. wt. Jn-Jl.....	.90	2.40	18.00
*d. Brilliant, 6" I. rs. cr. Jn-Jl.	.90	2.40	18.00
*latifolius atrococcineus fl. pl. 8" D. cr. Jn-Oc.....	.90	2.40	
*neglectus, 3" I. rd. Ma-Jn.....	.90	2.40	
plumarius, Scotch or Garden Pink, 12" I. pn. Jn.....	.75	2.20	15.00
*speciosus, 12" I. lv. pn. Jl-Sp...	.90	2.40	18.00
*superbus, Lilac Pink, 12" I. lv. pn. Jn-Ag.....	1.20	2.40	18.00

DIANTHUS—cont'd	Three	Per 10	Per 100
HARDY GARDEN PINKS			
Abbottsford, 8" V. cr. Jl.....	.90	2.40	18.00
*Carmen, 3" l. pn. Jl.....	.90	2.40	18.00
*Essex Witch, 3" l. pn. Jl.....	.90	2.40	
*Grenadin's Scarlet, 12" V. sc. Ag.90	2.40	18.00
*Her Majesty, 10" V. wt. Jl-Ag.	.90	2.40	18.00
*Homer, 6" V. rd. Jl.....	1.05	2.70	20.00
*Juliet, 8" V. wt. Jl.....	.90	2.40	18.00
*Lord Lyons, 10" V. pn. Jl....	.90	2.40	18.00
*White Reserve, 10" V. wt. Jn- Sp.90	2.40	18.00
DICENTRA			
*formosa, Western Bleeding Heart, 15" F. pn. Ap-Ag.....	1.05	2.70	20.00
spectabilis, Bleeding Heart, 2' F. rs. rd. Ap-Jl.....	2.25	7.00	
DICTAMNUS			
			<i>Gas Plant</i>
albus (fraxinella), 2' K. wt. Jn-Jl.	1.20	3.50	25.00
a. caucasicus, Giant Gas Plant, 3' K. wt. Jn-Jl.....	1.35	4.00	35.00
DIGITALIS			
			<i>Foxglove</i>
ambigua, Yellow Foxglove, 2' A. yl. Jn-Jl.....	.90	2.40	18.00
purpurea, Common Foxglove, 3'. A. pp. Jn-Jl.....	.90	2.40	18.00
p. alba, Common White Foxglove, 3' A. wt. Jn-Jl.....	.90	2.40	18.00
p. gloxiniaeflora, Gloxinia Fox- glove, 3' A. mx. Jn-Jl.....	.90	2.40	18.00
p. roseum, 3' A. rs. Jn-Jl.....	.90	2.40	18.00
DORONICUM			
			<i>Leopardbane</i>
caucasicum, 1' U. yl. Ma-Jn...	1.50	4.00	
plantagineum excelsum, Showy Leopardbane, 2' U. or. yl. Ma- Jn.	1.50	4.00	36.00
DRABA			
			<i>Whitlowgrass</i>
*fladnizensis, Arctic Whitlow- grass, 3" yl. Ap.....	1.50	4.00	
ECHINACEA			
			<i>Coneflower</i>
purpurea, Purple Coneflower, 3' U. rd. pp. Jl-Ag.....	.90	2.40	18.00
ECHINOPS			
			<i>Globethistle</i>
ritro, Steel Globethistle, 4' E. bl. Jl-Ag.90	2.40	18.00
EPIGAEA			
*repens, Trailing Arbutus, 4" pn. Ap-Ma.	1.05	2.70	20.00
EPILOBIUM			
angustifolium, Blooming Sally, 4' A. rd. Jn-Ag.....	.90	2.40	18.00

	Three	Per 10	Per 100
EPIMEDIUM			<i>Epimedium</i>
*alpinum, Alpine Epimedium, 9"			
L. rd. yl. Ma-Jn.....	1.50	4.50	30.00
*macranthum niveum, Snowy Epimedium, 9" L. wt. Ap-Jl.....	1.50	4.50	
*pinnatum sulphureum, Yellow Persian Epimedium, 8" L. yl. Ap-Jl.	1.50	4.50	
ERIGERON			<i>Fleabane</i>
*auriaticus, Orange Fleabane, 9"			
U. rd.-or. Jl-Ag.....	1.05	2.70	20.00
*glabellus, Smooth Fleabane, 8"			
U. vl. pp. Jl-Ag.....	.90	2.40	18.00
Quakeress, 18" U. mv. pn. Jn-Jl.90	2.40	18.00
speciosus, Oregon Fleabane, 2' U. bl. Jn-Jl.....	.90	2.40	18.00
ERINUS			<i>Liver-Balsam</i>
*alpinus, Alpine Liver-Balsam, 4"			
K. rs. pp. Ap-Jn.....	1.05	3.00	
*hirsutus, 4" K. vl. rd. Ap-Jn...	1.05	3.00	
ERYNGIUM			<i>Eryngo</i>
alpinum, Bluetop Eryngo, 2' E. bl. Jn-Sp.....	.90	2.40	18.00
amethystinum, Amethyst Eryngo, 2½' E. dk. bl. Jn-Sp.....	.90	2.40	18.00
ERYSIMUM			<i>Blistercress</i>
*pulchellum, Rockery Blistercress, 8" D. or. yl. Jl-Ag.....	.90	2.40	18.00
EUPATORIUM			<i>Eupatorium</i>
coelestinum, Mistflower, 2' D. vl. pp. Ag-Oc.....	1.05	2.70	20.00
purpureum, Joe-Pye-Weed, 5' D. rs. pp. Sp-Oc.....	.75	2.20	15.00
EUPHORBIA			<i>Spurge</i>
corrolata, Flowering Spurge, 18"			
O. wt. Jl-Ag.....	.75	2.20	15.00
*myrsinites, 6" K. yl.-or. Ma-Jn.	1.05	2.70	20.00

HARDY FERNS

*ADIANTUM			
pedatum, American Maidenhair Fern, 15" (shade).....	.90	2.40	18.00
*ASPLENIUM			
platyneuron, Ebony Spleenwort, 12" (semi-shade)90	2.40	18.00
*ATHYRIUM			
filiX-femina, Lady Fern, 2' (sun or semi-shade).....	.90	2.40	18.00
*CRYPTOGRAMMA			
acrostichoides, American Rock-brake, 6" ev. (shade).....	.90	2.40	18.00

	Three	Per 10	Per 100
<i>*DENNSTEDTIA</i>			
punctilobula, Hay-scented Fern, 18" (sun, shade, semi-shade) .	.90	2.40	18.00
<i>DRYOPTERIS</i>			
goldiana, Goldie Fern, 3' (shade)	.90	2.40	18.00
<i>*marginalis</i> , Leather Woodfern, 2' ev. (shade)90	2.40	18.00
spinulosa, Toothed Woodfern, 2' (shade-moist)90	2.40	18.00
<i>ONOCLEA</i>			
sensibilis, Sensitive Fern, 1' (shade)90	2.40	18.00
<i>OSMUNDA</i>			
cinnamomea, Cinnamon Fern, 3' (shade & semi-shade)90	2.40	18.00
claytoniana, Interrupted Fern, 3' (sun, semi-shade)90	2.40	18.00
regalis, Royal Fern, 3' (semi- shade)90	2.40	18.00
<i>POLYPODIUM</i>			
<i>*vulgare</i> , Common Polypody, 6" (shade)90	2.40	18.00
<i>*POLYSTICHUM</i>			
acrostichoides, Christmas Fern, 12" ev. (shade)90	2.40	18.00
<i>PTERETIS</i>			
nodulosa, Ostrich Fern, 3' (sun or semi-shade)90	2.40	18.00
<i>*WOODWARDIA</i>			
areolata (angustifolia), Chain Fern, 1' (semi-shade or shade)	.90	2.40	18.00
<i>FILIPENDULA</i>			<i>Meadowsweet</i>
hexapetala (Spirea filipendula), Dropwort, 2' D. cm. wt. Jn-Jl.	.90	2.40	18.00
rubra venusta, Carmine Meadow- sweet, 4' B. dk. pn. Jn-Jl.	1.05	3.00	24.00
<i>FUNKIA</i> (See <i>HOSTA</i>)			
<i>GAILLARDIA</i>			<i>Blanket Flower</i>
aristata (grandiflora) 2' U. rd- or. Jn-Nv.75	2.20	15.00
<i>GALAX</i>			<i>Galax</i>
<i>*aphylla</i> , 10" A. wt. Jn.	1.20	3.50	
<i>GALIUM</i>			<i>Bedstraw</i>
<i>*boreale</i> , Northern Bedstraw, 2' B. wt. Jn-Sp.90	2.40	18.00
<i>GAULTHERIA</i>			<i>Wintergreen</i>
<i>*procumbens</i> , 3" N. wt., sc. berries	1.05	2.70	

	Three	Per 10	Per 100
GERANIUM			<i>Cranesbill</i>
*grandiflorum, Lilac			
12" O. vl. bl. Jn-Ag.....	.90	2.40	18.00
*sanguineum, 18" O. rd. Jn-Ag..	.90	2.40	18.00
*s. album, 18" O. wt. Jn-Ag....	.90	2.40	
GEUM			<i>Avens</i>
*chiloense var., Mrs. Bradshaw,			
15" O. sc. Jn-Sp.....	1.05	3.00	20.00
*montanum Heldreichi, Orange			
Avens, 12" O. or. yl. Ma-Jl.	1.05	2.70	20.00
GLYCERIA (See PANICULARIA)			
GYPSOPHILA			<i>Chalk-Plant</i>
*cerastiodes, Mouse-ear Gypso-			
phila, 4" G. wt. Jl.....	.90	2.40	18.00
paniculata, Baby's Breath, 2½' B.			
wt. Jl-Ag.....	.90	2.40	18.00
pan. fl. pl., Double Baby's Breath,			
3' db. B. wt. Jl-Ag.....	1.20	3.50	30.00
pan. fl. pl., Bristol Fairy, 2½' B.			
db. wt. Jn-Oc.....	2.25	6.00	50.00
*repens, Creeping Gypsophila, 6"			
G wt. Jn-Jl.....	.90	2.40	18.00
HELENIUM			<i>Sneeze Wort</i>
autumnale, 4' U. yl. Ag-Sp....	.90	2.40	18.00
a. pumilum magnificum, 18" U.			
yl. Ag-Sp.....	1.50	4.00	
a. Riverton Beauty, 4' U. le-yl.			
Ag-Oc.	1.05	2.70	20.00
a. Riverton Gem, 4' U. tc-gd.			
Ag-Sp.	1.05	2.70	20.00
a. rubrum, 4' U. dk. rd. Sp-Oc.	1.20	3.00	24.00
hoopesi, Orange Sneezeweed, 1½'			
U. or. yl. Ma-Ag.....	1.05	2.70	20.00
HELIANTHEMUM			<i>Sun Rose</i>
*chamaecistus, 8" O. yl. Jn-Jl...	.90	2.40	18.00
*c. cupreum, 6" O. br. Jn-Jl...	.90	2.40	18.00
c. tomentosum, Rosemary Sun			
Rose, 10" O. yl. Jn-Jl.....	.90	2.40	18.00
*halimifolium multiflorum, Moroc-			
co Sun Rose, 5" O. or. Jn-Sp.	.90	2.40	18.00
*perfoliatum roseum, 6" O. sm-pn.			
Jn-Ag.90	2.40	18.00
HELIANTHUS			<i>Sunflower</i>
decapetalus maximus, Thinleaf			
Sunflower, 4' U. yl. Ag-Oc..	.75	2.20	15.00
mollis, Ashy Sunflower, 3' U. le-			
yl. Jl-Sp.....	.75	2.20	15.00
scaberrimus var., Miss Mellish, 5'			
U. yl. Ag-Sp.....	.90	2.40	18.00
s. var., Woolly Dodd, 6' U. yl.			
Ag-Sp.90	2.40	18.00
HELIOPSIS			<i>Oxeye Daisy</i>
helianthoides pitcheriana, 3' U.			
or-yl. Jl-Oc.....	.90	2.40	18.00
scabra, 4' U. yl. Jl-Oc.....	.90	2.40	18.00

	Three	Per 10	Per 100 <i>Day Lily</i>
HEMEROCALLIS			
aurantiaca major, Great Orange Day Lily, 2' Q. dk. or. Jn-Sp.	1.05	3.00	
citrina, Citron Day Lily, 3' Q. le. yl. Jn-Jl.....	.90	2.40	18.00
dumortieri, Early Day Lily, 1½' Q. br. yl. Ma-Jn.....	.90	2.40	18.00
d. sieboldi, 1½' Q. or. yl. Jn-Jl.	.90	2.40	18.00
flava, Lemon Day Lily, 3' Q. le. yl. Ma-Jn.....	1.20	3.00	
fulva, Tawny Day Lily, 2' Q. rd. or. Jn-Jl.....	.75	2.20	15.00
luteola, Golden Day Lily, 4' Q. gd. yl. Jn.....	1.20	3.00	21.00
middendorfi, Amur Day Lily, 2' Q. gd. or. Jn-Jl.....	.90	2.40	18.00
thunbergi, Japanese Day Lily, 3' Q. le. yl. Jl.....	.90	2.40	18.00

HYBRID HEMEROCALLIS

Apricot, 2' Q. or. Jn.....	1.05	2.70	
Aureole, 3' Q. or. yl. Ma-Jn...	.90	2.40	
Dr. Regel, 1½' Q. or. yl. Ma-Jn.	.90	2.40	
Gold Dust, 2' Q. gd. yl. Jn.....	.90	2.40	18.00
Kwanso flore-pleno, 2½' Q. br. or. (db). Jn-Jl.....	.90	2.40	
Orangeman, 3' Q. or.-yl. Jn-Jl.	.90	2.20	15.00

HEPATICA*Hepatica*

*acutiloba, Sharplobe Hepatica, 6" H. wt-pp. Ap-Ma.....	.90	2.40	18.00
*triloba, Roundlobe Hepatica, 6" H. pn-pp. Ap-Ma.....	.90	2.40	18.00

HEUCHERA*Alum Root*

*sanguinea, Coral Bells, 15" F. cr. Jn-Sp.....	1.05	2.70	20.00
*s. alba, White Coral Bells, 15" F. wt. Jn-Sp.....	.90	2.40	18.00
*s. gracillima (gracilis rosea), 15" F. cr. rs. Jn-Sp.....	1.05	2.70	20.00

HIBISCUS*Rosemallow*

moscheutos, Swamp Rosemallow, 4' O. rs. Ag-Sp.....	.90	2.40	18.00
m. Marvel Mallows, 4' O. mx. Ag-Sp.90	2.40	18.00

HOLLYHOCKS (See ALTHEA rosea)**HOSTA (Funkia)***Plaintain Lily*

caerulea, Blue Plaintain Lily, 18" Q. vl. bl. Jl-Ag.....	.90	2.40	18.00
lanceifolia, Lance-Leaf Plaintain Lily, 2' Q. ll. Ag.....	.90	2.40	18.00
l. variegata, Wavy-Leaf Plaintain Lily, 1' Q. bl. (vg. fl.). Jn-Jl.	.90	2.40	18.00
ovata, 1½' Q. ll. Jn.....	.90	2.40	18.00

	Three	Per 10	Per 100
HOSTA—cont'd			
plantaginea grandiflora, Big Plain-tain Lily, 1½' Q. wt. Ag-Sp.	1.50	4.50	39.00
sieboldiana, Cushion Plantain Lily, 18" Q. lt. bl. Ag.....	1.20	3.50	
HYPERICUM			<i>St. Johnswort</i>
*repens, 5" O. lt. yl. Ag.....	1.20	3.50	30.00
IBERIS			<i>Candytuft</i>
*sempervirens, Evergreen Candy-tuft, 1' D. wt. Ma.....	.90	2.40	18.00
*s. Little Gem, 6" D. wt. Ma....	.90	2.40	18.00
*s. Snowflake, 1' D. wt. Ma.....	.90	2.40	18.00
INULA			<i>Inula</i>
*ensifolia, Swordleaf Inula, 15" V. gd. yl. Jl-Ag.....	1.20	3.00	24.00
salicina, Willowleaf Inula, 2' V. yl. Jl-Ag.....	.90	2.40	
IRIS			<i>Iris</i>
*ALPINE, EARLY FLOWERING IRIS:			
Blue King, 9" S. bl. bk. Mr-Ma.	1.50		
Sulphurea, 9" S. yl. Mr-Ma....	1.50		
GERMANICA, GERMAN IRIS, NAMED VARIETIES, bloom in June:			
Admiral Togo, 15" S. wt. lv....	.90	2.40	18.00
Alcazar, 15" S. s. bl-f. pp.....	1.20	3.00	
Amas, 15" S. s. bl-f. vl.....	1.20	3.50	
Atroviolacea, 15" S. s. vl. bl-f. dk. pp.....	.90	2.40	18.00
Caprice, 15" S. s. rs. rd-f. dk. rd.	1.05	3.00	24.00
Charles Dickens, 15" S. s. bl-f. dk. bl.....	.90	2.40	18.00
Eldorado, 2' S. s. br. yl-f. vl. br.	.90	2.40	18.00
Flavescens, 15" S. wt.....	.90	2.40	18.00
Florentine Alba, 15" S. cm. wt.	.90	2.40	18.00
Florentina Blue, 15" S. bl.....	.90	2.40	18.00
Garrick, 15" S. s. ll-f. dk. bl...	.90	2.40	18.00
Gen. Grant, 15" S. s. le-f. pp...	.90	2.40	18.00
Her Majesty, 15" S. s. rs. pn-f. cr.	1.05	3.00	
Isoline, 2' S. s. rs. ll-f. pp. rs...	.75	2.20	15.00
Johan DeWitt, 15" S. s. ll. bl-f. pp.90	2.40	18.00
Juanita, 3' S. lt. bl.....	1.05	3.00	24.00
King, 2' S. s. le. yl-f. mn.....	.90	2.40	18.00
Lohengrin, 18" S. ll. pn.....	1.05	3.00	25.00
Loreley, 2½' S. s. lt. yl-f. dk. bl.	1.05	2.70	20.00
Mme. Chereau, 18" S. wt. vl...	.90	2.40	18.00
Mrs. Charles Darwin, 2' S. s. wt-f. vl.....	.90	2.40	18.00
Monsignor, 2½' S. s. lt. vl-f. dk. pp.	1.50	4.00	
Pallida dalmatica, 3' S. ll. bl....	1.20	3.00	24.00
Perfection, 3' S. s. lt. bl-f. bk. pp.	1.05	3.00	



WYMAN'S

FRAMINGHAM NURSERIES

Framingham - Massachusetts

February 17, 1930

Dear Friends:

Here is a copy of my new price list. Will you take a few minutes right now and look it over? You will find it to be unique -- and useful. Many rare plants as well as fine specimens of both the new and the old sorts are listed.

You'll find two features about this new price list that should make it particularly interesting to you. I have listed some plants this year that I have in small quantities that cannot be obtained elsewhere - and I believe the list contains more of the really fine new plants than I have ever seen offered by one nursery before.

The new method used in the price list to give maximum information about a plant in minimum space will do much to make it easier to buy from us. It is the result of years of striving for something near enough perfection to be worth using - and I think we've done it this year.

I hope I may have the pleasure of seeing you at the nursery this year. There are new things coming along all the time and you'll find us able to make a visit both interesting and profitable to you.

Yours very truly,

WYMAN'S FRAMINGHAM NURSERIES

Richard M. Wyman.

RMW/DR

IRIS—cont'd	Three	Per 10	Per 100
Princess Victoria Louise, 2½' S. s. le. yl-f. vl. rd.....	1.05	2.70	20.00
Prosper Laugier, 3' S. s. br-f. rd. pp.	1.05	2.70	20.00
Purple King, 2' S. pp.....	.90	2.40	18.00
Queen Caterina, 2' S. lt. bl.....	1.20	3.50	27.00
Quaker Lady, 2½' S. s. ll. gy-f. bl.	1.20	3.50	30.00
Queen of May, 2' S. rs. pn....	.90	2.40	18.00
Rebecca, 2' S. s. gd. yl-f. dk. yl.	.90	2.40	18.00
Rhein Nixe, 3' S. s. wt-f. vl. bl.	1.05	3.00	21.00
Sherwin Wright, 2' S. gd. yl....	1.05	3.00	24.00
William III, 2' S. dk. vl.....	.90	2.40	18.00

KAEMPFERI, JAPANESE IRIS, NAMED VARIETIES, bloom July August:

Aspasie, 3' sg. T. mv. bl.....	1.50	4.00	36.00
Astarte, 3' db. T. vl.....	1.50	4.00	36.00
Babylon, 3' sg. T. rd. pp.....	1.50	4.00	36.00
Band of Clouds, 3' sg. T. pp....	1.50	4.00	36.00
Blue Belle, 3' sg. T. dk. bl.....	1.50	4.00	36.00
Blue Bird, 3' sg. T. bl.....	1.50	4.00	36.00
Blue Danube, 3' db. T. dk. bl..	1.50	4.00	36.00
Double Blue Belle, 3' db. T. dk. bl.	1.50	4.00	36.00
Gold Bound, 3' db. T. wt.....	1.50	4.00	36.00
Helen Von Sieboldt, 3' sg. T. dk. pn.....	1.50	4.00	36.00
Iso-no-Nami, 3' db. T. gy. bl. gd.	1.50	4.00	36.00
Maple Cascade, 3' db. T. cr. pp.	1.50	4.00	36.00
Navy Blue, 3' db. T. dk. bl....	1.50	4.00	36.00
Oscar, 3' sg. T. dk. rd.....	1.50	4.00	36.00
Painted Lady, 3' sg. T. wt. pn..	1.50	4.00	36.00
Purple Emperor, 3' sg. T. dk. pp.	1.50	4.00	36.00
Purple and Gold, 3' db. T. vl. bl.	1.50	4.00	36.00
Pyramid, 3' db. T. ll. bl.....	1.50	4.00	36.00
Venus, 3' sg. T. wt.....	1.50	4.00	36.00
William Tell, 3' db. T. wt....	1.50	4.50	40.00
Zama Forest, 3' sg. T. wt.....	1.50	4.00	36.00

MISCELLANEOUS VARIETIES

*cristata, Crested Iris, 6" T. lt. bl. Ma.90	2.40	18.00
pseudacorus, Water Flag, 4' T. yl. Ma-Jn.....	.90	2.40	18.00
*pumila var., Bride, 10" S. wt. Ma.	1.05	2.70	20.00
*p. cyanea, 10" S. bl. Ap-Ma...	1.05	2.70	20.00
*p. lutea, 10" S. yl. Ma.....	1.05	2.70	20.00
p. Sambo, 10" S. dk. pp. Ap-Ma.	1.05	2.70	20.00
siberica, 3' S. bl. Jn.....	.90	2.40	18.00
s. alba, 3' S. wt. Jn.....	.75	2.20	15.00
s. orientalis, 3' S. bl. Jn.....	.90	2.40	18.00
*verna, 18" S. bl. Ma-Jn.....	.90	2.40	18.00

	Three	Per 10	Per 100
KNIPHOFIA			<i>Torchlily</i>
<u>u</u> aria, grandiflora, Day glow Torchlily, 3' A. sm. rd. Ag- Oc.90	2.40	18.00
<u>u</u> . nobilis, Giant Torchlily, 3' A. or. rd. Ag-Oc.....	.90	2.40	18.00
<u>u</u> . pfitzeriana, 2½' A. or. sc. Ag- Oc.90	2.40	18.00
LATHYRUS			<i>Pea</i>
latifolius, Everlasting Pea, 4' P. rs. rd. Jl-Sp.....	.90	2.40	18.00
Pink Pearl, 4' P. pn. Jl-Sp....	.90	2.40	18.00
LAVANDULA			<i>Lavender</i>
officinalis (vera) l'A. lt. bl., fr. Jl-Ag.	1.05	2.70	20.00
LEONTOPODIUM			<i>Edelweiss</i>
*alpinum, 6" D. gy. wt. Jn-Ag...	1.20	3.50	30.00
LIATRIS			<i>Gayfeather</i>
pycnostachya, Cattail Gayfeather. 4' A, rs. pp. Ag-Oc.....	.90	2.40	18.00
spicata, Spike Gayfeather, 3' A. rs. pp. Ag-Oc.....	.90	2.40	18.00
LILIUM			<i>Lily</i>
auratum, Goldband Lily, 4' R. wt. mn. Jl-Sp.....	1.50	4.00	30.00
canadense, Canadian Lily, 4' R. or. yl. Jl-Ag.....	.90	2.40	18.00
candidum, Madonna Lily, 3' Q. wt. Jn-Jl.	1.20	3.50	30.00
carolinianum, Carolina Lily, 3' R. rd. or. Jl-Ag.....	1.05	3.00	
elegans, Maroon Lily, 2' R. mn. Jl.	1.05	3.00	
longiflorum, Easter Lily, 4' Q. wt. Jl-Ag.....	1.20	3.50	25.00
l. giganteum, Giant Lily, 4' Q. cm. wt. Jl-Ag.....	1.50	3.50	27.00
regale, Royal Lily, 3' Q. wt. Ag. speciosum album, White Speci- osum Lily, 3' R. wt. Ag-Sp...	1.80	5.50	50.00
spec. rubrum, Red Speciosum Lily, 3' R. pn. rs. Ag-Sp....	2.25	6.00	50.00
superbum, American Turkscap Lily, 3' R. rd. or. Jl.....	1.20	3.50	25.00
tigrinum, Tiger Lily, 4' R. or. Ag.	1.05	2.70	20.00
	.90	2.40	20.00
LILY-OF-THE-VALLEY —See CONVALLARIA			
LIMONIUM			<i>Sea Lavender</i>
*latifolium, Bigleaf Sea Lavender, 2' B. ll. bl. Jl-Sp.....	.90	2.40	18.00
LINARIA			<i>Toadflax</i>
*cymbalaria, Kenilworth Ivy, 3" G. ll. bl. Jn-Ag.....	.90	2.40	

	Three	Per 10	Per 100
LINUM			<i>Flax</i>
*narbonnense, Narbonne Flax, 18"			
O. bl. Ma-Jn.	1.05	2.70	20.00
*perenne, 18" O. bl. Ma-Ag....	.90	2.40	18.00
LITHOSPERMUM			<i>Gromwell</i>
*Heavenly Blue, Shrubby Grom-			
well, 6" N. bl. Ag.....	3.00	8.00	
LOBELIA			<i>Lobelia</i>
cardinalis, Cardinal Flower, 3' A.			
sc. Jl-Ag.....	.90	2.40	18.00
syphilitica, Large Blue Lobelia,			
2' A. bl. Ag-Sp.....	.90	2.40	18.00
LOTUS			<i>Trefoil</i>
corniculatus, Birdsfoot Trefoil,			
4" P. yl. Jl-Ag.....	1.05	3.00	
LUPINUS			<i>Lupine</i>
polyphyllus, Washington Lupine,			
3' A. bl. Jn-Sp.....	.90	2.40	18.00
p. albus, White Washington Lu-			
pine, 3' A. wt. Jn-Sp.....	.90	2.40	18.00
moerheimi, Moerheim Lupine, 3'			
A. lt. pn. Jn-Sp.....	1.05	2.70	20.00
Hybrids, 3' A. mx. Jn-Sp.....	1.05	2.70	20.00
LYCHNIS			<i>Campion</i>
*alpina, Arctic Campion, 4" C. rs.			
pn. Ag.....	1.05	2.70	20.00
chalcidonica, Maltese Cross, 2½'			
D. or. sc. Jn-Ag.....	.90	2.40	18.00
viscaria splendens, Rosepink Cam-			
pion, 1½' B. rs. pn. Jn.....	.90	2.40	18.00
v. splen. fl. pl., 15" B. rs. db.			
Jn-Jl.90	2.40	18.00
LYSIMACHIA			<i>Loosestrife</i>
clethroides, Clethra Loosestrife,			
2' F. wt. Jl-Sp.....	.90	2.40	18.00
*nummularia, Moneywort, 4" O.			
yl. Jn-Ag.....	.75	2.20	15.00
LYTHRUM			<i>Lythrum</i>
alatum, Winged Lythrum, 3' A.			
dk. pp. Ag-Oc.....	.90	2.40	18.00
salicaria roseum, Rose Loosestrife,			
4' A. rs. Jl-Sp.....	.90	2.40	18.00
s. roseum, Perrys Variety, 4' A.			
rd. Jl-Sp.90	2.40	18.00
MALVA			<i>Mallow</i>
alcea, Hollyhock Mallow, 2' O.			
pn. Jl-Sp.....	.90	2.40	18.00
moschata, Musk Mallow, 2' O.			
rs. Jl-Sp.90	2.40	18.00
m. alba, 2' O. wt. Jl-Sp.....	.90	2.40	18.00
MAZUS			
*rugosus, 4" G. bl. Jn.....	1.05	2.50	20.00

	Three	Per 10	Per 100	
MENTHA				<i>Mint</i>
piperita, Peppermint, 18" A. ll. (fr. fl.) Jl-Ag.....	.75	2.20	15.00	
*requienii, Requien Mint, 3" G. mn. (fr. fl.) Jl-Ag.....	1.05	2.70	20.00	
spicata, Spearmint, 18" A. pp. Jl-Ag.90	2.40	18.00	
MERTENSIA				<i>Bluebell</i>
*virginica, Virginia Bluebells, 18" N. bl. pn. Ap-Jn.....	.90	2.40	18.00	
MITCHELLA				
*repens, Partridge Berry, 3" ev. N. wt. Jl.....	.90	2.40	18.00	
MONARDA				<i>Bee Balm</i>
didyma, Oswego Bee Balm, 3' V. sc. Jl-Ag.90	2.40	18.00	
d. Cambridge Scarlet, 3' V. cr. sc. Jl-Ag.90	2.40	18.00	
MYOSOTIS				<i>Forget-me-not</i>
*dissitiflora, Swiss Forget-me-not, 8" F. bl. Ma-Jl.....	.75	2.20	15.00	
*scorpioides semperflorens, 8" F. lt. bl. Jn-Sp.....	.75	2.20	15.00	
NEPETA				<i>Catnip</i>
*hederacea (glechoma), Ground Ivy, 3" G. lt. bl. Ma-Jn.....	.90	2.40	18.00	
*mussini, Mussini Catnip, 1' B. lt. bl. Ma-Sp.....	1.05	2.70	20.00	
NIEREMBERGIA				<i>Cupflower</i>
*rivularis, Whitecup, 6" O. cm. wt. Jn-Ag.....	1.05	2.70	20.00	
OENOTHERA				<i>Sundrops</i>
*missouriensis, Ozark Sundrops, 10" O. yl. Jn-Ag.....	1.20	3.00	25.00	
fruticosa major, Bush Sundrops, 2' O. dk. yl. Jn-Sp.....	.90	2.40	18.00	
f. youngi, Young's Sundrops, 2' O. le. yl. Jn-Ag.....	.90	2.40	18.00	
OPUNTIA				<i>Cactus</i>
*humifusa, 1' O. yl. Jn-Jl.....	1.50	4.00		
*missouriensis, 6" O. yl. Jn-Jl...	1.50	4.00		
PACHISTIMA				<i>Pachistima</i>
*canbyi, 6" ev. fl.....	1.95	5.00	40.00	
PACHYSANDRA				<i>Japanese Spurge</i>
*terminalis, 8" ev. fl. 2 yr. from pots	1.20	2.50	18.00	
3 yr. from pots.....	1.50	3.00	21.00	

	Three	Per 10	Per 100
PAEONIA			<i>Peony</i>
Albert Crousse, 3' X. wt. Jn...	2.25	6.00	
Augustin d'Hour, 3' X. rd. Jn..	3.00	9.00	
Beaute Francaise, 2' X. ll. rs.			
Jn.	2.25	6.00	
Comte de Nippon, 3' X. wt. Jn.	2.25	6.00	
Couronne d'Or, 3' X. wt. Jn...	2.25	6.00	
Dr. Bretonneau, 3' X. ll. wt. Jn.	2.25	6.00	
Dorchester, 2' X. pn. Jn.....	2.70	8.00	
Duchesse de Nemours, 2½' X.			
wt. Jn.	2.70	8.00	
Edulis Superba, 2½' X. lt. pn. Jn.	2.25	6.00	
Felix Crousse, 3' X. rd. Jn....	3.00	9.00	
Festiva maxima, 3' X. wt. Jn...	2.25	6.50	50.00
Floral Treasure, 3' X. ll. rs. Jn.	2.25	6.00	
Francois Ortegat, 3' X. pp. cr.			
Jn.	2.25	6.00	
Fulgida, 2½' X. rs. mg. Jn....	2.25	6.00	
General Bertrand, 3' X. pn. Jn.	2.25	6.00	
Golden Harvest, 2' X. ll. rs.			
Jn. (fr.).....	2.25	6.00	
Humei, 3' X. pn. Jn.....	2.25	6.00	
Lady Bramwell, 3' X. pn. Jn...	2.25	6.00	
La Sublime, 3' X. cr. fr. Jn...	2.25	5.00	
Louis VanHoutte, 3' X. pp. Jn.	2.70	8.00	
Mme. Auguste Dessert, 3' X. lt.			
pn. Jn.....	6.00	18.00	
Mme. de Verneville, 3' X. wt.			
Jn.	2.70	8.00	
Mons. Jules Elie, 3' X. pn. Jn.	3.75	11.00	
Officinalis rosea, 18" X. pn. Jn.	2.25	7.00	
Officinalis rubra, 18" X. cr. Jn.	3.00	9.00	
Rosea plena superba, 18" X. pn.			
sm. Jn.....	1.80	5.00	
Solfatare, 2½' X. cm. wt. Jn...	2.70	8.00	
Double pink, double red, and			
double white	1.50	4.00	
PAPAVER			<i>Poppy</i>
*alpinum, Alpine Poppy, 6" O.			
wt. Jn-Sp.....	1.05	2.70	21.00
*alpinum Orange, 6" O. or. Jn-			
Sp.	1.05	2.70	21.00
*alpinum roseum, 6" O. pn. Jn-Sp.	1.05	2.70	21.00
*nudicaule, Iceland Poppy, 1' O.			
wt. yl. or. Ma-Ag.....	.90	2.40	18.00
orientale, Oriental Poppy, 2' O.			
sc. or. Ma-Jl.....	.90	2.40	18.00
orientale hybrids, varieties.....	1.50	4.00	30.00
Cerise Beauty, 2½' O. cs. Ma-Jl.			
Goliath, 2½' O. sc. Ma-Jl.			
Mrs. Perry, 2½' O. sm. pn. Ma-Jl.			
Oriflamme, 2½' O. or. sc. Ma-Jl.			
Oriental King, 2½' O. cr. sc.			
Ma-Jl.			
Queen Alexandra, 2½' O. rs. pn.			
Ma-Jl.			
Royal Scarlet, 2½' O. sc. Ma-Jl.			

	Three	Per 10	Per 100
PENTSTEMON			
<i>*arizonicus</i> , 8" N. pp. bl. Jl-Ag.	1.20	3.50	<i>Pentstemon</i> 27.00
<i>diffusus</i> , Bushy Pentstemon, 1½'			
N. lt. bl. Jn-Jl.....	.90	2.40	18.00
<i>laevigatus digitalis</i> , Fox glove			
Pentstemon, 3' B. wt. Jn-Jl...	.90	2.40	18.00
<i>torreyi</i> , Torrey Pentstemon, 2½'			
B. sc. Jl-Ag.....	.90	2.40	18.00
PHALARIS			
<i>arundinacea variegata</i> , Ribbon			
Grass, 1½' vg fl.....	.90	2.40	18.00
PHLOX			
			<i>Phlox</i>
<i>Paniculata:</i>			
Albion, 2½' B. wt. Jl-Ag.....	.75	2.20	15.00
Annie Cook, 2½' B. lt. pn. Jl-Ag.	.90	2.40	18.00
Antonin Mercier, 2½' B. wt. ll.			
Jl-Ag.90	2.40	18.00
B. Comte, 2½' B. dk. rd. Ag-Sp.	.90	2.40	18.00
Baron van Dedem, 2' B. sm. rd.			
Ag-Sp.90	2.40	18.00
Beacon, 2½' B. rd. Ag-Sp.....	.90	2.40	18.00
Blue Hill, 2½' B. lt. bl. Ag-Sp.	1.05	3.00	24.00
Bridesmaid, 2½' B. wt. Ag-Sp..	.90	2.40	18.00
Commander, 2½' B. rd. Ag-Sp.	1.05	3.00	24.00
Coquelicot, 2½' B. or. sc. Ag-Sp.	1.05	3.00	24.00
Debs, 2½' B. cr. Ag-Sp.....	1.20	3.50	30.00
Deutschland, 2½' B. or rd. Ag-Sp.	1.05	3.00	24.00
Eclairer, 2½' B. dk. rd. Ag-Sp.	.90	2.40	18.00
Elizabeth Campbell, 2' B. sm. pn.			
Ag-Sp.	1.05	3.00	24.00
Etta's Choice, 2' B. wt. Sp...	.90	2.40	18.00
Europa, 2' B. wt. Ag.....	.90	2.40	18.00
F. G. Von Lassburg, 3' B. wt.			
Sp.90	2.40	18.00
Frau Anton Buchner, 3' B. wt.			
Ag.90	2.40	18.00
Gruppenkoenigin, 2' B. lt. pn.			
Ag.90	2.40	18.00
Jules Sandeau, 2' B. pn. Ag-Sp.	1.05	3.00	24.00
L'Esperance, 2' B. lv-pn. Ag...	.90	2.40	18.00
Mia Ruys, 1' B. wt. Ag-Sp...	1.20	3.50	30.00
Mrs. Jenkins, 2½' B. wt. Ag-Sp.	.90	2.40	18.00
Mrs. Milly von Hoboken, 2½' B.			
pn. Ag-Sp.....	1.05	2.70	20.00
Pantheon, 2½' B. rs. Ag.....	.90	2.40	18.00
Peachblow, 18" B. lt. pn. Ag...	.90	2.40	18.00
Professor Verchow, 2½' B. or. sc.			
Ag-Sp.90	2.40	18.00
Richard Wallace, 3' B. wt. Ag-			
Sp.90	2.40	18.00
R. P. Struthers, 3' B. pn. sm.			
Ag-Sp..90	2.40	18.00
Rynstrom, 2½' B. rs. rd. Ag...	.90	2.40	18.00
Tapis Blanc, 1' B. wt. Ag-Sp...	1.05	2.70	20.00
W. C. Egan, 1½' B. ll. Ag.....	.90	2.40	18.00
Widar, 18" B. rd. vl. Ag-Sp...	.90	2.40	18.00

PHLOX—cont'd

Three Per 10 Per 100

DWARF OR CREEPING SORTS

*amoena, Amoena Phlox, 6" D. pn. Ap-Ma.....	.90	2.40	18.00
*divaricata, Wild Blue Phlox, 1' C. ll. bl. Ma-Jn.....	1.20	3.00	24.00
*d. alba, 1' C. wt. Ma-Jn.....	.90	2.40	18.00
*d. Laphami, 1' C. dk. bl. Ma-Jn.	1.20	3.00	24.00
*ovata, Mountain Phlox, 1' C. lt. rd. Jn-Jl.90	2.40	
*subulata, Moss Pink, 4" G. lt. pn. dk pn. Ma-Jn.....	.75	2.20	15.00
*s. alba, White Moss Pink, 4" G. wt. Ma-Jn.....	.75	2.20	18.00
*s. G. F. Wilson, Blue Moss Pink, 4" G. ll. bl. Ma-Jn...	.75	2.20	15.00
*s. lilacina, 4" G. ll. Ma-Jn....	.75	2.20	15.00
*s. nelsoni, 4" B. wt. Ma-Jn....	.75	2.20	15.00
*s. The Bride, 4" G. wt. Ma-Jn.	.90	2.40	18.00
*s. Vivid, 4" G. rs. pn. Ma-Jn...	1.50	4.00	36.00
suffruticosa, Miss Lingard, 2½' B. lt. ll. Jn-Jl.....	.90	2.40	18.00
suf., Rose Queen, 2' B. dk. pn. Jn-Jl.90	2.40	18.00

PHYSALIS

francheti, Chinese Lantern, 18" J. wt. Jn.90	2.40	18.00
--	-----	------	-------

PHYSOSTEGIA

virginiana, False Dragonhead, 3' A. dk. pn. Jl-Sp.....	.90	2.40	18.00
v. alba, 3' A. wt. Jl-Sp.....	.90	2.40	18.00
*grandiflora, Vivid, 15" A. dk. pn. Jl-Sp.90	2.40	

PLATYCODON

grandiflorum, Balloonflower, 18" M. bl. Jn-Oc.90	2.40	18.00
g. album, White Balloonflower, 18" M. wt. Jn-Oc.....	.90	2.40	18.00
g. mariesi, Maries' Balloonflower, 12" M. bl. Jn-Oc.....	.90	2.40	18.00

PLUMBAGO larpentae, See CERATOSTIGMA plumbago

POLEMONIUM

Polemonium

caeruleum, Greek Valerian, 1½' B. bl. Jn-Sp.....	.90	2.40	18.00
*reptans, Creeping Polemonium, 10" B. bl. Ap-Jn.....	.90	2.40	18.00

POLYGONUM

Fleeceflower

cuspidatum (sieboldi), Japanese Fleeceflower, 5' B. wt. Ag-Sp.	1.05	2.70	20.00
filiforme variegatum, M a r b l e d Jumpseed, 18" B. wt. Ag-Sp.	.90	2.40	18.00

	Three	Per 10	Per 100 Cinquefoil
POTENTILLA			
atrosanguinea, Himalayan Cinquefoil, 18" O. cr. Jn-Ag.....	.90	2.40	18.00
*flagelliformis, 9" O. yl. or. Jn..	1.20	3.50	25.00
*nepalensis, Miss Willmott, 1' O. cs. pn. Ag.....	1.05	2.70	20.00
*pyrenaica, Pyrenees Cinquefoil, 1' O. gd. yl. Jl-Ag.....	.90	2.40	18.00
*tridentata, Wineleaf Cinquefoil, 1' C. wt. (ev. fl.). Jn-Ag....	.90	2.40	18.00
PRIMULA			
			<i>Primrose</i>
*acaulis, English Primrose, 8" D. lt. yl. Ma-Jn.....	1.05	2.70	20.00
*polyantha, Munstead strain, 10" D. yl., or., wt. Ma-Jn.....	.90	2.40	18.00
*veris, Cowslip Primrose, 6" D. yl. wt. Ap-Ma.....	.90	2.40	18.00
PRUNELLA			
			<i>Selfheal</i>
*grandiflora, Great Selfheal, 10" B. vl. bl. Jn-Jl.....	.90	2.40	18.00
*webbiana, Webb Selfheal, 1' C. pp. Jn-Sp.....	.90	2.40	18.00
PYRETHRUM—See CHRYSANTHEMUM coccineum			
RANUNCULUS			
			<i>Buttercup</i>
acris fl. pl., 2' H. gd. yl. Ma-Sp.90	2.40	18.00
repens, Creeping Buttercup, 8" H. gd. yl. Ma-Jl.....	.90	2.40	18.00
RUDBECKIA			
			<i>Coneflower</i>
fulgida, Orange Coneflower, 2' U. or. yl. Ag-Sp.....	.75	2.20	15.00
laciniata, Golden Glow, 5' V. gd. yl. Jl-Sp.....	.75	2.20	15.00
speciosa (newmanni), Showy Coneflower, 2' V. or. yl. Jl-Oc.90	2.40	18.00
SALVIA			
			<i>Sage</i>
azurea grandiflora, Great Azure Sage, 3' B. lt. bl. Ag-Sp.....	.90	2.40	18.00
a. Pitcheri, 3' B. dk. bl. Sp-Oc.	1.05	2.70	20.00
*sclarea, Common Clary, 2½' B. lv. pn. Jl-Sp.....	1.50	4.00	
SANGUINARIA			
			<i>Bloodroot</i>
*canadensis, 6" O. wt. Ap-Ma...	.75	2.20	15.00
SANTOLINA			
			<i>Lavender Cotton</i>
*chamaecyparissus, 1½' A. gy., ev. fr. fl.90	2.40	18.00
SAPONARIA			
			<i>Soapwort</i>
*ocymoides, Rock Soapwort, 6" C. pn. Ma-Ag.	1.05	2.70	20.00

	Three	Per 10	Per 100
SATUREIA			<i>Savory</i>
*alpina (Calamintha alpina), Alpine Savory, 8" A. fr. fl.....	.90	2.40	18.00
*montana, Winter Savory, 12" A. ev. fr. fl.....	1.20	3.50	
SAXIFRAGA			<i>Saxifrage</i>
*cordifolia, Heartleaf Saxifrage, 15" C. rs. Ap-Ma.....	1.05	3.00	20.00
*crassifolia, Leather Saxifrage, 15" C. pn. Ap-Jn.....	1.05	2.70	20.00
*McNabiana, 10" C. wt. Ma-Jn.	1.05	2.50	20.00
*Rhei superba, 6" C. rs., ev. fl. Ap-Ma.	1.20		
SCABIOSA			<i>Scabiosa</i>
caucasica, Caucasian Scabiosa, 18" U. ll. bl. Jn-Sp.....	1.05	2.70	21.00
c. alba, White Caucasian Scabiosa, 18" U. wt. Jn-Sp...	1.20	3.50	30.00
japonica, Japanese Scabiosa, 18" U. bl. Jl-Sp.....	.90	2.40	18.00
SEDUM			<i>Stonecrop</i>
*acre, Golden Moss, 4" G. yl. Ma-Jn.75	2.20	15.00
*album, White Stonecup, 4" wt. Jl-Ag.75	2.20	15.00
*dasyphyllum, Leafy Stonecrop, 2" ev. fl.....	1.05	3.00	25.00
*kamtschaticum, Orange Stonecrop, 6" yl. Jl-Ag.....	.75	2.20	15.00
*lydium, Lydian Stonecrop, 2" ev. fl.75	2.20	15.00
*pruinatum fosterianum, 4" bl. fl.	.90	2.40	18.00
*sarmentosum, Stringy Stonecrop, 2" yl. Jl.....	.90	2.40	
*sexangulare, Hexagon Stonecrop, 3" br. fl.....	.90	2.40	18.00
*sieboldi, Siebold Stonecrop, 4" rs. pn., bl-gy. fl. Ap-Sp.....	1.05	2.70	20.00
*spectabile, Showy Stonecrop, 1' D. rs. pn. Ag-Sp.....	.75	2.20	15.00
*spectabile, Brilliant, 1' D. dk. pn. Sp.75	2.20	15.00
*stoloniferum, Running Stonecrop, 4" pn. Jl-Ag.....	.90	2.40	18.00
SEMPERVIVUM			<i>House Leek</i>
*arachnoideum, Spiderweb Houseleek, 3" ev. fl.....	.75	2.20	15.00
*globiferum, Globe Houseleek, 6" gy. fl.75	2.20	15.00
*tectorum, Roof Houseleek, 6" ev. fl.75	2.20	15.00
SHORTIA			
*galicifolia, Oconee Bells, 9" A., wt., ev. fl. Jn.....	1.20	3.50	

	Three	Per 10	Per 100
SIDALCEA			<i>Prairiemallow</i>
Rosy Gem, Rose Prairiemallow, 2' B. rs. pn. Jn.....	.90	2.40	18.00
SILENE			<i>Catchfly</i>
*alpestris, Alpine Catchfly, 4" G. wt. Ma-Jn.....	1.05	3.00	24.00
*schafta, Schafta Catchfly, 4" I. rs. pn. Jn-Sp.....	.90	2.40	18.00
SILPHIUM			<i>Rosinweed</i>
perfoliatum, Cup Rosinweed, 6' U. yl. Jl-Sp.....	.90	2.40	18.00
STACHYS			<i>Woundwort</i>
grandiflora superba, Mauve Beto- ny, 18" A. pp. Jl-Sp.....	.90	2.40	18.00
*lanata, Woolly Betony, 1' B. pp. Jl.90	2.40	18.00
STATICE			<i>Thrift</i>
*armeria (Armeria maritima), Common Thrift, 6" W. pp rs. Ma-Jn.75	2.20	15.00
*a. alba (A. maritima alba), White Common Thrift, 6" W. wt. Ma-Jn.....	.90	2.40	18.00
*a. lauchiana (A. lauchiana), Rosalie, 6" W. rs. Jn-Ag....	.75	2.20	15.00
*pseudo-armeria rubra (A. cepha- lotes rubra), 1' W. rs. rd. Jl-Ag.90	2.40	18.00
See also LIMONIUM			
STOKESIA			<i>Stokes Aster</i>
laevis (cyanea), Stokesia, 1' V. lv. bl. Jl-Oc.....	.90	2.40	18.00
l. alba, White Stokesia, 1' V. wt. Jl-Oc.90	2.40	18.00
TEUCRIUM			<i>Germander</i>
*orientale, Oriental Germander, 8" A. vl. bl., ev. fl.....	1.50	4.00	
*chamaedrys, Chamaedrys' Ger- mander, 8" A. rs. Jl-Sp.....	.90	2.40	
THALICTRUM			<i>Meadow Rue</i>
aquilegifolium, Columbine Meadowrue, 3' C. cm. Ma-Jl.	.90	2.40	18.00
a. purpureum, Purple Columbine Meadowrue, 3' C. pp. Ma-Jl.	.90	2.40	18.00
diptercarpum, Yunnan Meadow- rue, 4' C. vl-mv. Ag-Sp.....	1.05	3.00	24.00
*minus adiantifolium, Maiden- hair Meadowrue, 2' C. cm. yl., gy. fl. Jn-Jl.....	.90	2.40	18.00
THERMOPSIS			<i>Thermopsis</i>
caroliniana, Carolina Thermopsis, 3' A. yl. Jn-Jl.....	1.20	3.00	

	Three	Per 10	Per 100
THYMUS			<i>Thyme</i>
*serpyllum, Mother-of-Thyme, 6"			
G. ll., ev. fl. Jl-Ag.....	.90	2.40	18.00
*s. album, White Mother-of-Thyme, 4" G. wt., ev. fl.-Jl-Ag.	1.05	2.70	20.00
*s. citriodorus, Lemon-scented, Thyme, 4" G. pn. Jl-Ag....	.90	2.40	18.00
*s. coccineum, Crimson Thyme, 4" G. cr. Jl-Ag.....	1.05	2.70	20.00
*s. lanuginosus, Woolly Thyme, 4" G. rd. pn., gy. fl. Ag....	.90	2.40	18.00
TIARELLA			<i>Foamflower</i>
*cordifolia, Alleghany Foamflower, 10" B. cm. wt. Ma-Jn....	.90	2.40	18.00
TRADESCANTIA			<i>Spiderwort</i>
virginiana, Virginia Spiderwort, 2' D. vl. bl. Jl-Ag.....	.90	2.40	18.00
TRILLIUM			<i>Trillium</i>
*erectum, Purple Trillium, 9" br. pp. Ma.75	2.20	15.00
*grandiflorum, Snow Trillium, 9" wt. Ma.75	2.20	15.00
TRITOMA (See KNIPHOFIA)			
TROLLIUS			<i>Globeflower</i>
asiaticus, Siberian Globeflower, 18" H. or. Ma-Jn.....	1.50	4.00	
europaeus, Common Globeflower, 1½' H. le. yl. Ma-Ag.....	1.50	4.00	36.00
TUNICA			<i>Tunicflower</i>
*saxifraga, Saxifrage Tunicflower, 6" O. rs. pn. Jn-Sp.....	.90	2.40	18.00
*s. alba, 6" O. wt. Jn-Sp.....	.90	2.40	18.00
VALERIANA			<i>Common Valerian</i>
officinalis, Garden Heliotrope, 4' C. pn. lv. Jn.....	.90	2.40	18.00
VERBASCUM			<i>Mullein</i>
phoeniceum, Purple Mullein, 3' B. pp-mv. Jl-Ag.....	1.05	3.00	
VERONICA			<i>Speedwell</i>
*incana, Woolly Speedwell, 1' A. vl. bl. Jl-Ag.....	.90	2.40	18.00
longifolia, subsessilis, C l u m p Speedwell, 2' A. bl. Jl-Ag..	1.20	3.50	20.00
*repens, Creeping Speedwell, 3" M. bl. Ma-Jn.....	1.05	2.70	20.00
*rupestris, Heavenly Blue, 4" A. bl. Ma-Jn.	1.50	4.00	
*r. Trehani, 4" A. bl., yl. gr. fl. Ma-Jn.	1.05	3.00	

	Three	Per 10	Per 100
VERONICA—cont'd			
spicata, Spike Speedwell, 18" A.			
bl. Jn-Jl.90	2.40	18.00
s. alba, White Spike Speedwell, 18" A. wt. Jn-Jl.90	2.40	18.00
*spuria (amethystina), Bastard Speedwell, 18" A. dk. bl. Ma-Jn.90	2.40	18.00
*s. True Blue, 12" A. dk. bl. Jn-Ag.	1.05	2.70	
VINCA			
			<i>Periwinkle</i>
*minor, Common Periwinkle, 6"			
O. bl., ev. fl. Jn-Sp.75	2.20	15.00
*m. alba, White Periwinkle, 6"			
O. wt., ev. fl. Jn-Sp.	1.20	3.50	33.00
VINCETOXICUM (See CYNANCHUM)			
VIOLA			
			<i>Violet</i>
*alpina, Alpine Violet, 6" wt. Jl-Ag.90	2.40	
*cornuta, Tufted Pansy, 8" lt. bl. Ap-Oc.90	2.40	18.00
*c. alba, White Tufted Pansy, 8" wt. Ap-Oc.90	2.40	18.00
*c. atropurpurea, Purple Tufted Pansy, 8" vl. bl. Ap-Oc.90	2.40	18.00
*c. G. Wermig, 8" dk. bl. Ap- Ma.90	2.40	18.00
*cucullata, Blue March Violet, 8" vl. bl. Ap-Ma.75	2.20	15.00
*Jersey Gem, 8" vl. bl. Ap-Oc.	1.05	3.00	20.00
*odorata, Single Russian Violet, 6" bl. Ap-Jn.90	2.40	18.00
*pedata, Bird-foot Violet, 6" pp. Jn-Jl.90	2.40	18.00
HYBRIDS			
*Blue Perfection, 6" mv. Jn-Sp.	.75	2.20	15.00
*lutea splendens, 6" gd. yl. Jn-Sp.	.75	2.20	15.00
*White Perfection, 6" wt. Jn-Sp.	.75	2.20	15.00
YUCCA			
filamentosa, Common Yucca, 5'			
B. cm. wt. Jn-Jl., 2 yrs.90	2.40	18.00
3 yrs.	1.05	3.00	

INDEX

	Page		Page
Abies	5, 6	Boltonia	69
Acacia	50	Boston Ivy—See Am-	
Acanthopanax	37	pelopsis tricuspidata	52
Acer	25, 26	Bridalwreath	49
Achillea	65	Buckthorn	49
Aconite	65	Buddleia	40
Aconitum	65	Bugbane	71
Actinidia	57	Bugle	65
Adiantum	74	Bugloss	66
Aegopodium	65	Burning Bush	44
Aethionema	65	Buttercup	86
Agrostemma—See Lychnis		Butterfly Bush	40
Ajuga	65	Butterfly-Weed	67
Akebia	57	Butternut	30
Almond, Flowering	49	Buttonbush	41
Althea	45, 65		
Alyssum	66	Cactus	82
Alum Root	77	Callirhoe	69
Amelanchier	37	Calluna	19, 20
Ampelopsis	57	Calycanthus	41
Amsonia	66	Camomile	66
Anchusa	66	Campanula	69, 70
Andromeda	22	Campion	81
Androsace	66	Candytuft	78
Anemone	66	Caragana	41
Antennaria	66	Cardinal Flower	81
Anthemis	66	Carpinus	27
Aquilegia	67	Cassia	70
Arabis	67	Catalpa	27
Aralia	26, 37	Catchfly	88
Arborvitae	15, 16, 17, 18	Catnip	82
Arbutus	73	Ceanothus	41
Arctostaphylos	19	Cedar	9
Arenaria	67	Celastrus	57, 58
Aristolochia	57	Centaurea	70
Armeria—See Statice	88	Centranthus	70
Aronia	38	Cephalanthus	41
Arrow-wood	55	Cerastium	70
Artemisia	67	Cerastostigma	70
Asclepias	67	Cercidiphyllum	27
Ash	29	Cercis	27
Ash, Mountain	34, 35	Chalk-plant	76
Asperula	67	Chamaecyparis	6, 7
Asplenium	74	Cheiranthus	70
Aster	68, 88	Chelone	70
Astilbe	68	Cherry, Ornamental	33, 49
Athyrium	74	Chinese Lantern	85
Aubrietia	69	Chionanthus	27
Avens	76	Chokeberry	38
Azalea	38, 39, 40	Chrysanthemum	70, 71
		Cimicifuga	71
Baby's Breath	76	Cinquefoil	86
Balloonflower	85	Cladrastis	27
Baptisia	69	Clematis	58
Barberry	40	Clethra	41
Bayberry	48	Coffeetree	29
Bearberry	19	Columbine	67
Beautybush	46	Coneflower	73, 86
Bedstraw	75	Convallaria	71
Bee Balm	82	Coptis	71
Beech	29	Corn Flower	70
Bellis	69	Cornus	28, 41, 42
Bellflower	69, 70	Coronilla	72
Berberis	40	Cotoneaster	42, 43
Betula	26, 27	Cotton	86
Bignonia	57	Cowslip	86
Birch	26, 27	Crab, Ornamental	30, 31, 32
Bittersweet	57, 58	Cranberry Bush	55, 56
Bittersweet, Evergreen—		Cranesbill	76
See Wintercreeper		Crataegus	28, 29
Blanket Flower	75	Creepers	21, 57
Bleeding Heart	73	Crosswort	72
Blistercress	74	Crownvetch	72
Blue Bells	82		
Blueberry	55		
Bloodroot	86		

	Page
Crucianella	72
Cryptogramma	74
Cupflower	82
Cydonia	43
Cynanchum	72
Daisy	69
Daphne	20
Delphinium	72
Dennstedtia	75
Deutzia	43, 44
Devil's Walking Stick	26
Dianthus	72, 73
Dicentra	73
Dictamnus	73
Digitalis	73
Dogwood	28, 41, 42
Doronicum	73
Draba	73
Dragonhead	85
Dryopteris	75
Dutchman Pipe	57
Echinacea	73
Echinops	73
Edelweiss	80
Elder	51
Elm	36
Enkianthus	44
Epigaea	73
Epilobium	73
Epimedium	74
Erica	20
Erigeron	74
Erinus	74
Eryngium	74
Eryngo	74
Erysimum	74
Euonymus	21, 44
Eupatorium	74
Euphorbia	74
Exochorda	44
Fagus	29
Ferns	74, 75
Filipendula	75
Fir	5, 6, 13
Flax	81
Fleabane	74
Fleeceflower	85
Foamflower	89
Forget-me-not	82
Forsythia	44, 45
Foxglove	73
Fraxinus	29
Fringe	27
Gaillardia	75
Galax	75
Galium	75
Gas Plant	73
Gaultheria	75
Gayfeather	80
Geranium	76
Germander	88
Geum	76
Gleditsia	29
Globeflower	89
Globethistle	73
Gloryvine	59
Golden Glow	86
Golden Moss	87
Goldentuft	66
Goldthread	71
Goutweed	65
Grass	84
Gromwell	81
Groundcherry	85

	Page
Gymnocladus	29
Gypsophila	76
Halesia	29
Hamamelis	45
Hawthorn	28, 29
Heath	20
Heather	19, 20
Hedera	21, 58
Helenium	76
Helianthemum	76
Helianthus	76
Heliopsis	76
Heliotrope	89
Hemerocallis	77
Hemlock	18
Hepatica	77
Heuchera	77
Hibiscus	45, 77
Hollyhock	65
Honeylocust	29
Honeysuckle	47, 58, 59
Hoptree	33
Hornbeam	27
Hosta	77, 78
Hydrangea	45, 58
Hypericum	46, 78
Iberis	78
Ilex	21, 45
Inkberry	21
Inula	78
Iris	78, 79
Ivy	21, 58
Jasmine	66
Jetbead	49
Joe-Pye-Weed	74
Juglans	30
Juniper	7, 8, 9
Juniperus	7, 8, 9
Kalmia	21, 22
Katsura Tree	27
Kerria	46
Kniphofia	80
Kolkwitzia	46
Laburnum	30
Lambkill	21
Larkspur	72
Lathyrus	80
Laurel	22
Lavender	80
Lavendula	80
Leek	87
Leiophyllum	22
Leontopodium	80
Leopardbane	73
Leucothoe	22
Liatris	80
Ligustrum	46, 47
Lilac	35, 53, 54, 55
Lilium	80
Lily	77, 80
Lily of the Valley	71
Limonium	80
Linaria	80
Linden	35, 36
Linum	81
Liriodendron	30
Lithospermum	81
Liver Balsam	74
Lobelia	81
Lonicera	47, 58, 59
Loosestrife	81
Lotus	81
Lupine	81

	Page		Page
Lupinus	81	Platycodon	85
Lychnis	81	Plumbago	70
Lycium	59	Plum, Ornamental	33, 49
Lysimachia	81	Polemonium	35
Lythrum	81	Polygonum	85
		Polypodium	75
Mallow	69, 81	Polystichum	75
Maltese Cross	81	Poplar	32, 33
Malva	81	Poppy	83
Malus	30, 31, 32	Populus	32, 33
Maple	25, 26	Potentilla	86
Matrimony Vine	59	Prairiemallow	88
Mazus	81	Primrose	86
Meadow Rue	88	Primula	86
Meadowsweet	75	Privet	46, 47
Mentha	82	Prunella	86
Mertensia	82	Prunus	33, 49
Milkweed	67	Pseudotsuga	13
Mint	82	Ptelea	33
Mistflower	74	Pteritis	75
Mitchella	82	Pussytoes	66
Mockorange	48, 49	Pyrethrum	86
Monarda	82	Pyrus	34
Moneywort	81		
Monkshood	65	Quercus	34
Morus	32	Quince, Ornamental	43
Mosquito Trap	72		
Moss Pink	85	Ranunculus	86
Mountain Ash	34, 35	Raspberry, Flowering	51
Mountain Laurel	22	Red Bud	27
Mulberry	32	Retinospora	6, 7
Mullein	89	Rhamnus	49
Myosotis	82	Rhododendron	23
Myrica	48	Rhodora	49
Myrtle—See Periwinkle		Rhodotypos	49
Myrtle, Sand	22	Rhus	50
		Ribbon Grass	34
Nannyberry	56	Robinia	50
Nepeta	82	Rockcress	67
Nierembergia	82	Rock Jasmine	66
Ninebark	49	Rosa	50, 51
		Rose	50, 51, 60, 61, 62
Oak	34	Rose Acacia	50
Oenothera	82	Rosemallow	77
Onoclea	75	Rosinweed	88
Opuntia	82	Roxbury Waxwork	58
Osmunda	75	Rubus	51
Ox-eye Daisy	76	Rudbeckia	86
Oxydendrum	32		
		Sage	86
Pachistima	22, 82	St. Johnswort	46, 78
Pachysandra	22, 82	Salix	34
Paeonia	83	Salvia	86
Pansy	90	Sambucus	51
Papaver	83	Sand Myrtle	22
Partridge Berry	82	Sand Pear	34
Pea	41, 80	Sandwort	67
Pear, Ornamental	34	Sanguinaria	86
Pearl Bush, Common	44	Santolina	86
Pentstemon	84	Saponaria	86
Peony	83	Satureia	87
Peppermint	82	Savin	9
Periwinkle	22, 90	Savory	87
Phalaris	84	Saxifraga	87
Phellodendron	32	Scabiosa	87
Philadelphus	48, 49	Sea Lavender	80
Phlox	84, 85	Sedum	87
Photinia	49	Selfheal	86
Physalis	85	Sempervivum	87
Physocarpus	49	Senna	70
Physostegia	85	Shadbush—See Shadblow	
Picea	9, 10, 11	Shadblow	37
Pieris	22	Sheep Berry—See Nannyberry	
Pine	11, 12, 13	Shortia	87
Pinks	72, 73	Sidalcea	88
Pinus	11, 12, 13	Silene	88
Pinxterbloom	39	Silphium	88
Plaintain Lily	77, 78	Silverbell, Great	29

	Page		Page
Smoketree	50	Trefoil	81
Sneeze Wort	76	Trillium	89
Snow in Summer	70	Trollius	89
Snowball	56	Trumpet creeper	57
Snowberry	53	Tsuga	18
Soapwort	85	Tulip Tree	30
Sorbaria	52	Tunica	89
Sorbus	34, 35	Tunicflower	89
Sourwood	32	Turtlehead	70
Spear-mint	82	Ulmus	36
Speedwell	89, 90	Vaccinium	55
Spiderwort	89	Valerian	89
Spiraea	52, 53	Valeriana	89
Spirea	52, 53	Vervascum	89
Spruce	9, 10, 11	Veronica	89, 90
Spurge	22, 74, 82	Viburnum	55, 56
Stachys	88	Vinca	22, 90
Statice	88	Viola	90
Stokesia	88	Violets	90
Stonecress	65	Virgin's Bower	58
Stonecrop	87	Virginia Creeper	57
Sumac	50	Vitis	59
Summersweet	41		
Sundrops	82	Wallflower	70
Sunflower	76	Wayfaring Tree	55
Sun Rose	76	Weigela	56
Sweetbriar	51	White Fringe	27
Sweetshrub	41	Whitlowgrass	73
Sweet William	72	Wild-Indigo	69
Symphoricarpos	53	Willow	34
Syringa	35, 53, 54, 55	Winterberry	46
		Wintercreeper	21
Tarragon	67	Wintergreen	75
Taxus	13, 14, 15	Wisteria	59
Tea, Jersey	41	Witch Hazel	45
Teucrium	88	Withe Rod	55
Thalictrum	88	Woodruff	67
Thermopsis	88	Woodwardia	75
Thorn	28	Woundwort	88
Thrift	88		
Thuja	15, 16, 17, 18	Yarrow	65
Thyme	89	Yellow Root	56
Thymus	89	Yellow Wood	27
Tiarella	89	Yew	13, 14, 15
Tilia	35, 36	Yucca	90
Toadflax	80		
Torchlily	80	Zanthorhiza	56
Tradescantia	89		



